BOSTON
MEDICAL LIBRARY

IN THE
Francis A. Countway
Library of Medicine
BOSTON

TENTH ANNUAL REPORT

RELATING TO THE

REGISTRATION AND RETURN

OF

BIRTHS, MARRIAGES, DIVORCES, AND DEATHS

IN NEW HAMPSHIRE,

FOR THE YEAR 1889.

VOLUME VII.—NEW SERIES.

MANCHESTER:
JOHN B. CLARKE, PUBLIC PRINTER.
1891.

BOSTON MEDICAL
APR 2 1903
LIBRARY.

CATALOGUED
APR 2 1903
J. F. B.

W
2
AN3
03r
1889

THE STATE OF NEW HAMPHIRE.

OFFICE OF THE REGISTRAR OF VITAL STATISTICS,
CONCORD, N. H., November 1, 1890.

To His Excellency the Governor and the Honorable Council:

In conformity with the requirements of the laws of New Hampshire, I have the honor to submit herewith the tenth annual report relating to the registration and return of births, marriages, divorces, and deaths in the State of New Hampshire for the year 1889.

This report is somewhat larger and more extensive than any hitherto published. The arrangement of the work also differs somewhat from that of former reports, and includes a summary of observations embracing a review of some of the more prominent causes of death that have been registered during the past six years.

A longer period could not profitably be included in the deductions, inasmuch as prior to 1884 the registration returns relating to births and deaths were not sufficiently accurate for reliable calculations.

The returns of births have never been as complete as is desirable and are not likely to become so under the present system of registration. The returns of marriages, divorces, and deaths are reliable and as nearly correct as can be secured under any method of registration.

If our present system of registration is continued, in the next few years the records will be of very great value from a sanitary standpoint alone. They will indicate localities in which the mortality from certain diseases is

excessive, and thereby cause an examination into the causes.

A nomenclature of the causes of death for the guidance of physicians in making a more scientific classification of the causes of mortality is given on pages 6 to 16 inclusive.

Tables I. to XVIII., inclusive, may be regarded as foundation tables, from which may be constructed a great variety of special tables relating to births, marriages, divorces, and deaths. These tables should be maintained from year to year, with possibly some additions in the future.

In the summary observations are given facts and data which are constructed from the foundation tables and are presented in a way intended to show more vividly the exact status of the subjects considered.

It is evident that in a few years these observations will be of much more value than at present and that other and more comprehensive information may be added.

Reference should be had to the index at the end of this volume for any subject included in this report.

An acknowledgment is due Hon. E. B. Huse, supervisor of the census for the district of New Hampshire, for his courtesy in furnishing a statement of the population of the State by towns for 1890 in season to be used in this report.

Respectfully submitted.

Irving A. Watson

Registrar of Vital Statistics.

NOMENCLATURE

OF

CAUSES OF DEATH.

NAMES OF CAUSES OF DEATH.

It should be stated that the nomenclature of diseases in the nosological arrangement on the following pages is not intended to include the names of the whole list of morbid phenomena affecting the human organism, but the names of such only as are directly the cause of death, or such as ordinarily predispose to or set in motion the morbid processes that end in death.

In the construction of the classification now adopted, use has been made of the results and conclusions of a committee of the Royal College of Physicians, of England (who have been engaged for several years in a revision of the British nomenclature of diseases), as far as such conclusions have been ascertained from brief reports in different medical journals, and from such other sources as were accessible (the complete report not having yet been issued), and from examination of the classifications in use in different countries in Europe and America.

It should be said that all these classifications have been and are essentially alike, that all have been based designedly on observed facts and most advanced conclusions in relation to pathological processes and morbid conditions, inductive, causative, progressive, and ultimate.

The statistical nosology will consist of two lists of causes of death,

A TABULAR LIST AND SUPPLEMENTAL LIST.

The tabular list comprises the chief or primary causes of death which will be used in Table XIII., in the preparation of the Registrar's annual reports, and will, therefore, include all those named in the supplemental list, when the final arrangement is completed.

The supplemental list is subordinate to the tabular list, and contains synonyms, or names of related diseases, which may be actually, or are supposed to be, causes of death, and which are in addition to those in the tabular list, and which are often found in physicians' certificates of death. These will all have a place, in alphabetical order, in Table XVII., and will be variously grouped under different heads in Table XIII., as the figure which precedes each cause in the supplemental list will correspond with the figure of the head in the tabular list under which that cause is placed.

NOMENCLATURE OF CAUSES OF DEATH.

CLASSES.

I. General Diseases. — A. Specific and febrile. (Zymotic.)
II. General Diseases. — B. Cachectic. (Constitutional.)
III. Special Diseases. — A. Functional or organic. (Local.)
IV. Special Diseases. — B. Developmental. (Developmental.)
V. Violent Deaths. — From injuries. (Violence.)

SUB-GROUPS OR ORDERS.

Class I. — Zymotic Diseases.

Order one, Miasmatic. Order two, Enthetic. Order three, Dietic. Order four, Parasitic.

Class II. — Constitutional Diseases.

Order one, Diathetic. Order two, Tubercular.

Class III. — Local Diseases.

Order one, Diseases of the Nervous System. Order two, Organs of Circulation. Order three, Organs of Respiration. Order four, Organs of Digestion. Order five, Urinary Organs. Order six, Reproductive Organs. Order seven, Osseous and Locomotory Organs. Order eight, Integumentary System.

Class IV. — Developmental Diseases.

Order one, Of Children. Order two, Of Women. Order three, Of Old Age. Order four, Of Nutrition.

Class V. — Violent Deaths.

Order one, Accidents and Negligence. Order two, Homicide. Order three, Suicide.

Class I. — Zymotic Diseases.

Tabular List.

For Table XIII. of the Registration Report.

Order One. — Miasmatic.

I. One. — 1. Carbuncle.
2. Cholera, Asiatic.
3. Cholera, sporadic.
4. Cholera infantum.
5. Cholera morbus.
6. Croup (pseudo membranous).
7. Diphtheria.
8. Diarrhœa.
9. Dysentery.
10. Erysipelas.
11. Fever, bilious.
12. Fever, cerebro-spinal.
13. Fever, intermittent.
14. Fever, malarial.
15. Fever, typhoid.
16. Fever, typho-malarial.
17. Fever, unspecified.
18. Fever, yellow.
19. Influenza (epidemic).
20. Measles.
21. Mumps.
22. Metria (puerperal fever).
23. Pertussis.
24. Tonsilitis.
25. Scarlatina.
26. Small-pox.
27. Varicella.

Order Two. — Enthetic.

I. Two. — 1. Glanders.
2. Gonorrhea.
3. Hydrophobia.
4. Malignant pustule.
5. Septicæmia.
6. Syphilis.

Supplemental List.

Synonyms or Related Diseases.

Order One. — Miasmatic.

I. One. — 1. Anthrax.
Gangrenous boil.
4. Entero-colitis, } Infantile.
Gastro-enteritis, }
10. Hospital gangrene.
Pyemia.
Phagadena.
Phlegmon.
15. Infantile fever.
Typhus fever.
20. Rotheln.
21. Parotitis.
22. Child-bed fever.
23. Whooping-cough.
24. Quinsy.
25. Scarlet fever.
Angina maligna.
26. Varioloid.
27. Chicken-pox.
Miliaria.

Order Two. — Enthetic.

I. Two. — 2. Stricture of the urethra.
Gonorrheal ophthalmia.
5. Necusia.

Class I. — Zymotic Diseases — *Continued.*

TABULAR LIST.	SUPPLEMENTAL LIST.
Order Three. — Dietic.	**Order Three. — Dietic.**
I. Three. — 1. Alcoholism.	I. Three. — 1. Intemperance.
2. Delirium tremens.	3. Privation.
3. Inanition.	Starvation.
4. Purpura and scurvy.	Neglect.
Order Four. — Parasitic.	**Order Four. — Parasitic.**
I. Four. — 1. Apthæ.	I. Four. — 1. Thrush.
2. Worms.	2. Tapeworm.
3. Other parasites.	Trichianasis.
	3. Scabies.
	Hydatids.
	Porrigo, favus, etc.

Class II. — Constitutional Diseases.

Order One. — Diathetic.	
II. One. — 1. Gout.	II. One. — 2. Anasarca.
2. Dropsy.	3. Leucocythæmia.
3. Anæmia.	Chlorosis.
4. Cancer, various.	4. Soft cancer.
5. Cancer of breast.	Epithelioma.
6. Cancer of stomach.	Melanosis.
7. Cancer of uterus.	Lupus.
8. Noma (canker).	Other kinds of cancer.
9. Mortification.	9. Bed-sore.
10. Rheumatism.	Dry gangrene.
	10. Rheumatic carditis.
	Rheumatic synovitis.
	Rheumatic meningitis.
Order Two. — Tubercular.	
II. Two. — 1. Scrofula.	II. Two. — 1. Psoas (lumbar) abscess.
2. Tabes mesenterica.	White swelling.
3. Phthisis (pulmonary).	Cretinism (goitre).
4. Hydrocephalus.	Adenetis.
5. Tubercular meningitis.	Morbus coxarius.
	Pott's disease.
	2. Tubercular peritonitis.
	3. Hæmoptysis.

Class III. — Local Diseases.

TABULAR LIST.

Order One. — Nervous System.

III. One. — 1. Cephalitis.
2. Cerebritis.
3. Apoplexy.
4. Paralysis.
5. Insanity.
6. Chorea.
7. Epilepsy.
8. Tetanus.
9. Convulsions.
10. *Brain diseases.**

Order Two. — Circulatory System.

III. Two. — 1. Pericarditis.
2. Aneurism.
3. *Heart diseases.**

Order Three. — Respiratory System.

III. Three. — 1. Epistaxis.
2. Laryngitis.
3. Bronchitis, acute.
4. Bronchitis, chronic.
5. Pleurisy.
6. Pneumonia.
7. Asthma.
8. *Lung diseases.**

Order Four. — Digestive System.

III. Four. — 1. Gastritis.
2. Enteritis.
3. Peritonitis.
4. Ascites.

SUPPLEMENTAL LIST.

III. One. — 1. Phrenitis.
Meningitis.
Cerebro-spinal meningitis (sporadic).
5. Monomania.
Fright.
Grief.
Melancholia.
Dementia.
Rage.
6. Hysteria.
8. Laryngismus.
Lockjaw.
Trismus nascentium.
10. Neuralgia, cerebral.
Neurasthenia.
Disease of spinal cord.
Necrencephalus (ramollissement).
Thrombosis, cerebral.

III. Two. — 1. Carditis.
Endocarditis.
3. Hypertrophia.
Atrophia.
Angina pectoris.
Syncope.
Arteritis.
Ossification of arteries.
Phlebitis.
Hydropericardium.
Embolus.
Thrombosis.

III. Three. — 2. Œdema glottidis.
5. Empyema.
Diaphragmitis.
Pneumothorax.
Hydrothorax.
6. Pulmonary apoplexy.
Hæmoptysis.†
Congestion of lungs.
7. Grinders' asthma.
Miners' asthma.
Emphysema.

III. Four. — 1. Glossitis.
Stomatitis.
Pharyngitis.
Œsophagitis.
2. Gastro-enteritis, } Not in-
Entero-colitis, } fantile.

* Not otherwise placed.

† See Class II. Order Two — 3, Sup. List.

CLASS III. — LOCAL DISEASES — *Continued.*

TABULAR LIST.	SUPPLEMENTAL LIST.
ORDER FOUR. — DIGESTIVE SYSTEM — *Continued.*	
5. Ulceration of intestines.	5 Perforation of.
6. Hernia.	6. Congenital. Femoral. Inguinal. Scrotal. Umbilical. Ventral.
7. Ileus.	7. Constipation. Obstipation. Perityphlitis. Typhlitis.
8. Intussusception.	
9. Stricture of intestines.	9. Strict œsophagus.
10. Fistula.	
11. *Stomach diseases.**	11. Dyspepsia. Pyrosis. Gastralgia. Hæmalemesis. Melæna.
12. *Pancreas diseases.**	
13. Hepatitis.	
14. Jaundice.	14. Gall-stones.
15. *Liver diseases.**	15. Cirrhosis.
16. *Spleen diseases.**	
17. *Bowel diseases.**	
ORDER FIVE. — URINARY SYSTEM.	
III. Five. — 1. Nephritis.	
2. Ischuria.	
3. Nephria (Bright's disease).	III. Five. — 3. Albuminuria.
4. Diabetes.	
5. Calculus (gravel, etc.).	
6. Cystitis.	6. Cystirrhœa.
7. Prostate, disease of.	
8. *Kidney diseases.**	8. Diuresis. Hæmaturia. Uræmia.
9. Bladder, diseases of.*	9. Urethritis.
10. Testicles, disease of.	10. Orchitis.
ORDER SIX. — GENERATIVE SYSTEM.	
FEMALE.	
III. Six. — 1. Ovarian dropsy.	III. Six. — 1. Ovarian tumor.
2. *Diseases of uterus.**	2. Hysteritis metritis. Uterine uteri. Polypus tumor. Ovaritis. Pelvic cellulitis.

* Not otherwise placed.

Class III. — Local Diseases. — *Continued.*

TABULAR LIST.	SUPPLEMENTAL LIST.
Order Seven. — Osseous and Locomotory System.	
III. Seven. — 1. Bones, diseases of. 2. *Joint Diseases.** 3. Vertebræ, diseases of.	III. Seven. — 1. Ostitis. Periostitis. Fragilitas ossium. Mollities ossium. Rickets. Caries, necrosis. Exostosis. 2. Synovitis. Hip disease.‡ 3. Spine disease. Spine, caries and necrosis.
Order Eight. — Integumentary System.	
III. Eight. — 1. Phlegmon.† 2. Ulcer. 3. *Skin diseases.**	III. Eight. — 1. Abscess, part not stated. Boil. Whitlow. 3. Roseola. Urticaria. Eczema. Herpes. Pemphigus. Ecthyma. Impetigo. Psoriasis, etc. Dermatitis, (from burns, etc.).
Order Nine. — Organs of Special Sense.	
EYE AND EAR.	
III. Nine. — 1. Malignus oculi. 2. Ophthalmitis. 3. Ossis petrosis. 4. Otitis.	

Class IV. — Developmental Diseases.

Order One. — Developmental Diseases of Children.	
IV. One. — 1. Still-born. 2. Debility, infantile. 3. Debility, premature birth. 4. Cyanosis. 5. Spina bifida.	IV. One. — 2. Asthenia. 4. Atelectasis pulmonum. 6. Anus imperforatus. Cleft palate. Idiocy. 8. Malnutrition.

* Not otherwise placed. † See Class I., Order One — 10, Sup.

‡ See Class II., Order Two — 1, Sup.

Class IV. — Developmental Diseases — *Continued.*

TABULAR LIST.	SUPPLEMENTAL LIST.
Order One. — Developmental Diseases of Children — *Continued.*	
6. Other malformations. 7. Teething. 8. Innutrition.	
Order Two. — Developmental Diseases of Women.	
IV. Two. — 1. Paramenia. 2. Childbirth.*	IV. Two. — 1. Amenorrhœa. Chlorosis.† Climacteria. Menorrhagia. 2. Miscarriage. Abortion. Puerperal mania. Puerperal convulsions. Phlegmasia dolens. Cæsarian operation. Extra-uterine fœtation. Flooding. Retention of placenta. Presentation of placenta. Deformed pelvis. Mammary abscess.
Order Three. — Developmental Diseases of Old People.	
IV. Three. — 1. Old age.	
Order Four. — Diseases of Nutrition. Adolescent and Adult.	
IV. Four. — 1. Atrophy. 2. Debility.	IV. Four. — 1. Marasmus. Malnutrition. 2. Asthenia. Exhaustion.

Class V. — Violent Deaths.

Order One. — Accident or Negligence.	
V. One. — 1. Fractures and contusions. 2. Wounds, unspecified. 3. Burns and scalds. 4. Poison. 5. Drowning. 6. Suffocation. 7. Various.	V. One. — 1. Railroad and other accidents. 5. Lost at sea. 6. Asphyxia. Strangulation. 7. Exposure. Cold water. Frozen. Heat. Lightning. Surgical operation.

* See Class I., Order One — 22, Tab. List. † See Class II., Order One — 3, Sup.

CLASS V. — VIOLENT DEATHS — *Continued.*

TABULAR LIST.	SUPPLEMENTAL LIST.
ORDER TWO. — HOMICIDE.	
ORDER THREE. — SUICIDE.	
V. Three. — 1. Wounds, unspecified. Wounds, pistol or gunshot. Wounds, knife. 2. Poison. 3. Drowning. 4. Hanging. 5. Otherwise.*	V. Two. — 1. Infanticide. Patricide. Matricide. Fratricide. Filicide, etc.
ORDER FOUR. — VARIOUS.	
V. Four. — 1. Unclassified. 2. Cause not specified.	

SUGGESTIONS CONCERNING PHYSICIANS' CERTIFICATES OF DEATH.

It should be the endeavor to specify the causes of death as definitely and correctly as possible. It is not unusual to find a return of death with the physician's certificate naming the cause of death "Paralysis," "Paraplegia," "Fits," "Convulsions," "Dropsy," etc., which are merely secondary or consecutive causes, simply symptoms only, or results of some organic lesion or pathological derangement. Sometimes the alleged cause is really the final cause, as in a case of termination of life by paralysis, but the cause given as paralysis is not the determining cause. Apoplexy, or some lesion of the nervous centers, must be the original and determining cause of paralysis, paraplegia, hemiplegia, etc., and the determining cause should be stated as the primary in the return or certificate.

Convulsions are the symptoms or results of some antecedent or concurrent disease. They follow meningitis and other structural lesions of the nervous centers; they also occur from reflex derangement or disturbance of the nervous centers, as, in children, from intestinal irritation, or from inflammation, as in gastritis, enteritis, nephritis, etc. In such cases they may be contributory to death, and perhaps, in rare instances, a final cause, by inducing or taking the form of tonic or tetanic spasm. But as contributory, or as a final cause, they are simply concomitant, and are not unfrequently manifestations of the desperate efforts of expiring vitality to regain orig-

* Manner stated.

inal and normal control. They should find place as secondary causes only in certificates of death.

"Fits" is too unmeaning a term to be used in any case. The word in a medical sense literally means an attack, an occurrence, or succession of attacks of some physical or mental disturbance, as "fits of sickness," "fits of melancholy," etc., and is not properly used as synonymous with convulsions from any cause. It would be just as sensible to attribute a death to an "occurrence" or an "attack" as a cause, as to "fits," without other qualification.

"Dropsy" and "ascites" have been allowed to stand as determining causes of death because of extended use, and because of the obscurity with which their causes in rare instances are involved. We can scarcely conceive of a dropsical accumulation without antecedent organic or functional disorder, derangement of the absorbent or secretory system, or depravation of the blood. They are left in the tabular list with not a little reluctance. Paralysis is also left in the tabular list for a like reason, and with the same doubt of propriety.

"Inflammation" does not in any way define the cause of death. The organ or organs affected should be mentioned, or else the death must remain unclassified.

"Hemorrhage" is sometimes returned as a cause, but unless accompanied by a further statement no inference can be drawn as to the real cause of death. The suicide who cuts his throat frequently dies of hemorrhage; sometimes the patient with typhoid fever succumbs from the same cause, yet to report "hemorrhage" as the cause of death would leave the actual cause in obscurity.

It may be suggested that it is sometimes difficult, and occasionally impossible, to ascertain positively the chief or leading cause of death. The physician last in attendance may find several functional or structural diseases, the morbid conditions multiple and complex, and not only the initial derangement, but the succession of morbid processes — proximate, consecutive, and ultimate — inextricably entangled and lost to discovery.

The careful diagnostician will, however, even then be able to conceive the probable leading cause, but, whether or not, he will be able at least to ascertain the most prominent and controlling lesion or functional derangement then existing, and which may reasonably be accepted as the primary cause of death.

The preceding remark applies very properly to cases of adventitious diseases which prove fatal, when occurring in individuals already suffering from some chronic disease of slower progress, as when fatal dysentery attacks a consumptive person, or one having

chronic nephritis dies from pneumonia. The acute disease occurring independently of the chronic disease is the chief cause of death, although the fatal event may have been made more sure by the existence of the antecedent disease, and although the antecedent disease would have ultimately caused death.

In attributing death to scrofula, tuberculosis, tumor, cancer, abscess, and other generic terms as causes, the organic structure or locality where the disease is developed should always be given, otherwise such terms are very indefinite, and discredit the acquirements of the certifying physician.

The objects desired in presenting the preceding nomenclature of causes of death, and the suggestions following, are to subserve the purpose of greater uniformity in the use of nosological terms, and to promote the accomplishment of entire definiteness, accuracy, and completeness in the physicians' certificates of causes of death.

TENTH ANNUAL REPORT

OF

BIRTHS, MARRIAGES, DIVORCES, AND DEATHS

Registered in New Hampshire,

FOR THE YEAR ENDING

DECEMBER 31, 1889.

TABLE NO. I.

Showing Births for 1880, 1881, 1882, 1883, 1884, 1885, 1886, 1887, 1888, *and* 1889.

Counties.	Population in 1880.	Population in 1890.	Births.									
			1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.
Rockingham	49,064	49,728	733	675	749	692	637	640	757	727	750	752
Strafford	35,558	38,439	322	423	625	698	640	621	662	701	725	705
Belknap	17,948	20,285	215	227	273	261	242	256	263	296	307	328
Carroll	18,224	18,111	153	198	274	286	275	245	264	249	236	260
Merrimack	46,300	49,401	628	750	809	723	739	734	818	773	852	921
Hillsborough	75,634	93,131	840	879	1,617	1,675	1,843	1,952	2,148	2,313	1,798	1,923
Cheshire	28,734	29,728	255	348	445	496	554	511	514	525	553	546
Sullivan	18,161	17,286	245	236	265	269	268	267	230	269	276	287
Grafton	38,788	37,334	584	593	657	647	643	631	623	623	599	695
Coös	18,580	23,164	274	286	410	403	406	462	378	434	347	495
Total	346,991	376,607	4,249	4,615	6,124	6,150	6,247	6,319	6,657	6,910	6,443	6,912

TABLE NO. I. — *Continued.*

Showing Marriages for 1880, 1881, 1882, 1883, 1884, 1885, 1886, 1887, 1888, *and* 1889.

Counties.	Population in 1880.	Population in 1890.	Marriages.									
			1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.
Rockingham	49,064	49,728	310	382	419	399	419	447	440	457	420	484
Strafford	35,558	38,439	255	332	428	425	415	388	418	420	416	377
Belknap	17,948	20,285	108	177	166	198	147	150	183	213	183	186
Carroll	18,224	18,111	136	149	159	175	171	182	177	149	163	176
Merrimack	46,300	49,401	330	353	364	432	344	361	345	421	405	423
Hillsborough	75,634	93,131	752	674	1,025	949	886	815	876	915	879	1,013
Cheshire	28,734	29,728	195	206	232	262	238	233	240	255	221	250
Sullivan	18,161	17,286	134	151	149	167	138	109	140	123	146	154
Grafton	38,788	37,334	274	270	319	339	332	327	318	328	322	343
Coös	18,580	23,164	135	146	172	149	202	168	187	214	224	215
Total	346,991	376,607	2,629	2,830	3,433	3,495	3,292	3,180	3,324	3,495	3,379	3,621

TABLE NO. I. — *Continued.*

Showing Deaths for 1880, 1881, 1882, 1883, 1884, 1885, 1886, 1887, 1888, *and* 1889.

Counties.	Population in 1880.	Population in 1890.	Deaths.									
			1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.
Rockingham	49,064	49,728	627	717	732	699	873	911	963	876	896	875
Strafford	35,558	38,439	184	329	372	494	627	619	609	673	688	691
Belknap	17,948	20,285	147	153	219	262	285	289	362	369	392	389
Carroll	18,224	18,111	107	189	219	253	333	269	303	294	328	298
Merrimack	46,300	49,401	595	695	726	762	736	796	833	835	920	891
Hillsborough	75,634	93,131	1,203	1,396	1,390	1,551	1,655	1,701	1,681	1,697	1,846	1,740
Cheshire	28,734	29,728	240	271	405	418	497	494	475	482	488	525
Sullivan	18,161	17,286	190	261	261	254	273	284	328	283	327	314
Grafton	38,788	37,334	429	482	487	547	652	611	616	602	655	625
Coös	18,580	23,164	107	157	190	181	263	227	256	368	314	348
Total	346,991	376,607	3,829	4,650	5,001	5,421	6,194	6,201	6,426	6,479	6,854	6,696

TABLE NO. II.

Population of 1890; *Births, Marriages, and Deaths, with percentage of each to one thousand of the population, for the year ending December* 31, 1889.

COUNTIES.	Population in 1890.	Births.	Rate per 1,000 of population.	Marriages.	Rate per 1,000 of population.	Deaths.	Rate per 1,000 of population.
Rockingham	49,728	752	15.11	484	9.72	875	17.58
Strafford	38,439	705	18.34	377	9.80	691	17.97
Belknap	20,285	328	16.16	186	9.16	389	19.17
Carroll	18,111	260	14.35	176	9.71	298	16.45
Merrimack	49,401	921	18.64	423	8.56	891	18.03
Hillsborough	93,131	1,923	20.64	1,013	10.87	1,740	18.68
Cheshire	29,728	546	18.36	250	8.40	525	17.66
Sullivan	17,286	287	16.60	154	8.90	314	18.16
Grafton	37,334	695	18.61	343	9.18	625	16.74
Coös	23,164	495	21.36	215	9.27	348	15.02
Total	376,607	6,912	18.35	3,621	9.61	6,696	17.77

TABLE

Births, Marriages, and Deaths for

ROCKINGHAM

TOWNS.	Population in 1890.	BIRTHS.										
		Sex.					Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and for'n father.	American father and for'n mother.	Not stated.
Atkinson	483	1	3	..	4	8.28	4	...	....	....	..
Auburn	630	7	3	..	10	15.87	9	1	....	....	..
Brentwood	967	2	11	..	*13	13.44	9	...	1	1	2
Candia	1,104	11	7	..	18	16.30	14	...	....	1	3
Chester	958	4	2	..	6	6.26	5	...	....	1	..
Danville	666	11	3	..	14	21.02	11	2	....	1	..
Deerfield	1,216	12	10	..	22	18.09	20	...	....	....	2
Derry	2,602	24	19	..	43	16.52	31	2	2	5	3
East Kingston	461	2	3	..	5	10.84	5	...	....	....	..
Epping	1,727	20	18	..	38	22.00	21	12	3	2	..
Exeter	4,289	37	27	..	64	14.92	32	18	5	6	3
Fremont	729	8	7	..	15	20.57	7	5	3	....	..
Greenland	648	3	1	..	4	6.17	4	...	....	....	..
Hampstead	857	1	1	..	2	2.33	2	...	....	....	..
Hampton	1,330	6	9	..	15	11.27	12	...	....	1	2
Hampton Falls	624	3	4	..	7	11.21	5	2	....	....	..
Kensington	547	3	5	..	8	14.62	6	...	1	1	..
Kingston	1,120	13	5	1	19	16.96	16	1	....	2	..
Londonderry	1,327	9	10	..	19	14.31	13	3	....	2	1
Newcastle	488	3	4	..	7	14.34	4	1	....	2	..
Newington	401	3	2	1	6	14.96	5	...	....	1	..
Newmarket	2,725	36	29	..	65	23.85	21	33	3	6	2
Newton	1,065	11	4	1	16	15.02	9	4	2	....	1
N. Hampton	804	7	1	..	8	9.94	8	...	....	....	..
Northwood	1,472	9	16	..	25	16.98	23	...	1	1	..
Nottingham	986	5	5	1	11	11.15	8	...	....	....	3
Plaistow	1,093	9	2	..	11	10.06	3	4	1	2	1
Portsmouth	9,830	74	81	6	161	16.37	98	32	12	13	6
Raymond	1,123	11	5	..	16	14.24	16	...	....	....	..
Rye	978	10	8	..	18	18.40	15	1	1	1	..
Salem	1,806	6	4	..	10	5.53	6	1	....	2	1
Sandown	475	4	1	..	5	10.52	2	2	....	1	..
Seabrook	1,658	16	14	..	30	18.09	28	...	....	2	..
S. Hampton	370	1	4	..	5	13.51	4	1	....	....	..
S. Newmarket	857	8	4	..	12	14.00	7	2	1	....	2
Stratham	679	7	7	..	14	20.61	11	1	2	....	..
Windham	633	2	4	..	6	8.47	4	2	....	....	..
Total	49,728	399	343	10	752	15.11	498	130	38	54	32

* At county almshouse, 2.

NO. III.

the year ending December 31, 1889.

COUNTY.

MARRIAGES.						DEATHS.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
5	....	....	....	...	5	8	3	....	11	9	....	2	22.77
3	....	....	....	...	3	8	11	....	19	16	....	3	30.15
6	....	1	....	...	7	14	22	....	*36	13	2	21	37.22
8	1	....	....	...	9	13	8	....	21	18	1	2	19.02
6	....	....	....	...	6	9	12	....	21	19	1	1	21.92
1	....	....	....	...	1	4	2	....	6	5	....	1	9.00
7	....	....	....	...	7	16	13	....	29	22	....	7	23.84
23	....	3	1	...	27	14	20	....	34	29	1	4	13.06
2	....	....	....	...	2	11	5	....	16	14	1	1	34.70
13	2	1	1	2	19	14	25	....	39	32	3	4	22.58
23	11	....	2	2	38	25	41	....	66	52	9	5	15.39
9	....	2	....	...	11	6	4	....	10	8	1	1	13.71
3	....	....	1	...	4	5	7	....	12	12	....	...	18.51
3	....	....	....	...	3	5	10	....	15	7	....	8	17.50
10	...	....	1	1	12	12	2	....	14	14	....	...	10.52
4	....	....	....	1	5	3	2	....	5	3	....	2	8.01
3	....	....	....	1	4	4	6	....	10	8	2	...	18.28
5	....	....	....	...	5	11	14	....	25	21	1	3	22.32
10	....	....	1	...	11	4	10	....	14	10	1	3	10.55
5	....	....	....	...	5	7	6	....	13	13	....	...	26.65
1	..	....	....	...	1	4	3	1	8	5	....	3	19.95
12	15	4	....	...	31	31	29	2	62	51	11	...	22.75
11	....	....	....	...	11	8	8	....	16	15	....	1	15.02
1	....	....	....	4	5	6	4	....	10	10	....	...	12.43
11	....	1	2	2	16	9	12	....	21	16	....	5	14.26
3	....	....	....	1	4	8	9	1	18	17	....	1	18.25
3	3	...	..	...	6	5	5	....	10	7	2	1	9.14
109	13	10	10	6	148	102	91	1	194	154	20	20	19.73
11	....	1	1	...	13	7	11	....	18	18	....	...	16.02
12	....	....	....	1	13	5	11	....	16	13	1	2	16.36
18	1	....	....	...	19	10	9	...	19	15	2	2	10.52
3	....	....	....	...	3	4	2	....	6	6	....	...	12.63
14	....	....	....	...	14	11	12	....	23	22	....	1	13.87
....	....	....	....	...	....	2	2	....	4	4	....	...	10.81
1	....	....	1	...	2	6	5	....	11	8	2	1	12.83
6	1	....	....	...	7	6	4	....	10	9	....	1	14.72
5	1	....	....	1	7	5	8	....	13	8	3	2	20.53
370	48	23	21	22	484	422	448	5	875	703	64	108	17.58

* At county almshouse, 25.

TABLE NO. III.

STRAFFORD

TOWNS.	Population in 1890.	Births.										
		Sex.					Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and for'n father.	American father and for'n mother.	Not stated.
Barrington	1,404	1	3	..	4	28.43	3	1	..	..	..
Dover	12,786	127	116	5	248	19.39	114	78	25	25	6
Durham	870	1	1	..	2	2.29	1	..	..	1	..
Farmington	3,063	36	33	..	69	22.20	56	2	5	5	1
Lee	602	2	4	..	6	9.96	4	2	..	..	..
Madbury	364	2	2	..	4	10.98	2	..	2	..	..
Middleton	206	1	1	..	2	9.70	2	..	..	..	..
Milton	1,647	4	11	..	15	9.10	13	..	..	..	2
New Durham	585	5	4	1	10	17.09	9	..	1	..	..
Rochester	7,395	59	51	3	113	15.28	67	36	5	2	3
Rollinsford	2,003	29	17	1	47	23.46	8	30	6	3	..
Somersworth	6,212	93	76	..	169	27.20	30	124	3	8	4
Strafford	1,302	6	10	..	16	12.28	16	..	..	..	..
Total	38,439	366	329	10	705	18.34	325	273	47	44	16

—*Continued.*

COUNTY.

MARRIAGES.						DEATHS.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
5	1	....	....	...	6	5	17	....	22	19	1	2	15.66
85	14	15	8	7	129	122	129	1	252	186	50	16	19.70
3	....	....	....	...	3	9	3	....	12	9	....	3	13.79
19	1	....	....	...	20	25	30	....	55	48	....	7	17.95
3	....	2	....	...	5	2	4	....	6	5	....	1	9.96
3	....	....	....	...	3	1	3	....	4	4	....	....	10.98
....	....	....	....	...	....	6	3	....	9	7	....	2	43.68
8	....	3	1	1	13	7	10	....	17	15	1	1	10.32
6	1	....	....	...	7	10	8	....	18	17	....	1	30.76
48	11	8	4	7	78	52	51	1	104	86	11	7	14.06
10	7	4	1	...	22	14	13	....	27	23	4	....	13.47
36	39	....	2	5	82	57	81	1	139	99	38	2	22.37
8	....	1	....	...	9	12	14	....	26	25	....	1	19.96
234	74	33	16	20	377	322	366	3	691	543	105	43	17.97

TABLE NO. III.

BELKNAP

TOWNS.	Population in 1890.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and for'n father.	American father and for'n mother.	Not stated.
Alton	1,372	7	14	..	21	15.30	19	1	1	...	...
Barnstead	1,262	5	5	..	10	7.92	10	...	...	...	...
Belmont	1,149	9	8	..	17	14.79	13	2	....	1	1
Center Harbor	479	2	2	..	4	8.35	4	...	...	...	...
Gilford	3,585	22	24	1	47	13.11	23	14	2	5	3
Gilmanton	1,204	4	6	..	10	8.30	8	...	....	....	2
Laconia	6,128	75	69	..	144	23.49	40	68	16	14	6
Meredith	1,629	15	10	..	25	15.34	22	1	1	1	...
New Hampton	935	3	7	..	10	10.69	9	...	...	....	1
Sanbornton	1,021	7	5	..	12	11.75	8	1	1	1	1
Tilton	1,521	15	12	1	28	18.40	15	7	1	5	...
Total	20,285	164	162	2	328	16.16	171	94	22	27	14

—*Continued.*

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
6	....	1	....	...	7	22	15	....	37	29	1	7	26.96
10	....	....	....	1	11	12	16	....	28	20	1	7	22.18
6	....	....	1	3	10	9	12	....	21	19	....	2	18 27
9	....	1	....	...	10	....	3	....	3	....	....	3	6.26
20	2	5	4	2	33	23	30	....	53	44	5	4	14.79
5	....	....	....	1	6	10	10	....	20	15	....	5	16.61
23	16	2	3	6	50	61	55	....	116	92	15	9	18.92
24	....	....	....	1	25	20	14	....	34	33	....	1	20.87
4	....	....	....	...	4	12	9	....	21	19	....	2	22.46
6	....	....	1	...	7	13	11	...	24	24	....	....	23.50
19	2	1	1	...	23	19	13	....	32	24	4	4	21.10
132	20	10	10	14	186	201	188	.....	389	319	26	44	19.17

TABLE NO. III.

CARROLL

TOWNS.	Population in 1890.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and for'n father.	American father and for'n mother.	Not stated.
Albany	373	5	4	..	9	24.12	6	1	1	1	...
Bartlett	1,247	16	12	4	32	25.66	10	11	4	2	5
Brookfield	349	.....	2	..	2	5.73	1	...	1	....	...
Chatham	329	3	2	..	5	15.19	3	...	....	....	2
Conway	2,333	13	20	..	33	14.14	31	1	1	....	...
Eaton	512	2	2	..	4	7.81	4	...	....	....	...
Effingham	720	5	8	..	13	18.05	12	...	1	....	...
Freedom	633	3	9	..	12	18.95	11	1	....	....	...
Hart's Locat'n	187	.....	.....	.....	.....	.....	...	....	....	....	...
Jackson	580	6	3	..	9	15.51	8	...	....	1	...
Madison	555	3	8	..	11	19.81	11	...	....	....	...
Moultonboro'	1,034	7	12	..	19	18.37	15	...	1	....	3
Ossipee	1,634	21	3	..	24	14.68	21	1	....	....	2
Sandwich	1,302	8	13	..	21	16.08	18	...	1	....	2
Tamworth	1,034	7	6	..	13	12.57	13	...	....	....	...
Tuftonboro'	765	3	5	..	8	10.45	6	...	....	2	...
Wakefield	1,518	17	13	..	30	19.76	15	4	5	4	2
Wolfeborough	3,006	8	3	4	15	4.99	12	...	....	....	3
Total	18,111	127	125	8	260	14.35	197	19	15	10	19

—*Continued.*

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
3	....	1	....	...	4	2	1	....	3	3	....	....	8.04
4	1	....	1	...	6	6	10	1	17	17	....	....	13.63
5	....	....	....	...	5	9	4	....	13	13	....	....	37.24
3	....	....	....	...	3	....	3	....	3	3	....	....	9.11
34	1	3	1	1	40	22	19	....	41	38	1	2	17.57
8	....	....	....	...	8	2	2	....	4	4	....	....	7.81
6	....	....	....	...	6	11	6	....	17	16	1	....	23.61
12	....	....	....	...	12	3	4	....	7	6	....	1	11.05
....	1	....	....	...	1	....	....	....	....	....	....	....	.....
1	1	1	....	...	3	4	2	....	6	5	....	1	10.34
1	....	....	...	...	1	2	5	....	7	6	....	1	12.61
9	....	....	....	...	9	6	11	....	17	14	....	3	16.44
11	....	....	...	1	12	14	13	....	27	23	....	4	16.52
11	....	....	....	...	11	18	11	....	29	28	....	1	22.19
9	....	....	....	...	9	6	11	....	17	15	....	2	16.44
4	....	....	....	...	4	11	13	....	24	24	....	....	31.37
7	....	1	3	...	11	11	11	....	22	21	....	1	14.49
27	....	3	1	...	31	23	20	1	44	38	1	5	14.63
155	4	9	6	2	176	150	146	2	298	274	3	21	16.45

TABLE NO. III.

MERRIMACK

TOWNS.	Population in 1890.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and for'n father.	American father and for'n mother.	Not stated.
Allenstown...	1,486	37	21	..	58	39.03	4	45	5	4	...
Andover.....	1,088	8	6	1	15	13.78	13	1	1	....	...
Boscawen....	1,487	12	20	..	32	21.51	16	7	1	3	5
Bow.....	723	2	2	1	5	6.91	5	...	....	....	...
Bradford.....	806	6	4	..	10	12.40	9	...	....	....	1
Canterbury...	964	7	5	..	12	12.44	10	...	....	2	...
Chichester ...	662	1	5	..	6	9.06	5	...	....	1	...
Concord.....	17,018	181	154	..	335	19.68	154	96	40	38	7
Danbury.....	678	4	4	..	8	11.79	6	...	1	1	...
Dunbarton ...	523	1	4	1	6	11.47	5	...	1	....	...
Epsom.....	813	2	8	..	10	12.30	9	...	....	1	...
Franklin	4,064	36	38	1	75	18.45	44	20	6	5	...
Henniker.....	1,382	12	7	..	19	13.74	16	2	1	....	...
Hill.....	548	5	9	..	14	25.58	12	...	....	1	1
Hooksett	1,893	11	18	2	31	16.37	6	20	1	4	...
Hopkinton....	1,816	15	8	..	23	12.66	13	1	1	1	7
Loudon	997	6	6	1	13	13.03	10	2	1	....	...
Newbury.....	487	6	1	..	7	14.37	5	1	....	1	...
New London..	797	8	5	..	13	16.31	12	...	....	1	...
Northfield....	1,105	9	9	1	19	17.19	15	...	3	....	1
Pembroke....	3,163	27	23	..	50	15.80	30	16	2	2	...
Pittsfield.....	2,605	34	40	..	74	28.41	13	52	4	4	1
Salisbury.....	658	12	6	..	18	27.35	14	1	1	2	...
Sutton.....	849	9	7	..	16	18.84	11	4	....	1	...
Warner.....	1,380	9	17	..	26	18.84	23	1	....	....	2
Webster	565	2	6	..	8	14.15	5	2	....	....	1
Wilmot.....	844	11	6	1	18	21.32	16	...	2	....	...
Total	49,401	473	439	9	921	18.64	481	271	71	72	26

—*Continued.*

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
5	7	....	2	...	14	5	6	....	11	9	2	....	7.40
7	....	....	....	1	8	14	6	....	20	15	1	4	18.38
7	....	....	1	...	8	22	27	....	49	33	5	11	32.95
1	....	....	....	1	2	4	3	2	9	9	....	....	12.44
6	....	....	1	...	7	10	5	....	15	13	....	2	18.61
3	....	1	....	...	4	8	9	....	17	16	....	1	17.63
4	....	....	....	...	4	2	5	...	7	6	1	....	10.57
97	21	16	11	9	154	162	174	....	*336	285	45	6	19.74
6	1	....	....	...	7	9	8	....	17	17	....	....	25.07
4	1	....	1	...	6	3	4	1	8	8	....	....	15.29
8	....	....	....	...	8	6	5	....	11	11	....	....	13.53
24	3	3	2	...	32	29	26	....	55	47	4	4	13.53
11	1	....	....	...	12	18	8	....	26	25	1	....	18.81
5	....	....	....	...	5	5	7	....	12	10	....	2	21.89
4	4	2	....	...	10	10	19	1	30	25	4	1	10.56
7	....	....	....	1	8	20	18	....	38	29	....	9	20.92
6	....	....	....	1	7	12	12	2	26	25	....	1	26.06
7	....	....	1	...	8	4	4	....	8	7	1	....	16.42
6	....	....	....	...	6	2	5	....	7	7	....	....	8.77
6	....	....	1	3	10	10	7	....	17	14	....	3	15.38
19	17	3	1	2	42	9	17	....	26	18	6	2	8.22
14	1	1	....	3	19	24	29	2	55	45	3	7	21.11
5	....	....	....	1	6	7	9	....	16	12	1	3	24.31
5	....	....	....	2	7	6	12	....	18	17	....	1	21.20
12	....	....	....	...	12	14	12	....	26	24	....	2	18.84
6	....	...	....	1	7	7	9	....	16	15	....	1	28.31
9	.. .	1	....	...	10	6	9	....	15	13	....	2	17.77
294	56	27	21	25	423	428	455	8	891	755	74	62	18.03

At public institutions, 51.

TABLE NO. III.

HILLSBOROUGH

TOWNS.	Population in 1890.	BIRTHS.										
		Sex.					Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and for'n father.	American father and for'n mother.	Not stated.	
Amherst	1,043	7	6	..	13	12.46	11	1	....	1	..	
Antrim	1,247	18	6	..	24	19.24	18	3	1	....	2	
Bedford	1,100	8	4	1	13	11.81	12	1	....	....	..	
Bennington	543	7	5	..	12	22.09	7	2	2	1	..	
Brookline	546	11	6	..	17	31.13	11	5	....	1	..	
Deering	531	4	2	..	6	11.29	5	1	....	....	..	
Francestown	835	7	5	..	12	14.37	8	3	1	....	..	
Goffstown	1,973	16	16	..	32	16.21	21	5	2	3	1	
Greenfield	609	8	3	..	11	18.06	8	3	....	....	..	
Greenville	1,255	17	20	..	37	29.48	5	23	3	3	3	
Hancock	639	6	7	..	13	20.34	11	1	1	....	..	
Hillsborough	2,111	24	22	1	47	22.26	38	3	3	2	1	
Hollis	1,000	6	4	..	10	10.00	4	...	....	6	..	
Hudson	1,080	9	6	..	15	13.88	14	1	...	....	..	
Litchfield	252	1	.....	..	1	3.96	1	...	....	....	..	
Lyndeborough	657	6	5	..	11	16.74	10	1	....	....	..	
Manchester	44,105	384	429	13	826	18.72	131	516	63	48	68	
Mason	629	6	6	..	12	19.07	9	2	....	1	..	
Merrimack	954	4	7	..	11	11.53	7	3	....	1	..	
Milford	3,016	20	31	..	51	16.90	36	10	2	2	1	
Mont Vernon	480	1	6	..	7	14.58	5	...	....	1	1	
Nashua	19,278	287	276	3	566	29.35	179	300	43	37	7	
New Boston	1,065	10	12	1	23	21.59	19	2	....	2	..	
New Ipswich	969	12	11	..	23	23.73	12	9	....	2	..	
Pelham	801	6	5	..	11	13.74	9	1	1	....	..	
Peterborough	2,512	18	23	..	41	16.32	19	13	2	6	1	
Sharon	126	.....	1	..	1	7.93	...	...	....	....	1	
Temple	320	5	1	..	6	18.75	6	...	....	....	..	
Weare	1,551	11	15	..	26	16.76	22	1	....	....	3	
Wilton	1,842	25	18	..	*43	23.34	18	7	2	10	6	
Windsor	62	2	.....	..	2	32.25	2	...	....	....	..	
Total	93,131	946	958	19	1,923	20.64	658	917	126	127	95	

*At county almshouse, 12.

—*Continued.*

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
6	....	1	....	...	7	13	8	...	21	20	1	....	20.13
6	1	1	1	...	9	7	4	...	11	9	1	1	8.82
5	....	....	....	...	5	7	9	...	16	14	2	....	14.54
2	....	....	....	...	2	8	5	...	13	11	2	....	23.94
4	....	....	1	1	6	6	10	...	16	16	....	....	29.30
3	....	....	1	1	5	6	5	...	11	10	....	1	20.71
2	....	....	....	...	2	9	13	...	22	20	2	....	26.34
7	....	1	....	...	8	13	17	1	31	27	1	3	15.71
4	....	....	1	...	5	9	7	...	16	14	1	1	26.27
6	8	2	2	2	20	19	11	...	30	23	6	1	23.90
10	....	1	....	...	11	7	4	...	11	10	1	....	17.21
25	1	1	....	...	27	13	7	...	20	20	....	....	9.47
4	....	...	....	...	4	4	7	...	11	10	....	1	11.00
7	1	2	....	...	10	8	10	...	18	18	....	....	16.66
....	....	....	....	....	.....	2	1	...	3	1	1	1	11.90
4	....	....	....	...	4	8	6	...	14	14	....	....	21.30
166	224	56	48	8	502	382	429	27	838	600	223	15	19.00
3	....	1	....	1	5	10	2	...	12	12	....	....	19.07
1	....	....	1	...	2	7	13	...	20	18	....	2	20.96
24	....	1	2	1	28	24	26	...	50	43	6	1	16.57
1	....	....	....	1	2	2	1	...	3	2	....	1	6.25
108	80	39	28	4	259	181	166	...	347	273	54	20	17.99
6	....	2	2	...	10	12	9	...	21	18	2	1	19.71
6	6	....	....	...	12	8	13	...	21	20	....	1	21.67
3	....	3	....	...	6	5	6	...	11	7	2	2	13.74
14	3	2	1	...	20	27	23	...	50	40	7	3	19.90
3	....	....	....	...	3	....	2	...	2	2	....	....	15.87
4	....	....	....	2	6	1	2	...	3	2	....	1	9.37
13	....	....	....	...	13	12	18	...	30	25	1	4	19.34
16	1	1	2	...	20	40	27	...	*67	33	4	30	36.37
....	....	....	....	....	.....	1	....	...	1	1	....	....	16.12
463	325	114	90	21	1,013	851	861	28	1,740	1,333	317	90	18.68

3

* At county almshouse, 38.

TABLE NO. III.

CHESHIRE

TOWNS.	Population in 1890.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and for'n father.	American father and for'n mother.	Not stated.
Alstead	867	7	6	..	13	14.99	9	...	1	1	2
Chesterfield	1,048	10	3	..	13	12.40	12	...	...	...	1
Dublin	579	4	5	..	9	15.54	8	...	1	....	...
Fitzwilliam	1,122	9	10	..	19	16.93	12	3	2	2	...
Gilsum	643	5	7	..	12	18.66	10	...	...	2	...
Harrisville	748	2	4	..	6	8.02	3	1	1	1	...
Hinsdale	2,350	18	19	1	38	16.42	23	8	4	2	1
Jaffrey	1,463	16	14	..	30	20.50	14	10	....	6	...
Keene	7,461	75	51	4	130	17.42	77	29	6	5	13
Marlborough	1,693	31	23	..	54	31.30	22	28	2	1	1
Marlow	584	5	7	..	12	20.54	12	...	...	...	...
Nelson	333	1	...	..	1	3.00	1	...	...	...	...
Richmond	476	5	3	..	8	16.80	8	...	....	....	...
Rindge	986	8	8	..	16	16.16	11	4	1	....	...
Roxbury	129	.....	1	..	1	7.75	1	...	....	....	...
Stoddard	399	1	2	..	3	7.51	3	...	...	...	...
Sullivan	337	1	2	..	3	8.90	3	...	...	...	...
Surry	270	3	2	..	5	18.51	4	1	...	...	...
Swanzey	1,607	16	9	..	25	15.55	22	1	2	....	...
Troy	999	13	13	..	26	26.02	20	3	1	1	1
Walpole	2,149	35	29	..	64	29.78	32	18	5	8	1
Westmoreland	903	7	5	2	14	15.50	6	1	....	....	7
Winchester	2,582	26	18	..	44	17.04	29	10	2	2	1
Total	29,728	298	241	7	546	18.36	342	117	28	31	28

— *Continued.*

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
5	....	1	....	...	6	9	7	...	16	13	....	3	18.45
7	1	....	1	...	9	8	10	....	18	17	....	1	17.17
2	....	....	....	...	2	2	10	....	12	10	1	1	20.72
10	....	....	....	2	12	10	12	....	22	21	....	1	10.69
6	....	....	....	1	7	5	4	....	9	8	....	1	13.99
4	1	....	....	1	6	5	4	....	9	7	1	1	11.47
14	2	....	1	1	18	10	19	....	29	26	3	....	12.34
3	3	3	2	1	12	12	11	....	23	18	2	3	15.72
51	5	3	5	4	68	70	62	3	135	111	19	5	18.09
7	4	....	2	...	13	12	12	....	24	15	1	8	14.17
5	....	....	....	...	5	6	8	....	14	12	....	2	23.97
1	....	....	....	1	2	5	2	....	7	4	....	3	21.02
6	....	....	....	...	6	8	5	....	13	13	....	....	27.31
5	....	1	....	1	7	9	20	....	29	28	1	....	29.41
....	....	....	....	...	....	1	1	....	2	2	....	....	15.50
4	....	....	....	...	4	3	7	....	10	7	1	2	25.06
....	....	....	....	...	....	4	5	....	9	8	....	1	26.70
5	....	....	....	...	5	2	2	....	4	2	....	2	14.81
14	....	....	1	1	16	18	11	....	29	27	2	....	18.04
11	4	1	....	1	17	2	8	....	10	9	1	....	10.01
13	....	1	....	1	15	19	13	....	32	24	4	4	14.89
1	....	....	....	...	1	17	15	1	* 33	14	1	18	36.54
14	1	1	....	3	19	11	23	2	36	26	4	6	13.93
188	21	11	12	18	250	248	271	6	525	422	41	62	17.66

* At county almshouse, 8.

TABLE NO. III.

SULLIVAN

TOWNS.	Population in 1890.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and for'n father.	American father and for'n mother	Not stated.
Acworth	721	3	2	..	5	6.93	4	...	....	1	..
Charlestown	1,467	2	13	..	15	10.22	13	...	....	1	1
Claremont	5,548	62	48	..	110	19.82	59	34	11	3	3
Cornish	953	6	6	..	12	12.59	11	...	1	....	..
Croydon	511	8	4	..	12	23.48	10	...	....	1	1
Goshen	384	2	5	..	7	18.22	5	...	....	1	1
Grantham	424	3	6	..	9	21.22	7	...	1	....	1
Langdon	308	4	....	..	4	12.98	4	...	....	....	..
Lempster	519	6	6	..	12	23.12	8	1	1	2	..
Newport	2,612	26	20	..	46	17.61	37	4	2	3	..
Plainfield	1,172	9	7	..	16	13.65	14	...	....	....	2
Springfield	547	5	4	..	9	16.45	8	...	....	1	..
Sunapee	902	5	3	..	8	8.86	5	2	....	....	1
Unity	653	6	3	..	9	13.78	9	...	....	....	..
Washington	565	9	4	..	13	23.00	9	1	2	1	..
Total	17,286	156	131	..	287	16.60	203	42	18	14	10

— *Continued.*

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
5	....	....	....	...	5	8	11	....	19	17	1	1	26.35
15	1	....	....	1	17	14	12	....	26	19	2	5	17.72
38	4	6	4	2	54	45	49	....	94	78	13	3	16.94
5	....	1	....	...	6	9	10	....	19	19	....	...	19.93
5	....	....	....	...	5	3	7	....	10	8	1	1	19.56
2	....	....	....	...	2	3	6	....	9	7	1	1	23.43
7	....	....	....	1	8	3	5	....	8	7	....	1	18.86
2	....	....	....	...	2	1	4	....	5	5	...	...	16.23
3	....	....	1	...	4	3	11	....	14	13	1	...	26.97
21	1	....	1	1	24	20	26	....	46	39	3	4	17.61
5	....	1	....	1	7	8	5	....	13	12	....	1	11.09
1	....	....	....	...	1	5	8	....	13	13	....	...	23.76
4	1	....	....	1	6	8	6	....	14	12	2	...	15.52
6	....	1	....	1	8	9	9	....	18	11	2	5	27.56
4	....	....	....	1	5	4	2	....	6	6	....	...	23.00
123	7	9	6	9	154	143	171	....	314	266	26	22	18.16

TABLE NO. III.

GRAFTON

TOWNS.	Population in 1890.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and for'n father.	American father and for'n mother.	Not stated.
Alexandria	679	1	9	..	10	14.72	7	...	.....	.....	3
Ashland	1,190	18	10	..	28	23.52	14	5	1	....	8
Bath	930	12	8	..	20	21.50	15	1	2	1	1
Benton	245	3	.....	..	3	12.24	1	2	....	.....	..
Bethlehem	1,265	16	17	2	35	27.66	19	10	4	1	1
Bridgewater	332	2	6	..	8	24.09	8	...	.....	.....	..
Bristol	1,521	14	14	..	28	18.50	13	2	....	....	13
Campton	984	9	6	..	15	15.24	14	...	.....	....	1
Canaan	1,426	19	9	2	30	21.03	23	1	3	1	2
Dorchester	379	4	2	..	6	15.83	5	1	...	.....	..
Easton	250	2	3	..	5	20.00	5	...	.....	.....	..
Ellsworth	150	4	2	..	6	40.00	5	...	1	.....	..
Enfield	1,437	11	4	..	15	10.43	10	1	1	2	1
Franconia	596	5	1	..	6	10.06	6	...	.....	.....	..
Grafton	786	4	5	1	10	12.72	9	...	.....	.....	1
Groton	466	7	6	..	13	27.89	12	1	....	.....	..
Hanover	1,807	15	14	..	29	16.04	23	3	....	3	..
Haverhill	2,669	22	43	2	67	25.10	54	5	6	2	..
Hebron	245	3	6	..	9	36.73	7	...	.....	.....	2
Holderness	594	6	3	..	9	15.15	9	...	.....	.....	..
Landaff	501	4	2	..	6	11.97	3	...	2	1	..
Lebanon	3,775	37	22	1	60	15.89	41	6	6	6	1
Lincoln	111	.....	1	..	1	9.00	1	...	.....	.....	..
Lisbon	2,060	16	14	..	30	14.56	20	3	5	1	1
Littleton	3,361	44	42	1	87	12.13	38	28	14	7	..
Livermore	155	.....	.....	..	.....	.....	...	...	.....	.....	..
Lyman	542	2	2	..	4	7.38	4	...	.....	.....	..
Lyme	1,152	4	12	1	17	14.75	14	...	.....	2	1
Monroe	477	6	4	..	10	20.96	8	1	....	....	1
Orange	245	6	.....	..	6	24.48	6	...	.....	.....	..
Orford	913	13	8	..	21	23.00	19	1	1	....	..
Piermont	707	7	2	..	9	12.72	8	...	1	....	..
Plymouth	1,852	11	14	..	25	13.49	23	1	....	1	..
Rumney	947	10	8	..	18	19.00	15	...	2	1	..
Thornton	637	8	10	..	18	28.25	12	2	3	1	..
Warren	860	5	6	..	11	12.79	8	2	....	....	1
Waterville	39	.....	1	..	1	25.64	1	...	.....	.....	..
Wentworth	698	6	6	..	12	17.19	12	...	.....	.....	..
Woodstock	351	3	4	..	7	19.94	6	...	1	....	..
Total	37,334	359	326	10	695	18.61	498	76	53	30	38

— *Continued.*

COUNTY.

MARRIAGES.						DEATHS.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
5	....	....	....	...	5	6	5	...	11	10	....	1	16.21
9	1	....	....	...	10	10	6	...	16	10	4	2	13.44
9	....	1	2	3	15	9	6	...	15	12	....	3	16.06
1	....	1	....	2	4	2	3	...	5	5	....	....	20.40
9	....	....	....	2	11	10	8	...	18	14	2	2	14.22
4	....	....	....	...	4	5	1	...	6	6	....	....	18.07
6	....	1	....	...	7	15	20	...	35	23	....	12	23.01
9	1	....	....	...	10	11	14	...	25	23	....	2	25.40
15	....	....	....	3	18	13	14	...	27	22	3	2	18.93
3	1	....	....	...	4	2	5	...	7	6	....	1	18.46
1	....	....	....	....	2	....	2	...	2	2	....	....	8.00
....	....	....	....	1	1	3	2	...	5	4	1	....	33.33
8	1	2	1	...	12	8	19	...	27	22	3	2	18.78
5	....	....	....	1	6	5	6	...	11	9	....	2	18.45
4	....	....	....	...	4	9	8	...	17	14	1	2	21.62
1	....	....	....	...	1	3	2	...	5	3	....	2	10.72
11	1	3	....	1	16	14	25	...	39	37	2	....	21.58
11	2	....	3	1	17	22	18	...	*40	25	2	13	14.98
1	....	....	....	...	1	3	5	...	8	5	....	3	32.65
2	....	....	....	...	2	6	3	...	9	9	....	....	15.15
4	1	....	2	...	7	5	4	...	9	8	....	1	17.96
22	1	....	4	1	28	15	22	...	37	35	2	....	9.80
....	....	1	....	...	1	....	1	...	1	1	....	....	9.00
18	....	....	2	2	22	12	13	...	25	23	2	....	12.13
22	6	2	11	4	45	28	18	...	46	35	4	7	13.68
....	....	....	....	....	....	....	....	....	....	....	....	....	....
4	....	....	....	...	4	5	9	...	14	13	1	....	25.83
6	....	....	....	...	6	13	14	...	27	26	1	....	23.43
3	....	....	....	...	3	4	4	...	8	8	....	....	16.77
4	....	....	....	...	4	1	2	...	3	3	....	....	12.24
8	....	1	....	...	9	17	12	...	29	26	....	3	31.76
7	....	....	....	...	7	5	2	...	7	7	....	....	9.90
20	....	....	1	2	23	12	9	...	21	19	1	1	11.33
5	....	....	1	...	6	12	10	...	22	20	1	1	23.23
6	....	....	1	...	7	4	8	...	12	9	....	3	18.83
5	....	....	....	...	5	3	7	...	10	9	....	1	11.62
....	....	....	....	....	....	....	....	....	....	....	....	....	....
6	....	....	....	1	7	12	5	...	17	12	....	5	24.35
8	....	....	1	...	9	3	6	...	9	8	....	1	25.64
262	15	12	29	25	343	307	318	...	625	523	30	72	16.74

TABLE NO. III.

COÖS

TOWNS.	Population in 1890.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and for'n father.	American father and for'n mother.	Not stated.
Berlin	3,705	64	67	..	131	35.35	17	101	4	9	...
Cambridge	31	.....	.....	.....	.....	.....	.....	.....	.....	.....	...
Carroll	822	6	4	...	10	12.16	5	4	1	.....	...
Chandler's P'r.	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	...
Clarksville	327	2	4	..	6	18.34	3	...	....	2	1
Colebrook	1,736	16	14	..	30	17.28	16	2	4	4	4
Columbia	602	4	5	..	9	14.95	5	...	2	2	...
Dalton	597	6	6	..	12	20.10	8	1	2	....	1
Dixville	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	...
Dummer	455	.....	.....	1	1	2.19	.....	.....	.....	.....	1
Errol	178	4	3	..	7	39.32	5	...	....	1	1
Gorham	1,701	27	20	..	47	27.63	16	21	6	4	...
Green's Grant.	30	.....	.....	.....	.....	.....	.....	.....	.....	.....	...
Jefferson	1,060	9	5	..	14	13.20	7	3	1	2	1
Lancaster	3,384	29	21	..	50	14.77	28	12	5	2	3
Martin's Loc'n.	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	...
Milan	1,028	14	13	..	27	26.26	12	7	3	4	1
Millsfield	62	1	1	..	2	32.58	.....	.....	....	1	1
N'thumberl'd.	1,351	11	14	..	25	18.50	16	5	2	1	1
Pink'm's Grant	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	...
Pittsburg	669	2	2	..	4	5.97	1	...	....	....	3
Randolph	136	.....	.....	.....	.....	.....	.....	.....	.....	.....	...
Sec. Coll. Gr'nt	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	...
Shelburne	334	1	2	..	3	8.98	1	1	....	1	...
Stark	703	12	5	..	17	24.18	4	6	1	3	3
Stewartstown	1,006	3	4	..	7	6.95	4	...	2	1	...
Stratford	1,133	13	14	..	27	23.83	12	7	1	4	3
Wentworth's L	25	.....	.....	.....	.....	.....	.....	.....	.....	.....	...
Whitefield	2,037	31	35	..	66	32.40	22	31	9	4	...
Total	23,164	255	239	1	495	21.36	182	201	43	45	24

— *Continued.*

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
7	21	2	8	...	38	42	36	1	79	56	20	3	21.31
....	....	....	....	....	....	....	1	....	1	....	....	1	32.25
1	1	....	3	...	5	10	3	....	13	5	6	2	15.81
....	....	....	....	....	....	....	....	....	....	....	....	....	.....
2	....	2	....	...	4	4	1	....	5	2	....	3	15.29
6	2	2	3	...	13	9	15	....	24	18	3	3	13.82
1	...	2	....	1	4	6	4	....	10	8	1	1	16.61
4	1	....	....	...	5	6	5	....	11	8	1	2	18.42
....	....	....	....	....	....	....	....	....	....	....	....	....	.....
3	....	1	....	1	5	1	2	1	4	....	....	4	8.79
2	....	....	....	...	2	2	....	....	2	1	1	....	11.23
11	3	1	4	2	21	5	2	....	7	6	1	....	4.11
....	....	....	....	....	....	....	....	....	....	....	....	....	.....
4	3	....	1	2	10	4	7	....	11	9	....	2	10.37
19	5	1	1	1	27	14	22	....	36	23	3	10	10.63
....	....	....	....	....	....	....	....	....	....	....	....	....	.....
7	1	1	....	1	10	8	6	....	14	13	1	....	13.61
....	....	....	....	....	....	....	....	....	....	....	....	....	.....
6	1	1	1	2	11	8	14	....	22	19	2	1	16.28
....	....	....	....	....	....	....	....	....	....	....	....	....	.....
4	....	....	....	...	4	3	4	....	7	3	....	4	10.47
1	....	....	....	...	1	1	1	....	2	1	....	1	14.70
....	....	....	....	....	....	....	....	....	....	....	....	....	.....
4	....	....	....	1	5	4	1	....	5	4	....	1	13.43
8	1	1	1	1	12	9	3	....	12	9	....	3	17.06
4	1	2	....	1	8	10	8	....	18	5	1	12	17.89
8	3	3	1	...	15	8	12	....	20	17	2	1	17.63
....	....	....	....	....	....	....	....	....	....	....	....	....	.....
6	4	1	3	1	15	27	18	....	45	38	6	1	22.09
108	47	20	26	14	215	181	165	2	348	245	48	55	15.02

TABLE NO. III.

RECAPITULATION

COUNTIES.	Population in 1890.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and for'n father.	American father and for'n mother.	Not stated.
Rockingham	49,728	399	343	10	752	15.11	498	130	38	54	32
Strafford	38,439	366	329	10	705	18.34	325	273	47	44	16
Belknap	20,285	164	162	2	328	16.16	171	94	22	27	14
Carroll	18,111	127	125	8	260	14.35	197	19	15	10	19
Merrimack	49,401	473	439	9	921	18.64	481	271	71	72	26
Hillsborough	93,131	946	958	19	1,923	20.64	658	917	126	127	95
Cheshire	29,728	298	241	7	546	18.36	342	117	28	31	28
Sullivan	17,286	156	131	..	287	16.60	203	42	18	14	10
Grafton	37,334	359	326	10	695	18.61	498	76	53	30	38
Coös	23,164	255	239	1	495	21.36	182	201	43	45	24
Total	376,607	3,543	3,293	76	6,912	18.35	3,555	2,140	461	454	302

— *Continued.*

BY COUNTIES.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
370	48	23	21	22	484	422	448	5	875	703	64	108	17.58
234	74	33	16	20	377	322	366	3	691	543	105	43	17.97
132	20	10	10	14	186	201	188	..	389	319	26	44	19.17
155	4	9	6	2	176	150	146	2	298	274	3	21	16.45
294	56	27	21	25	423	428	455	8	891	755	74	62	18.03
463	325	114	90	21	1,013	851	861	28	1,740	1,333	317	90	18.68
188	21	11	12	18	250	248	271	6	525	422	41	62	17.66
123	7	9	6	9	154	143	171	..	314	266	26	22	18.16
262	15	12	29	25	343	307	318	..	625	523	30	72	16.74
108	47	20	26	14	215	181	165	2	348	245	48	55	15.02
2,329	617	268	237	170	3,621	3,253	3,389	54	6,696	5,383	734	579	17.77

BIRTHS.

TABLE NO. IV.

Births by Counties, showing Proportion of Males to Females, 1889.

COUNTIES.	Males.	Females.	Excess of Males.	Excess of Females.	Sex not stated.
Rockingham	399	343	56	.....	10
Strafford	366	329	37	.....	10
Belknap	164	162	2	.....	2
Carroll	127	125	2	.....	8
Merrimack	473	439	34	.....	9
Hillsborough	946	958	.....	12	19
Cheshire	298	241	57	.....	7
Sullivan	156	131	25	.....	.....
Grafton	359	326	33	.....	10
Coös	255	239	16	.....	1
Total	3,543	3,293	250	12	76

TABLE NO. V.

Twin Births by Months and Counties, 1889.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Colored Children.	
														M.	F
Rockingham	..	1	..	..	..	..	..	..	1	..	1	2	5	1	....
Strafford	..	..	..	..	..	..	..	1	..	2	..	..	3	....	....
Belknap	..	..	..	1	1	1	1	..	..	..	1	2	7	....	....
Carroll	..	1	..	..	..	..	..	..	..	1	..	1	3	....	....
Merrimack *	..	2	1	1	..	1	1	3	1	1	1	2	14	1	2
Hillsborough	1	1	2	5	3	1	1	2	..	3	1	..	20	....	....
Cheshire	..	..	..	..	1	..	..	..	..	..	..	..	1	....	....
Sullivan	..	..	..	..	..	..	..	..	1	..	..	..	1	....	....
Grafton	2	..	..	2	1	..	..	..	1	..	1	1	8	1	1
Coös	..	..	1	..	..	..	..	1	..	1	1	1	5	....	....
Total	3	5	4	9	6	3	3	7	4	8	6	9	67	3	3

* Triplets in Merrimack county.

TABLE

Births by Sex and

COUNTIES.		January.	February.	March.	April.	May.
Rockingham	Males	34	30	38	38	45
	Females	24	21	25	35	34
	Not stated	2	.....	.....	3	.....
Strafford	Males	24	26	26	25	33
	Females	25	26	25	34	24
	Not stated	1	1	.....	.....	1
Belknap	Males	9	14	15	19	17
	Females	14	9	13	12	13
	Not stated	.....	.....	1	.....	.....
Carroll	Males	11	7	13	15	12
	Females	5	11	13	8	9
	Not stated	.....	.....	1	.....	1
Merrimack	Males	36	40	45	34	34
	Females	34	36	46	40	39
	Not stated	3	1	.....	1	2
Hillsborough	Males	84	58	82	71	86
	Females	71	75	84	83	90
	Not stated	2	1	2	2	3
Cheshire	Males	17	15	30	27	25
	Females	29	20	12	24	23
	Not stated	.....	.....	.....	1	1
Sullivan	Males	13	11	17	18	12
	Females	13	11	14	11	12
	Not stated	.....	.....	.....	.....	.....
Grafton	Males	24	27	30	35	22
	Females	31	22	33	27	30
	Not stated	.....	.....	1	.....	1
Coös	Males	22	19	24	20	21
	Females	26	23	21	22	16
	Not stated	.....	.....	.....	.....	.....
Total	Males	274	247	320	302	307
	Females	272	254	286	296	290
	Not stated	8	3	5	7	9
Grand total		554	504	611	605	606

NO. VI.

Month, by Counties, 1889.

June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
21	33	28	34	25	29	44	.....	399	
21	34	44	25	29	29	22	.....	343	
.....	1	1	1	.....	1	1	.....	10	752
30	32	41	35	42	27	25	.....	366	
23	30	29	35	29	27	22	.....	329	
1	2	.....	1	1	1	1	.....	10	705
15	16	11	19	8	11	10	.....	164	
11	14	17	7	19	21	12	.....	162	
.....	.....	.....	.....	1	.....	.....	.....	2	328
8	8	12	11	13	12	5	.....	127	
21	10	12	6	11	11	8	.....	125	
2	.....	1	2	.....	1	.....	.....	8	260
43	44	46	45	32	34	40	.....	473	
38	40	38	33	36	22	37	....	439	
.....	.....	1	.....	.....	1	.....	.....	9	921
86	81	60	80	88	96	74	.....	946	
56	68	92	88	96	82	73	.....	958	
.....	2	2	.....	.....	3	2	.....	19	1,923
21	29	22	23	36	25	28	.....	298	
14	25	25	25	17	20	7	.....	241	
.....	.....	1	.....	1	.....	3	.....	7	546
15	10	11	19	11	11	8	.....	156	
8	8	14	16	11	6	7	.....	131	
.....	.....	.....	.....	.....	.....	.....	.....	.....	287
18	33	34	48	29	24	35	.....	359	
29	23	40	23	25	27	16	.....	326	
3	.....	2	2	1	.....	.....	.....	10	695
17	24	27	25	33	14	9	.....	255	
15	24	26	16	21	15	14	.....	239	
.....	.....	.....	.....	.....	.....	1	.....	1	495
274	310	292	339	317	283	278	.....	3,543	
236	276	337	274	294	260	218	.....	3,293	
6	5	8	6	4	7	8	.....	76	6,912
516	591	637	619	615	550	504	.....	6,912	6,912

MARRIAGES.

TABLE NO. VII.

Marriages by Counties and Nativity, 1889.

COUNTIES.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Rockingham	370	48	23	21	22	484
Strafford	234	74	33	16	20	377
Belknap	132	20	10	10	14	186
Carroll	155	4	9	6	2	176
Merrimack	294	56	27	21	25	423
Hillsborough	463	325	114	90	21	1,013
Cheshire	188	21	11	12	18	250
Sullivan	123	7	9	6	9	154
Grafton	262	15	12	29	25	343
Coös	108	47	20	26	14	215
Total	2,329	617	268	237	170	3,621

TABLE NO. VIII.

Marriages by Months and Counties, 1889.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Rockingham ..	43	22	28	30	29	52	35	35	43	56	59	52	..	484
Strafford.....	25	18	27	31	34	33	29	33	34	38	31	44	..	377
Belknap	19	13	13	12	17	18	13	15	14	12	23	17	..	187
Carroll	7	11	16	13	10	16	17	11	11	12	28	21	3	176
Merrimack ...	36	23	19	23	34	42	30	36	45	32	59	42	2	423
Hillsborough..	89	70	70	65	98	102	80	79	97	98	101	63	1	1,013
Cheshire	18	16	17	25	23	27	14	24	14	28	24	17	3	250
Sullivan	6	8	17	10	13	11	15	6	13	18	16	21	..	154
Grafton	27	21	21	26	37	22	23	26	31	25	44	34	6	343
Coös	13	10	12	20	11	19	14	17	19	32	24	15	9	215
Total.....	283	212	240	255	306	342	270	282	321	351	409	326	24	3,621

TABLE NO. IX.

Marriages by Ages and Counties, 1889.

COUNTIES.		Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	Over 80.	Not stated.	Total.
Rockingham...	Males.....	...	22	170	122	60	42	14	17	9	10	10	1	1	6	484
	Females	1	104	190	93	29	23	17	11	3	3	3	.....	...	7	484
Strafford	Males.....	...	18	150	104	35	27	15	9	1	3	10	2	...	3	377
	Females	...	102	150	53	27	20	8	2	7	2	3	.....	...	3	377
Belknap.....	Males.....	...	6	68	43	21	15	11	6	6	3	5	1	...	1	186
	Females	...	43	62	30	23	10	6	2	3	1	4	.....	...	2	186
Carroll	Males.....	...	3	72	40	19	14	10	1	2	4	8	2	...	1	176
	Females	...	61	66	16	9	8	5	2	5	1	.....	1	1	1	176
Merrimack	Males.....	...	25	155	108	50	31	17	11	10	6	6	3	...	1	423
	Females	1	109	168	62	36	14	16	5	2	4	3	.....	...	3	423
Hillsborough ..	Males.....	...	54	425	259	104	56	40	22	21	12	13	4	1	2	1,013
	Females	2	241	429	172	77	38	19	11	8	3	7	.....	...	6	1,013
Cheshire	Males.....	...	9	88	88	25	9	9	5	5	2	5	2	2	1	250
	Females	1	79	78	38	17	15	8	4	2	2	2	1	...	3	250

BOSTON MEDICAL LIBRARY. APR 2 1903

Sullivan.....	Males.....	...	6	51	46	18	12	4	5	2	3	6	1	...	.....	154
	Females	1	41	53	29	7	4	8	5	4	.....	2	.....	...	.....	154
Grafton	Males.....	...	9	126	91	44	23	14	9	7	7	8	4	...	1	343
	Females	4	117	107	56	23	10	9	4	4	2	6	.....	...	1	343
Coös.....	Males.....	...	6	87	67	25	10	6	4	3	3	2	.....	...	2	215
	Females	2	68	88	31	10	8	1	1	1	1	2	.....	...	2	215
Total.....	Males.....	...	158	1,392	968	401	239	140	89	66	53	73	20	4	18	3,621
	Females	12	965	1,391	580	258	150	97	47	39	19	32	2	1	28	3,621
Grand Total		12	1,123	2,783	1,548	659	389	237	136	105	72	105	22	5	46	7,242

TABLE NO. X.

Interesting Facts in relation to Marriages, 1889.

COUNTIES.	Instances in which the age of the bride exceeded that of the groom.	Widowers.	Widows.	Third marriage.		Fourth marriage.		Fifth marriage.		Sixth marriage.		Oldest.		Youngest.		Oldest couple.		Youngest couple.		Divorced.	
				M.	F.	M.	F.	M.	F.	M.		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Rockingham	71	89	60	8	3	1	..	..	..	1	..	82	67	17	14	82	58	17	15	..	1
Strafford	84	59	44	5	3	2	..	..	..	..	..	72	65	16	16	72	60	18	16	..	..
Belknap	39	34	25	7	1	..	..	..	..	..	..	70	65	17	17	70	65	18	17	3	7
Carroll	22	24	18	4	1	1	..	..	..	..	..	74	83	18	15	63	83	18	16	..	..
Merrimack	68	70	44	8	5	2	2	..	..	..	1	75	65	18	14	75	65	18	16	1	2
Hillsborough	149	139	119	16	4	..	2	1	..	..	..	84	63	15	14	84	63	15	14	2	2
Cheshire	43	38	33	2	2	3	..	..	..	..	..	83	75	18	14	83	75	18	16	1	1
Sullivan	27	32	23	1	2	..	..	..	..	..	..	72	65	18	14	72	65	18	19	4	..
Grafton	47	60	53	8	4	1	..	..	..	..	..	78	68	16	13	78	68	16	15	2	4
Coös	24	21	27	6	1	..	..	..	..	..	..	69	64	19	14	69	64	19	16	..	1
Total	574	566	446	65	26	10	4	1	1	1		84	83	15	13	83	75	15	14	13	18

DIVORCES.

TABLE NO. XI.

Divorces decreed by the Supreme Court of New Hampshire, in the year 1889, *as returned by the Clerks of the several Counties.*

COUNTIES.	CAUSES OF DIVORCE.																LIBELLANTS.		
	Abandonment.	Abandonment and adultery.	Absent three years.	Adultery.	Conviction for crime and imprisonment.	Extreme cruelty.	Extreme cruelty and adultery.	Extreme cruelty and habitual drunkenness.	Extreme cruelty, drunkenness, and adultery.	Habitual drunkenness.	Impotency.	Joining religious sect and refusal to cohabit.	Treatment injurious to health.	Treatment injurious to health and ex. cruelty.	Treatment injurious to health and to reason.	Willing absence three years.	Males.	Females.	Total of each county.
Rockingham	16			15		6		1		3						2	17	26	43
Strafford	16			4		14				2							9	27	36
Belknap	10			8	1	6										2	11	16	27
Carroll	8			7		3				1						1	10	10	20
Merrimack	11			9		13				2	3					4	13	29	42
Hillsborough	33	1	1	16		20	2	2	1	7			1	1	1	1	25	62	87
Cheshire	14			3		3		5		4			2				12	19	31
Sullivan	1			4		7				1		1	1			3	5	13	18
Grafton	7			16		14				2							16	23	39
Coös	7		1	5		12											7	18	25
Total	123	1	2	87	1	98	2	8	1	22	3	1	4	1	1	13	125	243	368

TABLE

Causes upon which Divorces were decreed for eight

COUNTIES.	Abandonment.	Abandonment and adultery.	Absent three years.	Absent three years and abandonment.	Adultery.	Conviction of crime and imprisonment.	Desertion and bigamy.	Extreme cruelty.	Extreme cruelty and abandonment.	Extreme cruelty and adultery.	Extreme cruelty and habitual drunkenness.
Rockingham	103	...	1	....	51	4	..	71	....	..	1
Strafford	83	...	14	....	70	1	1	93	....	..	....
Belknap	40	...	11	....	47	2	..	51	....	..	....
Carroll	48	...	3	....	28	2	..	23	....	..	1
Merrimack	104	...	20	....	73	3	..	114	....	..	....
Hillsborough	246	1	15	....	151	6	..	209	1	4	6
Cheshire	94	1	1	1	44	...	..	62	1	3	6
Sullivan	43	...	....	....	47	....	..	49	....	..	....
Grafton	91	...	....	....	57	1	..	72	....	..	....
Coös	23	...	7	....	35	1	..	41	....	..	....
Total	875	2	72	1	603	20	1	785	2	7	14

NO. XII.

years, 1882 *to* 1889, *inclusive, by Counties.*

Extreme cruelty, habitual drunkenness, and adultery.	Habitual drunkenness.	Habitual drunkenness and adultery.	Habitual drunkenness and desertion.	Impotency.	Joining religious sect and refusal to cohabit.	Nullity.	Prior marriage.	Refusal to cohabit.	Treatm'nt injurious to health.	Treatm'nt injurious to health and extreme cruelty.	Treatm'nt injurious to health and to reason.	Treatm'nt injuri'us to reason.	Willing absence three years.	Willing absence and refusal to cohabit.	No cause assigned.	Total.
....	36	....	....	1	....	..	....	..	3	....	...	..	3	...	...	274
....	30	....	...	1	....	1	..	1	1	....	....	..	...	....	...	296
....	16	....	....	.....	.....	..	.....	..	1	....	....	..	2	....	...	170
....	9	....	....	1	....	..	.....	..	.....	....	....	..	1	....	...	116
....	37	....	....	4	....	..	....	..	3	....	....	2	4	...	2	366
1	47	2	1	.....	.....	..	.....	..	6	1	1	..	1	1	...	700
....	13	....	....	.....	.....	..	1	..	5	....	....	..	...	..	...	232
....	3	....	....	1	1	..	.....	..	1	....	....	..	4	....	...	149
....	13	....	....	.....	.....	..	.....	..	1	...	....	..	...	....	...	235
....	6	....	....	.....	.....	..	.....	..	.....	.....	....	..	3	....	...	116
1	210	2	1	8	1	1	1	1	21	1	1	2	18	1	2	2,654

TABLE

CAUSES OF DEATH, ARRANGED

CLASS I.—

ORDER 1.—Miasmatic.

TOWNS IN ROCKINGHAM COUNTY.	Carbuncle.	Cholera, Asiatic.	Cholera, Sporadic.	Cholera Infantum.	Cholera Morbus.	Croup (Pseudo-membranous).	Diphtheria.	Diarrhœa.	Dysentery.	Erysipelas.	Fever, Bilious.	Fever, Cerebro-spinal.	Fever, Intermittent.	Fever, Malarial.	Fever, Typhoid.	Fever, Typho-malarial.	Fever, Unspecified.	Fever, Yellow.	Influenza (Epidemic).	Measles.	Mumps.	Metria (Puerperal Fever).	Pertussis.
Atkinson						1									1								
Auburn						1			1														
Brentwood				1				1	1														
Candia						1					1												
Chester									1						1								
Danville																							
Deerfield										1					1								
Derry				3			2		3						4		1						
East Kingston							3																
Epping				1		1	1			1													
Exeter				3			1								3								
Fremont				1	1		1		2														
Greenland							3																
Hampstead				2																			
Hampton				2											1								
Hampton Falls																							
Kensington																							
Kingston									1														
Londonderry																							2
Newcastle								1	1			1											
Newington							2																
Newmarket				6		1		1									1						
Newton																							1
N. Hampton										1													
Northwood				1																			
Nottingham																							
Plaistow				2																			
Portsmouth				9			8	4	1	1		3			1								2
Raymond				2																			
Rye																							
Salem				3															1				
Sandown																							
Seabrook				3			1																
S. Hampton																							
S. Newmarket				1																			
Stratham																							
Windham																							

NO. XIII.

BY TOWNS AND COUNTIES.

ZYMOTIC DISEASES.

	Order 2.—Enthetic.																Order 3.—Dietic.						Order 4.—Parasitic.						Total for Class I.			
Tonsilitis.	Scarlatina.	Small-pox.	Varicella.	Total.		Glanders.	Gonorrhea.	Hydrophobia.	Malignant Pustule.	Septicæmia.	Syphilis.	Total.		Alcoholism.	Delirium Tremens.	Inanition.	Purpura and Scurvy.	Total.		Aphthæ.	Worms.	Other Parasites.	Total.		Male.	Female.	Sex not stated.	Total.				
				M.	F.							M.	F.					M.	F.				M.	F.								
..	1	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3				
..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2				
..	..	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	3				
..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	2				
..	..	..	..	..	2	..	..	..	..	2	..	2	..	..	..	..	..	..	..	..	..	..	..	..	2	2	..	4				
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2				
..	..	..	..	5	8	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	8	..	13				
..	..	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	3				
..	..	..	..	2	2	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	2	3	..	5				
..	..	..	..	4	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	3	..	7				
..	..	..	..	4	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	1	..	5				
..	..	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3				
..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2				
..	..	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3				
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1				
..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2				
..	..	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	3				
..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	2				
..	..	..	..	3	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	6	..	9				
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1				
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1				
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	1	1	..	2				
..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1				
..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2				
..	..	..	..	18	11	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	19	11	..	30				
..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	2				
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
..	..	..	..	2	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	..	4				
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
..	..	..	..	3	1	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	3	2	..	5				
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1				
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				

TABLE NO. XIII.

CLASS II.—CONSTITUTIONAL DISEASES.

TOWNS IN ROCKINGHAM COUNTY.	ORDER 1.—Diathetic.													ORDER 2.—Tubercular.							Total for Class II.		
	Gout.	Dropsy.	Anæmia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus.	Noma (Canker).	Mortification.	Rheumatism.	Total.			Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Tubercular Meningitis.	Total.		Male.	Female.	Total.
											M.	F.							M.	F.			
Atkinson	..	1	..	..	..	..	..	..	..	..	1	..		..	..	1	..	..	1	..	2	..	2
Auburn	..	1	..	..	..	..	..	..	..	..	1	..		..	..	1	..	1	1	1	2	1	3
Brentwood	..	2	..	1	..	..	..	..	..	1	2	2		..	..	4	..	..	1	3	3	5	8
Candia	..	..	..	..	1	..	..	..	..	..	..	1		..	..	1	..	..	1	..	1	1	2
Chester	..	..	..	..	..	..	..	..	..	..	..	..		..	..	3	..	..	1	2	1	2	3
Danville	..	..	..	..	..	..	..	..	..	1	1	..		..	..	..	..	..	..	..	1	..	1
Deerfield	..	..	..	..	..	..	..	..	..	1	1	..		1	..	5	..	..	3	3	4	3	7
Derry	..	1	..	..	..	1	..	..	..	2	..	4		..	..	2	..	..	..	2	..	6	6
East Kingston	..	1	..	..	..	..	..	..	..	..	1	..		..	..	5	..	..	3	2	4	2	6
Epping	..	..	..	1	..	1	1	..	..	1	1	3		..	..	6	1	..	4	3	5	6	11
Exeter	..	..	..	4	..	..	..	..	1	..	..	5		..	..	5	..	..	4	1	4	6	10
Fremont	..	..	..	..	..	..	..	..	..	..	..	..		..	..	2	..	..	..	2	..	2	2
Greenland	..	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..	..	..	..	..	..
Hampstead	..	2	..	..	..	..	..	..	..	..	1	1		..	..	1	..	..	1	..	2	1	3
Hampton	..	1	..	1	..	..	..	..	..	..	2	..		..	..	2	..	..	2	..	4	..	4
Hampton Falls	..	..	..	..	..	..	..	..	..	..	..	..		..	..	1	..	..	..	1	..	1	1
Kensington	..	..	1	..	..	..	..	..	..	..	..	1		..	..	2	..	..	2	..	2	1	3
Kingston	..	..	..	1	..	..	..	..	..	..	..	1		..	..	1	..	..	1	..	1	1	2
Londonderry	..	..	1	..	..	..	..	..	..	..	..	1		..	..	..	..	1	..	1	..	2	2
Newcastle	..	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..	..	..	..	..	..
Newington	..	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..	..	..	..	..	..
Newmarket	..	4	..	1	..	..	..	..	1	..	3	3		..	1	9	3	..	3	10	6	13	19
Newton	..	..	..	..	..	..	..	..	..	..	..	..		..	..	1	..	..	..	1	..	1	1
North Hampton	..	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..	..	..	..	..	..
Northwood	..	1	..	..	..	..	..	..	..	..	..	1		..	..	3	..	..	1	2	1	3	4
Nottingham	..	..	..	1	..	..	..	..	..	..	1	..		..	1	2	..	..	2	1	3	1	4
Plaistow	..	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..	..	..	..	..	..
Portsmouth	..	1	..	2	..	..	1	..	..	1	3	2		3	2	15	1	1	12	10	15	12	27
Raymond	..	1	..	1	..	..	..	..	..	..	..	2		..	..	6	1	..	3	4	3	6	9
Rye	..	..	..	1	..	..	1	..	..	..	..	2		..	..	1	..	..	..	1	..	3	3
Salem	..	..	..	..	..	..	..	..	..	..	..	..		..	..	1	..	..	1	..	1	..	1
Sandown	..	..	..	1	..	..	..	..	..	..	1	..		..	..	1	..	..	1	..	1	1	2
Seabrook	..	..	..	1	..	1	..	..	1	..	2	1		..	1	3	..	..	3	1	5	2	7
South Hampton	..	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..	..	..	..	..	..
S. Newmarket	..	..	..	..	..	..	..	..	..	..	..	..		..	..	3	..	..	1	2	1	2	3
Stratham	..	1	..	..	..	..	..	..	..	..	..	1		..	..	1	..	..	1	..	1	1	2
Windham	..	..	..	1	..	1	..	..	..	..	..	2		..	..	1	..	..	..	1	..	3	3

— *Continued.*

CLASS III.— LOCAL DISEASES.

ORDER 1. — Nervous System.														ORDER 2. — Circulatory System.						ORDER 3. — Respiratory System.									
Cephalitis.	Cerebritis.	Apoplexy.	Paralysis.	Insanity.	Chorea.	Epilepsy.	Tetanus.	Convulsions.	Brain Diseases.	Total.				Pericarditis.	Aneurism.	Heart Diseases.	Total.			Epistaxis.	Laryngitis.	Bronchitis, Acute.	Bronchitis, Chronic.	Pleurisy.	Pneumonia.	Asthma.	Lung Diseases.	Total.	
										M.	F.					M.	F.										M.	F.	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	2	..	..	1	1
..	..	1	1	..	..	..	..	..	1	1	2	..	..	..	..	1	..	1	..	..	..	..	..	..	2	..	..	1	1
..	..	2	2	..	..	..	..	..	..	2	2	..	..	..	..	3	1	2	..	..	..	..	..	..	2	..	..	1	1
..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..	..	..	..	..	..	3	..	..	2	1
..	..	..	2	..	..	..	..	..	..	1	1	..	..	..	..	1	..	1	..	..	..	..	..	..	3	..	..	1	2
..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	1	1	..	..	..	..	..	..	..	1	..	..	..	1
..	..	1	..	1	..	1	..	..	1	2	..	..	..	..	..	1	1	..	..	..	..	1	..	..	3	..	..	4	..
..	..	1	1	..	..	..	..	..	..	2	..	..	..	..	..	1	1	..	..	..	..	..	..	..	6	..	..	4	2
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..
..	..	4	..	..	..	..	1	1	2	4	1	..	..	..	..	4	2	3	..	..	..	..	1	..	4	..	..	..	5
2	..	4	2	..	..	..	3	..	1	10	..	..	..	..	..	13	8	5	..	..	..	..	..	..	3	..	1	1	3
..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	1	1	..	..	2	..	..	..	..	..	1	..	1	..	..	..	..	..	..	1	..	..	..	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	1	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	1	1	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..
..	..	1	1	..	..	..	..	..	..	1	1	..	..	..	..	1	..	1	..	..	..	..	..	..	1	..	..	1	..
..	..	1	2	..	..	..	..	..	..	1	2	..	..	..	..	3	1	2	..	..	1	..	..	..	3	..	..	1	3
..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	2	..	2	..	..	..	..	..	..	..	..	..	..	..
..	..	2	..	..	..	..	..	..	1	1	2	..	..	..	..	2	1	1	..	..	..	..	..	1	1	..	..	2	..
1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..
1	..	..	2	..	..	..	..	..	3	5	1	..	..	..	..	6	6	..	..	..	..	..	..	..	4	..	3	5	2
1	..	2	1	..	..	..	..	1	..	1	4	..	..	..	..	3	3	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	1	1	..	..	..	..	1	..	..	..	..	..	..	1
1	1	..	2	..	..	..	..	..	2	2	4	..	..	..	..	1	..	1	..	..	..	..	..	..	3	..	..	2	1
2	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	1	..	1	..	..	..	..	..	..	1	..	..	..	1
..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	1	..	1	..	..	..	..	..	..	1	..	..	..	1
4	..	14	7	..	..	..	..	3	11	15	24	..	..	..	..	15	10	5	..	..	4	1	..	12	..	2	9	10	
..	..	1	1	..	..	..	..	..	1	1	..	..	..	..	..	2	1	1	..	..	..	..	..	..	..	..	..	..	..
..	..	1	3	..	..	..	..	..	1	3	..	..	..	..	..	2	1	1	..	..	..	..	1	1	..	..	1	1	
..	..	..	1	..	..	..	..	1	..	2	..	..	..	..	..	3	2	1	..	..	..	1	..	2	..	..	2	1	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	1	..	..	..	..	..	..	..	..	..	..	..
1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	2	1	1	..	..	..	..	..	..	2	..	..	..	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..
..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	..	2	1
1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	2	..	2	..	..	..	..	..	..	1	..	..	1	..
..	..	1	..	..	..	1	..	..	1	1	..	..	..	..	..	3	1	2	..	..	1	..	..	..	1	..	..	1	1

TABLE NO. XIII.

CLASS III.—LOCAL

ORDER 4.—Digestive Organs.

TOWNS IN ROCKINGHAM COUNTY.	Gastritis.	Enteritis.	Peritonitis.	Ascites.	Ulceration of Intestines.	Hernia.	Ileus.	Intussusception.	Stricture of Intestines.	Fistula.	Stomach Diseases.	Pancreas Diseases.	Hepatitis.	Jaundice.	Liver Diseases.	Spleen Diseases	Bowel Diseases.	Total.	
																		M.	F.
Atkinson																			
Auburn																			
Brentwood																			
Candia																			
Chester															1				1
Danville																			
Deerfield	1																		1
Derry																			
East Kingston																			
Epping		1	1																2
Exeter	1	2	2									1						1	5
Fremont																			
Greenland		1	1				1											1	2
Hampstead	1																		1
Hampton																			
Hampton Falls											1							1	
Kensington																			
Kingston							1											1	
Londonderry																			
Newcastle																			
Newington																			
Newmarket															1				1
Newton											1								1
North Hampton			1															1	
Northwood																			
Nottingham																			
Plaistow																	1		1
Portsmouth	3	1	2				1				2			1	1			4	7
Raymond															1				1
Rye															1		2	1	2
Salem										1	2							2	1
Sandown															1			1	
Seabrook		2																1	1
South Hampton															1			1	
South Newmarket																			
Stratham																	1		1
Windham			1															1	

— *Continued.*

DISEASES.— *Continued.*

Order 5.— Urinary Organs.												Order 6.— Generative Organs.			Order 7.— Osseous and Locomotory System.				Order 8.— Integumentary System.				Total for Class III.			
Nephritis.	Ischuria.	Nephria (Bright's Disease).	Diabetes.	Calculus (Gravel, etc.).	Cystitis.	Prostate, Disease of.	Kidney Diseases.	Bladder, Diseases of.	Testicles, Disease of.	Total.		Ovarian Dropsy.	Diseases of Uterus.	Total.	Bones, Diseases of.	Joint Diseases.	Vertebræ, Diseases of.	Total.	Phlegmon.	Ulcer.	Skin Diseases.	Total.		Male.	Female.	Sex not stated.	Total.
										M.	F.							M.	F.			M.	F.				
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	1	1	..	..	..	..	..	3	5	..	8
..	..	..	1	..	..	..	1	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	5	6	..	11
..	..	2	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	4	3	..	7
..	..	1	1	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	4	5	..	9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
..	..	2	..	..	..	..	1	..	..	1	2	..	..	..	1	..	..	1	..	..	..	..	..	9	5	..	14
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	4	..	9
..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	14	..	18
..	..	1	..	1	..	1	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	12	25	..	37
..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	6	..	7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	3
..	..	2	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	3	1	..	4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	..	4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	7	..	11
..	..	..	1	..	..	..	2	..	..	2	1	..	..	..	..	..	..	..	1	..	..	..	1	2	5	..	7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	3	..	7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	16	4	..	20
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	5	5	..	10
..	..	1	1	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	1	..	..	..	1	3	4	..	7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	6	..	10
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	2	4	..	6
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	4	..	5
..	..	5	..	..	..	1	1	1	..	7	1	..	..	..	..	..	..	..	1	..	..	1	..	46	47	..	93
..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	2	4	..	6
..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	5	7	..	12
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	5	..	11
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
..	..	2	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	2	7	..	9
..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	3	2	..	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	3	..	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	4	..	8

TABLE NO. XIII.

CLASS IV. — DEVELOPMENTAL DISEASES.

TOWNS IN ROCKINGHAM COUNTY.	ORDER 1. — Of Children.										ORDER 2. — Of Women.			ORDERS 3 and 4.				Total for Class IV.		
	Still-born.	Debility, Infantile.	Debility, Premature Birth.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Innutrition.	Total.		Childbirth.	Paramenia.	Total.	Old Age.		Atrophy and Debility.		Male.	Female.	Total.
									M.	F.				M.	F.	M.	F.			
Atkinson														1	1			1	1	2
Auburn														1	3			1	3	4
Brentwood			2						1	1				3	2	1	5	5	8	13
Candia	3							1	4		1		1	1	3			5	4	9
Chester														2	1		1	2	2	4
Danville		1								1				1				1	1	2
Deerfield						1				1						1		1	1	2
Derry								1	1					1	1			2	1	3
East Kingston	1								1					1				2		2
Epping	1		1					1	3						1			3	1	4
Exeter	4								2	2				1	4			3	6	9
Fremont			1						1									1		1
Greenland														1				1		1
Hampstead											1		1	2	4			2	5	7
Hampton														2				2		2
Hampton Falls														1				1		1
Kensington		1								1						1			2	2
Kingston	3	3							3	3						2	2	5	5	10
Londonderry		1						1	1	1				1				1	2	3
Newcastle								1	1					1				2		2
Newington	1								1					1				1	1	2
Newmarket	4								4		1		1	4				4	5	9
Newton	1		2						3					1				3	1	4
North Hampton								1	1							1		2		2
Northwood														1		1	1	2	1	3
Nottingham	2								1	1				1	1			2	2	4
Plaistow			1						1					1				2		2
Portsmouth	5		1					7	8	5				4	7	2	1	14	13	27
Raymond															1				1	1
Rye																				
Salem														1	2			1	2	3
Sandown			1						1									1		1
Seabrook					1				1					1				1	1	2
South Hampton														1				1	1	1
South Newmarket							1		1									1		1
Stratham														1				1		1
Windham															1				1	1

— *Continued.*

CLASS V. — VIOLENT DEATHS. Order 1. — Accident and Negligence. Fractures and Contusions.	Wounds, Unspecified.	Burns and Scalds.	Poison.	Drowning.	Suffocation.	Various.	Total. M.	Total. F.	Order 2. Homicide. M.	Homicide. F.	Order 3. — Suicide. Wounds, Unspecified.	Wounds, Pistol or Gunshot.	Wounds, Knife.	Poison.	Drowning.	Hanging.	Otherwise.	Total. M.	Total. F.	Order 4. — Various. Violent, not Classed. M.	Violent, not Classed. F.	Cause not Reported. M.	Cause not Reported. F.	Total for Class V. Male.	Female.	Total.	Grand Total for all Classes. Male.	Female.	Not stated.	Total.
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	8	3	..	11
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	2	8	11	..	19
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	14	22	..	36
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	13	8	..	21
..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	9	12	..	21
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	2	..	6
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	1	..	1	..	..	1	1	2	2	4	16	13	..	29
1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	1	3	14	20	..	34
2	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	11	5	..	16
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	14	25	..	39
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	2	1	3	25	41	..	66
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	4	..	10
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	5	7	..	12
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	10	..	15
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	12	2	..	14
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	3	2	..	5
..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	4	6	..	10
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	11	14	..	25
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	10	..	14
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	7	6	..	13
..	..	..	..	..	..	2	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	4	3	1	8
1	..	..	..	1	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	4	1	5	31	29	2	62
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	8	..	16
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	4	..	10
1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	2	9	12	..	21
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	1	3	8	9	1	18
..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	5	5	..	10
1	..	..	1	2	..	3	6	1	..	..	..	..	..	..	..	..	..	..	..	..	..	3	7	9	8	17	102	91	1	194
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	11	..	18
..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	5	11	..	16
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	9	..	19
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	2	..	6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	12	..	23
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	..	4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	6	5	..	11
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	2	..	2	6	4	..	10
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	5	8	..	13

TABLE NO. XIII.

CLASS I. —

ORDER 1. — Miasmatic.

TOWNS IN STRAFFORD COUNTY.	Carbuncle.	Cholera, Asiatic.	Cholera, Sporadic.	Cholera Infantum.	Cholera Morbus.	Croup (Pseudo-membranous).	Diphtheria.	Diarrhea.	Dysentery.	Erysipelas.	Fever, Bilious.	Fever, Cerebro-spinal.	Fever, Intermittent.	Fever, Malarial.	Fever, Typhoid.	Fever, Typho-malarial.	Fever, Unspecified.	Fever, Yellow.	Influenza (Epidemic).	Measles.	Mumps.	Metria (Puerperal Fever).	Pertussis.
Barrington							3			1													1
Dover				5	2	10	39	6				2			2					1			
Durham							2								1		2						
Farmington				2						1					1								
Lee																							
Madbury								1															
Middleton										1													
Milton								2															
New Durham										1													
Rochester				2		3	1	1		1		2			3					1			2
Rollinsford				2	1	2	3																
Somersworth				25		9	6		1	2		1			6		3			1			5
Strafford															1								

— *Continued.*

ZYMOTIC DISEASES.

Tonsilitis.	Scarlatina.	Small-pox.	Varicella.	Total. M.	Total. F.	Glanders.	Gonorrhœa.	Hydrophobia.	Malignant Pustule.	Septicæmia.	Syphilis.	Total. M.	Total. F.	Alcoholism.	Delirium Tremens.	Inanition.	Purpura and Scurvy.	Total. M.	Total. F.	Aphthæ.	Worms.	Other Parasites.	Total. M.	Total. F.	Male.	Female.	Sex not stated.	Total.
..	..	..	..	2	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	3	..	5
..	1	..	..	35	33	..	..	..	..	1	2	1	2	..	..	..	..	..	..	..	..	..	..	..	36	35	..	71
..	..	..	..	3	2	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	4	2	..	6
..	..	..	..	1	3	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	4	..	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
..	..	..	..	12	4	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	12	5	..	17
..	..	..	..	3	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	5	..	8
..	..	..	..	20	39	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	20	40	..	60
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1

TABLE NO. XIII.

CLASS II.— CONSTITUTIONAL DISEASES.

TOWNS IN STRAFFORD COUNTY.	ORDER 1.—Diathetic.											ORDER 2.—Tubercular.						Total for Class II.		
	Gout.	Dropsy.	Anæmia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus.	Noma (Canker).	Mortification.	Rheumatism.	Total. M.	Total. F.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Tubercular Meningitis.	Total. M.	Total. F.	Male.	Female.	Total.
Barrington			1									1			1		1	2		3	3
Dover		4	14	2						1	8	13			26			7	19	15	32	47
Durham															1			1		1		1
Farmington		1		1								2		1	7			6	2	6	4	10
Lee															2			1	1	1	1	2
Madbury								1			1									1		1
Middleton															1				1		1	1
Milton															4			1	3	1	3	4
New Durham															2			1	1	1	1	2
Rochester		1		2		1			1	1	5	1		1	8		1	6	4	11	5	16
Rollinsford															5			3	2	3	2	5
Somersworth			3	1		1	1				1	5		1	17			6	12	7	17	24
Strafford				1				1		1	2	1			1		1		2	2	3	5

— *Continued.*

CLASS III.—LOCAL DISEASES.

ORDER 1.—Nervous System.													ORDER 2.—Circulatory System.					ORDER 3.—Respiratory System.											
Cephalitis.	Cerebritis.	Apoplexy.	Paralysis.	Insanity.	Chorea.	Epilepsy.	Tetanus.	Convulsions.	Brain Diseases.	Total.			Pericarditis.	Aneurism.	Heart Diseases.	Total.		Epistaxis.	Laryngitis.	Bronchitis, Acute.	Bronchitis, Chronic.	Pleurisy.	Pneumonia.	Asthma.	Lung Diseases.	Total.		
										M.	F.				M.	F.										M.	F.	
..	..	1	3	..	..	1	..	..	1	..	6		...	...	2	1	1	..	..	..	..	1	1	..	..	...	2	
4	4	2	3	1	..	..	..	3	8	11	14		1	...	13	8	6	..	1	4	2	..	5	..	..	6	6	
..	..	..	..	..	..	..	..	..	1	1	..		...	...	1	..	1	..	..	..	..	..	..	..	1	1	...	
1	1	1	1	..	..	..	..	..	2	3	3		1	...	3	2	2	..	..	..	..	..	6	..	..	5	1	
..	..	..	..	..	..	..	..	..	..	..	..		...	...	...	..	..	..	..	..	..	..	3	..	..	...	3	
..	..	..	..	..	..	..	..	..	..	..	..		...	...	...	..	..	..	..	1	..	..	..	..	..	...	1	
..	..	..	..	1	..	..	..	..	..	1	..		...	...	2	2	..	..	..	..	..	..	..	..	..	...	...	
1	..	3	..	..	..	..	..	..	..	3	1		1	...	...	1	..	..	..	..	1	..	..	..	..	...	1	
..	..	..	1	..	..	..	..	..	..	1	..		...	...	2	1	1	..	..	..	..	..	3	..	..	1	2	
5	..	3	4	..	..	..	..	3	1	9	7		...	...	9	5	4	..	..	4	..	..	6	2	1	3	10	
..	..	2	..	..	..	..	..	..	..	..	2		...	...	...	..	..	..	..	..	..	..	..	..	..	...	...	
1	..	3	1	..	..	..	..	4	1	7	3		...	...	7	3	4	..	..	2	..	..	11	..	1	5	9	
..	..	1	1	..	..	..	..	..	..	1	1		...	...	3	1	2	..	..	..	..	..	3	..	..	1	2	

TABLE NO. XIII.

CLASS III. — LOCAL

ORDER 4. — Digestive Organs.

TOWNS IN STRAFFORD COUNTY.	Gastritis.	Enteritis.	Peritonitis.	Ascites.	Ulceration of Intestines.	Hernia.	Ileus.	Intussusception.	Stricture of Intestines.	Fistula.	Stomach Diseases.	Pancreas Diseases.	Hepatitis.	Jaundice.	Liver Diseases.	Spleen Diseases.	Bowel Diseases.	Total. M.	Total. F.
Barrington																			
Dover	1	4	1								1		1		5		1	7	7
Durham																			
Farmington						1							1						2
Lee																			
Madbury																			
Middleton			1												1			2	
Milton														1					1
New Durham		1	1												1			2	1
Rochester		1	1		1												1	2	2
Rollinsford	1																		1
Somersworth	1												1		1			1	2
Strafford		1									1							1	1

— *Continued.*

DISEASES. — *Continued.*

ORDER 5. — Urinary Organs.												ORDER 6 — Generative Organs.			ORDER 7. — Osseous and Locomotory System.						ORDER 8. — Integumentary System.						Total for Class III.			
Nephritis.	Ischuria.	Nephria (Bright's Disease).	Diabetes.	Calculus (Gravel, etc.).	Cystitis.	Prostate, Disease of.	Kidney Diseases.	Bladder, Disease of.	Testicles, Disease of.	Total.		Ovarian Dropsy.	Disease of Uterus.	Total.	Bones, Diseases of.	Joint Diseases.	Vertebræ, Diseases of.	Total.		Phlegmon.	Ulcer.	Skin Diseases.	Total.		Male.	Female.	Sex not stated.	Total.	
									M.	F.								M.	F.				M.	F.					
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	9	..	10
..	..	4	2	1	1	..	1	..	3	6	..	..	..	..	..	1	..	..	1	..	..	..	..	..	35	40	..	75
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
1	..	4	..	..	..	..	..	..	3	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13	10	..	23
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	1	..	6
1	..	..	..	..	..	..	..	..	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	4	5	..	9
..	..	1	..	..	1	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	6	..	11
1	..	1	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	20	24	..	44
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	3
..	..	4	..	..	..	..	..	..	2	2	1	..	1	..	..	..	..	..	..	..	..	..	..	..	18	21	..	39
..	..	..	..	..	1	1	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	6	..	12

TABLE NO. XIII.

TOWNS IN STRAFFORD COUNTY.	CLASS IV.—DEVELOPMENTAL DISEASES.																					
	ORDER 1.—Of Children.										ORDER 2.—Of Women.			ORDERS 3 and 4.						Total for Class IV.		
	Still-born.	Debility, Infantile.	Debility, Premature Birth.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Innutrition.	Total.		Childbirth.	Paramenia.	Total.	Old Age.		Atrophy and Debility.		Male.	Female.	Total.
									M.	F.				M.	F.	M.	F.			
Barrington											1		1		1				2	2
Dover		4	1			1		9	10	5				7	5	2	2	19	12	31
Durham		1							1									1		1
Farmington	4	1		1					2	4	4	1	5	1	2			3	11	14
Lee														1				1		1
Madbury																	1		1	1
Middleton																				
Milton			1							1				1				1	1	2
New Durham														1	1			1	1	2
Rochester	3	1						1	1	4	2		2	5	7	2	3	8	16	24
Rollinsford			4			1			2	3				1		2		5	3	8
Somersworth	5	5							9	1				1	1			10	2	12
Strafford	1									1				1	2	1		2	3	5

— *Continued.*

CLASS V.—VIOLENT DEATHS.

Order 1.—Accident and Negligence.									Order 2.		Order 3.—Suicide.										Order 4.—Various.				Total for Class V.			Grand Total for all Classes.			
Fractures and Contusions.	Wounds, Unspecified.	Burns and Scalds.	Poison.	Drowning.	Suffocation.	Various.	Total.		Homicide.		Wounds, Unspecified.	Wounds, Pistol or Gunshot.	Wounds, Knife.	Poison.	Drowning.	Hanging.	Otherwise.	Total.			Violent, not Classed.		Cause not Reported.		Male.	Female.	Total.	Male.	Female.	Not stated.	Total.
						M.	F.		M.	F.							M.	F.	M.	F.	M.	F.	M.	F.							
..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	..	2	5	17	..	22
3	..	1	..	3	..	1	6	2	..	..	..	..	..	..	..	..	1	1	..	..	..	..	11	8	18	10	28	122	129	1	252
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	1	..	1	9	3	..	12
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	1	2	1	3	25	30	..	55
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	4	..	6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	3	..	4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	6	3		9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	10	..	17
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	1	..	2	..	2	10	8	..	18
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	2	1	3	52	51	1	104
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	3	..	3	14	13	..	27
..	..	..	..	1	..	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	3	1	4	57	81	1	139
..	..	..	1	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	1	..	..	1	..	2	1	3	12	14	..	26

TABLE NO. XIII.

CLASS I. —

ORDER 1. — Miasmatic.

TOWNS IN BELKNAP COUNTY.	Carbuncle.	Cholera, Asiatic.	Cholera, Sporadic.	Cholera Infantum.	Cholera Morbus.	Croup (Pseudo-membranous).	Diphtheria.	Diarrhœa.	Dysentery.	Erysipelas.	Fever, Bilious.	Fever, Cerebro-spinal.	Fever, Intermittent.	Fever, Malarial.	Fever, Typhoid.	Fever, Typho-malarial.	Fever, Unspecified.	Fever, Yellow.	Influenza (Epidemic).	Measles.	Mumps.	Metria (Puerperal Fever).	Pertussis.
Alton				2											1					1			
Barnstead				1																			
Belmont							2																
Center Harbor																							
Gilford				4				1				1											
Gilmanton									2														
Laconia				11				2	2					1	5								3
Meredith				3																			
New Hampton				1							1												
Sanbornton																							
Tilton				1					1						1							1	

— *Continued.*

ZYMOTIC DISEASES.

						Order 2. — Enthetic.								Order 3. — Dietic.						Order 4. — Parasitic.					Total for Class I.			
Tonsillitis.	Scarlatina.	Small-pox.	Varicella.	Total. M.	Total. F.	Glanders.	Gonorrhea.	Hydrophobia.	Malignant Pustule.	Septicæmia.	Syphilis.	Total. M.	Total. F.	Alcoholism.	Delirium Tremens.	Inanition.	Purpura and Scurvy.	Total. M.	Total. F.	Aphthæ.	Worms.	Other Parasites.	Total. M.	Total. F.	Male.	Female.	Sex not stated.	Total.
..	..	..	..	3	1	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	4	1	..	5
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	4	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	2	..	6
..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	..	16	8	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	16	8	..	24
..	..	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
..	..	..	..	2	..	..	..	..	1	..	..	..	1	1	..	..	..	1	..	..	..	..	..	..	3	1	..	4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	1	..	..	2	3	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	3	3	..	6

TABLE NO. XIII.

TOWNS IN BELKNAP COUNTY.	CLASS II.—CONSTITUTIONAL DISEASES.																				
	ORDER 1.—Diathetic.												ORDER 2.—Tubercular.						Total for Class II.		
	Gout.	Dropsy.	Anæmia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus.	Noma (Canker).	Mortification.	Rheumatism.	Total. M.	Total. F.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Tubercular Meningitis.	Total. M.	Total. F.	Male.	Female.	Total.
Alton	..	..	..	2	..	..	..	..	1	..	2	1	..	..	6	..	..	3	3	5	4	9
Barnstead	..	2	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	1	1	2
Belmont	..	1	..	..	..	..	..	..	..	..	..	1	..	..	2	..	..	1	1	1	2	3
Center Harbor	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	1	1
Gilford	..	..	1	2	..	..	..	..	..	..	2	1	..	..	8	1	..	4	5	6	6	12
Gilmanton	..	..	..	1	..	..	..	..	..	..	..	1	..	..	2	..	..	1	1	1	2	3
Laconia	..	..	1	1	..	1	1	..	..	..	2	2	2	..	18	1	..	8	13	10	15	25
Meredith	..	..	..	1	..	..	1	..	1	1	2	2	..	..	4	..	..	1	3	3	5	8
New Hampton	..	..	1	..	1	..	..	..	..	1	1	2	..	..	..	..	..	..	..	1	2	3
Sanbornton	..	..	..	1	..	..	..	..	..	..	..	1	1	..	1	..	..	1	1	1	2	3
Tilton	..	..	..	..	..	..	..	..	1	..	1	..	..	..	1	..	..	..	1	1	1	2

— *Continued.*

CLASS III. — LOCAL DISEASES.

ORDER 1. — Nervous System.													ORDER 2. — Circulatory System.						ORDER 3. — Respiratory System.											
Cephalitis.	Cerebritis.	Apoplexy.	Paralysis.	Insanity.	Chorea.	Epilepsy.	Tetanus.	Convulsions.	Brain Diseases.	Total.			Pericarditis.	Aneurism.	Heart Diseases.	Total.			Epistaxis.	Laryngitis.	Bronchitis, Acute.	Bronchitis, Chronic.	Pleurisy.	Pneumonia.	Asthma.	Lung Diseases.	Total.		
										M.	F.		M.	F.																
1	..	1	3	..	..	..	..	..	..	3	2	..	..	..	2	1	1	..	..	..	..	..	..	8	..	..	5	3
..	..	2	3	..	..	..	..	..	..	3	2	..	..	..	4	2	2	..	..	..	1	..	..	2	..	..	1	2
..	..	1	3	..	..	..	..	..	..	4	..	..	..	..	5	2	3	..	..	..	..	..	..	2	..	..	1	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1
2	..	2	2	..	..	1	..	1	2	2	8	..	..	..	3	1	2	..	..	..	1	..	..	2	..	..	2	1
..	..	2	1	..	..	..	..	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	5	..	..	4	1
3	..	4	6	..	..	1	..	2	1	9	8	..	..	..	6	2	4	..	..	..	..	..	..	10	1	..	6	5
..	..	4	..	..	..	..	..	..	1	1	4	..	..	..	3	2	1	..	..	..	2	..	..	2	..	..	3	1
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	4	3	1	..	..	..	..	..	..	2	..	..	2	..
1	..	2	2	..	..	..	..	1	2	4	4	..	..	..	5	3	2	..	..	..	..	1	..	1	..	..	1	1
1	..	1	2	..	..	1	..	2	1	5	3	1	..	..	2	1	2	..	..	..	..	..	..	2	..	..	1	1

TABLE NO. XIII.

CLASS III.—LOCAL

ORDER 4. — Digestive Organs.

TOWNS IN BELKNAP COUNTY.	Gastritis.	Enteritis.	Peritonitis.	Ascites.	Ulceration of Intestines.	Hernia.	Ileus.	Intussusception.	Stricture of Intestines.	Fistula.	Stomach Diseases.	Pancreas Diseases.	Hepatitis.	Jaundice.	Liver Diseases.	Spleen Diseases.	Bowel Diseases.	Total.	
																		M.	F.
Alton		1									1							1	1
Barnstead		1	2																3
Belmont			1														1	2	
Center Harbor																			
Gilford		1	2															1	2
Gilmanton																			
Laconia	2	4											1					4	3
Meredith	1		1															1	1
New Hampton																			
Sanbornton																			
Tilton			1															1	

— *Continued.*

DISEASES. — *Continued.*

Order 5. — Urinary Organs.												Order 6 — Generative Organs.			Order 7. — Osseous and Locomotory System.						Order 8. — Integumentary System.					Total for Class III.			
Nephritis.	Ischuria.	Nephria (Bright's Disease).	Diabetes.	Calculus (Gravel, etc.).	Cystitis.	Prostate, Disease of.	Kidney Diseases.	Bladder, Diseases of.	Testicles, Disease of.	Total.		Ovarian Dropsy.	Disease of Uterus.	Total.	Bones, Diseases of.	Joint Diseases.	Vertebræ, Diseases of.	Total.		Phlegmon.	Ulcer.	Skin Diseases.	Total.		Male.	Female.	Sex not stated.	Total.
										M.	F.							M.	F.				M.	F.				
..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	7	..	18
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	9	..	15
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	8	..	13
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	1	2	..	..	..	..	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	7	15	..	22
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	3	..	8
2	..	1	1	..	1	..	1	..	..	5	1	..	..	..	..	..	..	..	..	..	..	..	..	..	26	21	..	47
..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	7	..	15
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	1	..	8
..	..	1	..	..	..	..	..	..	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	9	8	..	17
..	..	..	1	..	1	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	6	..	16

TABLE NO. XIII.

TOWNS IN BELKNAP COUNTY.	CLASS IV. — DEVELOPMENTAL DISEASES.																					
	ORDER 1. — Of Children.											ORDER 2. — Of Women.		ORDERS 3 and 4.				Total for Class IV.			
	Still-born.	Debility, Infantile.	Debility, Premature Birth.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Innutrition.	Total.			Childbirth.	Paramenia.	Total.	Old Age.		Atrophy and Debility.		Male.	Female.	Total.
									M.	F.					M.	F.	M.	F.			
Alton												1		1	1	1			1	2	3
Barnstead															3	1		1	3	2	5
Belmont		1						1	1	1					1				2	1	3
Center Harbor																		1		1	1
Gilford	3	1								4					2	2	1		2	7	9
Gilmanton															1	3			1	3	4
Laconia	2	2	4			1			5	4					1	4	1		7	8	15
Meredith	1								1						1	1			2	1	3
New Hampton	2								1	1						4			1	5	6
Sanbornton															1				1		1
Tilton	2							1	3						1	1			4	1	5

— *Continued.*

CLASS V.—VIOLENT DEATHS.																																		Grand Total for all Classes.			
ORDER 1.—Accident and Negligence.										ORDER 2.		ORDER 3.—Suicide.										ORDER 4.—Various.				Total for Class V.										
Fractures and Contusions.	Wounds, Unspecified.	Burns and Scalds.	Poison.	Drowning.	Suffocation.	Various.	Total.			Homicide.		Wounds, Unspecified.	Wounds, Pistol or Gunshot.	Wounds, Knife.	Poison.	Drowning.	Hanging.	Otherwise.	Total.			Violent, not Classed.		Cause not Reported.		Male.	Female.	Total.	Male.	Female.	Not stated.	Total.				
							M.	F.	M.	F.									M.	F.	M.	F.	M.	F.	M.	F.										
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	2	22	15	..	37				
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	1	3	2	3	5	12	16	..	28				
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	12	..	21				
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	3				
1	..	..	..	2	..	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	4	..	4	23	30	..	53				
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	1	1	2	1	3	10	10	..	20				
1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	3	2	3	5	61	55	..	116				
..	1	1	..	..	..	..	2	..	..	..	..	..	1	..	..	..	1	..	2	..	..	..	..	1	..	5	..	5	20	14	..	34				
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12	9	..	21				
1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	1	3	13	11	..	24				
1	..	..	..	..	..	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	3	19	13	..	32				

TABLE NO. XIII.

CLASS 1.—

ORDER 1.—Miasmatic.

TOWNS IN CARROLL COUNTY.	Carbuncle.	Cholera, Asiatic.	Cholera, Sporadic.	Cholera Infantum.	Cholera Morbus.	Croup (Pseudo-membranous).	Diphtheria.	Diarrhœa.	Dysentery.	Erysipelas.	Fever, Bilious.	Fever, Cerebro-spinal.	Fever, Intermittent.	Fever, Malarial.	Fever, Typhoid.	Fever, Typho-malarial.	Fever, Unspecified.	Fever, Yellow.	Influenza (Epidemic).	Measles.	Mumps.	Metria (Puerperal Fever).	Pertussis.
Albany																							
Bartlett				5		1			1														
Brookfield				1																			
Chatham																							
Conway				4											1								
Eaton																							
Effingham								2															
Freedom															1								
Hart's Location																							
Jackson								1															
Madison																							
Moultonborough												1											
Ossipee				1			1	1	2														
Sandwich															1								
Tamworth							1		1														
Tuftonborough				1					1						1								
Wakefield				1								1	1		2								
Wolfeborough									1														

— *Continued.*

ZYMOTIC DISEASES.

Tonsilitis.	Scarlatina.	Small-pox.	Varicella.	Total. M.	Total. F.	Glanders.	Gonorrhœa.	Hydrophobia.	Malignant Pustule.	Septicæmia.	Syphilis.	Total. M.	Total. F.	Alcoholism.	Delirium Tremens.	Inanition.	Purpura and Scurvy.	Total. M.	Total. F.	Aphthæ.	Worms.	Other Parasites.	Total. M.	Total. F.	Total for Class I. Male.	Female.	Sex not stated.	Total.
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	2	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	5	1	7
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	2	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	3	..	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
..	..	..	..	2	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	3	..	5
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2
..	..	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
..	..	..	..	4	1	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	5	1	..	6
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1

TABLE NO. XIII.

CLASS II.— CONSTITUTIONAL DISEASES.

TOWNS IN CARROLL COUNTY.	ORDER 1.— Diathetic.													ORDER 2.— Tubercular.						Total for Class II.		
	Gout.	Dropsy.	Anæmia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus.	Noma (Canker).	Mortification.	Rheumatism.	Total.			Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Tubercular Meningitis.	Total.			
											M.	F.						M.	F.	Male.	Female.	Total.
Albany				1									1								1	1
Bartlett																1				1	1	1
Brookfield																2			2		2	2
Chatham																1				1	1	1
Conway				1				1					2			3	1		2	2	2	4	6
Eaton																1			1		1	1
Effingham	1										1					2			1	1	2	1	3
Freedom				1									1								1	1
Hart's Location																						
Jackson																		1		1	1	1
Madison																						
Moultonborough																2				2	2	2
Ossipee										1	1					1	1		1	1	2	1	3
Sandwich	2		2							1	3					3			2	1	3	4	7
Tamworth			1		2					2	1					3			2	1	4	2	6
Tuftonborough										1	1					5			2	3	2	4	6
Wakefield	1		1										2									2	2
Wolfeborough			1								1					5		1	2	4	3	4	7

— *Continued.*

CLASS III. — LOCAL DISEASES.

ORDER 1. — Nervous System.													ORDER 2. — Circulatory System.						ORDER 3. — Respiratory System.											
Cephalitis.	Cerebritis.	Apoplexy.	Paralysis.	Insanity.	Chorea.	Epilepsy.	Tetanus.	Convulsions.	Brain Diseases.	Total.			Pericarditis.	Aneurism.	Heart Diseases.	Total.			Epistaxis.	Laryngitis.	Bronchitis, Acute.	Bronchitis, Chronic.	Pleurisy.	Pneumonia.	Asthma.	Lung Diseases.	Total.		
										M.	F.					M.	F.										M.	F.
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	1	1	..	..	..	..	1	..	..	4	1	..	2	4
..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	1	..	1	..	..	..	2	..	..	2	1	..	3	2
..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	3	2	..	..	..	..	1	1	3	4	..	..	..	8	6	2	..	..	..	..	..	..	2	..	..	..	2
..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	1	5	..	..	4	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..
..	..	1	1	..	..	..	..	..	1	..	3	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	1	1	..	2	..	..	..	1	..	1	..	..	..	2	..	..	6	..	..	4	4
..	..	4	..	..	..	..	..	..	..	3	1	..	..	..	2	1	1	..	..	..	..	..	..	1	..	..	..	1
1	..	3	2	..	..	..	..	..	2	7	1	..	..	..	4	1	3	..	..	..	..	..	..	3	..	..	3	..
..	1	1	..	..	..	..	..	..	..	..	2	..	..	..	1	1	..	..	..	..	1	..	..	2	..	..	..	3
1	..	..	1	..	..	..	..	..	..	2	..	..	..	..	3	..	3	..	..	..	..	..	..	4	..	..	1	3
1	..	1	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	1	..	..	7	..	..	2	6
..	..	2	..	..	..	..	..	..	..	2	..	..	..	..	5	3	2	..	..	..	..	..	..	13	..	1	6	8

TABLE NO. XIII.

CLASS III.—LOCAL

ORDER 4.—Digestive Organs.

TOWNS IN CARROLL COUNTY.	Gastritis.	Enteritis.	Peritonitis.	Ascites.	Ulceration of Intestines.	Hernia.	Ileus.	Intussusception.	Stricture of Intestines.	Fistula.	Stomach Diseases.	Pancreas Diseases.	Hepatitis.	Jaundice.	Liver Diseases.	Spleen Diseases.	Bowel Diseases.	Total. M.	Total. F.
Albany																			
Bartlett																			
Brookfield																			
Chatham																			
Conway											1								1
Eaton																			
Effingham	1					1											1	2	1
Freedom	2																	1	1
Hart's Location																			
Jackson																			
Madison															1			1	
Moultonborough																			
Ossipee													1					1	
Sandwich		1														1		2	
Tamworth	1																		1
Tuftonborough															1			1	
Wakefield						1												1	
Wolfeborough											1				1			2	

— *Continued.*

DISEASES. — *Continued.*

Order 5. — Urinary Organs.													Order 6 — Generative Organs.			Order 7. — Osseous and Locomotory System.					Order 8. — Integumentary System.					Total for Class III.			
Nephritis.	Ischuria.	Nephria (Bright's Disease).	Diabetes.	Calculus (Gravel, etc.).	Cystitis.	Prostate, Disease of.	Kidney Diseases.	Bladder, Diseases of.	Testicles, Disease of.			Ovarian Dropsy.	Disease of Uterus.	Total.	Bones, Diseases of.	Joint Diseases.	Vertebræ, Diseases of.			Phlegmon.	Ulcer.	Skin Diseases.			Male.	Female.	Sex not stated.	Total.
									M.	F.	Total.							M.	F.				M.	F.				
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	4	..	8
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	3	..	7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	1	1	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	9	..	20
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	4	..	11
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	2	2	..	4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	..	3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	3	..	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	7	..	11
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	3	..	8
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13	4	..	17
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	7	..	8
..	..	2	..	..	..	..	..	..	1	1	..	..	..	..	..	..	1	1	..	..	..	..	..	..	6	7	..	13
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	6	..	11
..	..	..	..	..	..	..	1	1	2	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	15	11	..	26

TABLE NO. XIII.

TOWNS IN CARROLL COUNTY.	CLASS IV.—DEVELOPMENTAL DISEASES.																		
	ORDER 1.—Of Children.										ORDER 2.—Of Women.			ORDERS 3 and 4.				Total for Class IV.		
	Still-born.	Debility, Infantile.	Debility, Premature Birth.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Innutrition.	Total.		Childbirth.	Paramenia.	Total.	Old Age.		Atrophy and Debility.		Male.	Female.	Total.
									M.	F.				M.	F.	M.	F.			
Albany	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...	...	...
Bartlett	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...	...	...
Brookfield	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	...	1	1
Chatham	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	...	1	1
Conway	..	1	..	..	..	..	..	..	1	..	..	..	..	3	1	..	..	4	1	5
Eaton	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	...	1	1
Effingham	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	...	1
Freedom	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	...	1
Hart's Location	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...	...	...
Jackson	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	...	1
Madison	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	...	1	1
Moultonborough	..	..	1	..	..	..	..	..	1	..	..	..	..	..	2	..	..	1	2	3
Ossipee	..	..	..	..	..	1	..	..	..	1	..	..	..	..	1	..	..	...	2	2
Sandwich	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	..	2	1	3
Tamworth	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	...	1
Tuftonborough	1	1	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	1	1	2
Wakefield	..	..	1	..	..	..	..	..	1	..	1	..	1	..	1	..	..	1	2	3
Wolfeborough	2	..	..	..	..	..	..	..	2	..	..	..	..	1	3	..	..	3	3	6

— *Continued.*

CLASS V.—VIOLENT DEATHS.																																		Grand Total for all Classes.			
ORDER 1.—Accident and Negligence.										ORDER 2.		ORDER 3.—Suicide.										ORDER 4.—Various.				Total for Class V.								
Fractures and Contusions.	Wounds, Unspecified.	Burns and Scalds.	Poison.	Drowning.	Suffocation.	Various.	Total.			Homicide.		Wounds, Unspecified.	Wounds, Pistol or Gunshot.	Wounds, Knife.	Poison.	Drowning.	Hanging.	Otherwise.	Total.			Violent, not Classed.		Cause not Reported.		Male.	Female.	Total.								
							M.	F.	M.	F.	M.	F.							M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Male.	Female.	Total.	Male.	Female.	Not stated.	Total.
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	2	1	..	3
..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	6	10	1	17
..	..	..	..	2	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	9	4	..	13
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	3
..	..	..	..	..	..	3	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	3	2	5	22	19	..	41
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	..	4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	6	..	17
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	4	..	7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	2	..	6
1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	5	..	7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	11	..	17
..	..	..	..	..	..	2	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	3	5	4	9	14	13	..	27
1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	18	11	..	29
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	11	..	17
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	13	..	24
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	11	..	22
..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	3	1	4	23	20	1	44

TABLE NO. XIII.

CLASS I.—

ORDER 1.—Miasmatic.

TOWNS IN MERRIMACK COUNTY.	Carbuncle.	Cholera, Asiatic.	Cholera, Sporadic.	Cholera Infantum.	Cholera Morbus.	Croup (Pseudo-membranous).	Diphtheria.	Diarrhea.	Dysentery.	Erysipelas.	Fever, Bilious.	Fever, Cerebro-spinal.	Fever, Intermittent.	Fever, Malarial.	Fever, Typhoid.	Fever, Typho-malarial.	Fever, Unspecified.	Fever, Yellow.	Influenza (Epidemic).	Measles.	Mumps.	Metria (Puerperal Fever).	Pertussis.
Allenstown				1		2	1								1								
Andover				1		1	3					1		1									
Boscawen				2	2										1								
Bow				1																			
Bradford				1					1						1								
Canterbury				1											1								
Chichester						1																	
Concord				13		5	2	5	2	5				1	5							1	1
Danbury																							
Dunbarton	1																						
Epsom																							
Franklin				6						1					2								1
Henniker																							
Hill						1																	
Hooksett				2							1				2								
Hopkinton																							
Loudon																							
Newbury				1																			
New London																							
Northfield															1								
Pembroke						2	2								1							1	
Pittsfield				1				1	1						1								1
Salisbury																							
Sutton																							
Warner				1					1						1								1
Webster															2				1				
Wilmot																							

— *Continued.*

ZYMOTIC DISEASES.

Order 2. — Enthetic.																Order 3. — Dietic.						Order 4. — Parasitic.					Total for Class I.			
Tonsilitis.	Scarlatina.	Small-pox.	Varicella.	Total.		Glanders.	Gonorrhœa.	Hydrophobia.	Malignant Pustule.	Septicæmia.	Syphilis.	Total.		Alcoholism.	Delirium Tremens.	Inanition.	Purpura and Scurvy.	Total.		Aphthæ.	Worms.	Other Parasites.	Total.		Male.	Female.	Sex not stated.	Total.
				M.	F.							M.	F.					M.	F.				M.	F.				
..	..	..	..	3	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	2	..	5
..	..	..	..	5	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	2	..	7
..	..	..	..	2	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	3	..	5
..	1	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2
..	..	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	3
..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
..	..	..	..	21	19	..	..	..	..	2	..	1	1	..	..	..	1	..	1	..	..	..	..	..	22	21	..	43
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
..	..	..	..	6	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	4	..	10
..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
..	..	..	..	..	1	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2
..	..	..	..	..	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	..	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
..	..	..	..	2	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	4	..	6
..	..	..	..	3	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	2	..	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
..	..	..	..	..	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..	4
..	..	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...

TABLE NO. XIII.

TOWNS IN MERRIMACK COUNTY.	CLASS II.—CONSTITUTIONAL DISEASES. ORDER 1.—Diathetic. Gout.	Dropsy.	Anæmia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus.	Noma (Canker).	Mortification.	Rheumatism.	Total. M.	Total. F.	ORDER 2.—Tubercular. Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Tubercular Meningitis.	Total. M.	Total. F.	Total for Class II. Male.	Female.	Total.
Allenstown	..	..	..	..	..	1	..	..	..	..	..	1	..	..	1	..	..	..	1	..	2	2
Andover	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Boscawen	..	..	..	2	..	..	..	..	..	1	2	1	..	1	6	..	..	3	4	5	5	10
Bow	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	1	1	1	1	2
Bradford	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	1	1	1	1	2
Canterbury	..	..	1	1	..	..	..	..	..	..	..	2	..	..	2	..	1	2	1	2	3	5
Chichester	..	..	..	1	..	..	..	..	..	..	..	1	..	..	2	..	..	..	2	..	3	3
Concord	..	..	2	5	..	..	6	..	2	..	3	12	2	..	33	1	5	17	24	20	36	56
Danbury	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	1	1	1	1	2
Dunbarton	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Epsom	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	..	2	1	2	1	3
Franklin	..	..	1	3	..	..	..	..	..	..	1	3	1	..	4	..	..	1	4	2	7	9
Henniker	..	..	..	2	..	1	..	..	1	..	2	2	..	..	1	..	..	..	1	2	3	5
Hill	..	..	..	1	..	..	..	..	..	..	..	1	..	..	1	..	..	..	1	..	2	2
Hooksett	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	..	1	2	1	2	3
Hopkinton	..	2	..	..	..	..	1	..	..	1	2	2	..	..	5	..	..	3	2	5	4	9
Loudon	..	..	..	1	..	..	..	..	..	..	1	..	..	..	2	..	..	..	2	1	2	3
Newbury	..	..	1	..	..	..	..	..	..	..	1	..	..	..	1	..	..	1	..	2	..	2
New London	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	1
Northfield	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	..	3	..	3	..	3
Pembroke	..	..	..	..	1	1	..	..	..	2	2	2	..	..	3	1	..	1	3	3	5	8
Pittsfield	..	2	..	2	..	..	..	..	..	..	..	4	1	..	4	..	..	3	2	3	6	9
Salisbury	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..	..	2	2	2	2	4
Sutton	..	..	..	1	..	..	..	..	..	..	..	1	..	..	2	..	..	..	2	..	3	3
Warner	..	2	..	1	..	..	..	..	..	..	2	1	..	..	..	1	..	1	..	3	1	4
Webster	..	1	..	1	..	..	..	..	..	..	1	1	..	..	1	..	..	1	..	2	1	3
Wilmot	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..	1

— *Continued.*

CLASS III. — LOCAL DISEASES.

ORDER 1. — Nervous System.													ORDER 2. — Circulatory System.					ORDER 3. — Respiratory System.									
Cephalitis.	Cerebritis.	Apoplexy.	Paralysis.	Insanity.	Chorea.	Epilepsy.	Tetanus.	Convulsions.	Brain Diseases.	Total.			Pericarditis.	Aneurism.	Heart Diseases.	Total.		Epistaxis.	Laryngitis.	Bronchitis, Acute.	Bronchitis, Chronic.	Pleurisy.	Pneumonia.	Asthma.	Lung Diseases.	Total.	
										M.	F.				M.	F.									M.	F.
..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..
..	..	..	1	..	..	..	..	..	1	1	1	..	..	..	1	1	..	..	..	1	..	..	3	..	..	2	2
..	..	4	..	4	..	2	..	..	..	2	8	2	..	..	2	4	..	..	..	..	..	1	8	..	..	4	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	1	..	..	..	..	..	1	..	2	..	..	..	..	1	1	..	..	..	..	..	..	1	..	..	1	..
..	..	1	1	..	..	..	..	..	..	..	2	..	..	..	1	1	..	..	..	1	..	..	..	..	..	1	..
..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
3	3	19	7	18	..	..	..	1	20	39	32	1	..	35	18	18	..	..	3	..	1	27	1	1	15	18	
1	..	..	..	..	..	..	..	..	..	..	1	..	..	2	1	1	..	..	..	..	..	3	..	..	2	1	
..	..	..	..	..	..	..	..	..	1	..	1	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	..	..	..	..	..	..	3	..	..	1	2	
1	..	3	..	1	..	..	..	..	1	4	2	..	..	3	2	1	..	..	1	..	1	10	..	..	7	5	
1	..	1	1	..	..	..	..	..	1	4	..	..	..	6	4	2	..	..	..	..	..	2	..	..	2	..	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	
1	..	..	3	..	..	..	..	..	1	2	3	..	..	2	1	1	..	..	..	..	..	4	..	..	1	3	
1	..	2	1	..	..	1	..	..	2	4	3	..	..	3	2	1	..	..	1	1	..	4	..	..	2	4	
..	2	5	..	..	..	..	..	..	..	1	6	..	..	2	1	1	..	..	..	..	..	1	..	..	1	..	
1	..	1	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	
..	..	..	1	..	..	..	..	..	1	1	1	..	..	..	..	..	..	..	..	..	..	2	..	..	1	1	
..	..	1	..	..	..	1	..	1	..	1	2	1	..	..	..	1	..	..	..	..	..	3	..	..	..	3	
..	..	1	..	..	..	..	..	2	..	1	2	..	..	1	..	1	..	..	..	..	..	1	..	..	..	1	
4	..	1	2	..	..	..	..	..	..	3	4	..	..	6	3	3	..	..	..	..	..	3	..	..	2	1	
..	..	1	1	..	..	..	..	..	..	..	2	..	..	1	1	..	..	..	..	..	..	1	..	..	..	1	
1	..	1	..	..	..	..	..	..	..	1	1	..	..	3	..	3	..	..	..	..	..	..	..	..	..	..	
..	..	3	2	..	..	..	..	..	..	3	2	..	..	2	2	..	..	..	..	..	..	2	..	..	1	1	
..	..	1	1	..	..	..	..	..	..	..	2	..	..	1	..	1	..	..	1	..	..	2	..	..	2	1	
..	..	..	..	1	..	..	..	..	..	..	1	..	..	6	2	4	..	..	..	..	..	4	..	..	2	2	

TABLE NO. XIII.

CLASS III.—LOCAL

ORDER 4.—Digestive Organs.

TOWNS IN MERRIMACK COUNTY.	Gastritis.	Enteritis.	Peritonitis.	Ascites.	Ulceration of Intestines.	Hernia.	Ileus.	Intussusception.	Stricture of Intestines.	Fistula.	Stomach Diseases.	Pancreas Diseases.	Hepatitis.	Jaundice.	Liver Diseases.	Spleen Diseases.	Bowel Diseases.	Total. M.	Total. F.
Allenstown																			
Andover			1																1
Boscawen		3								1								3	1
Bow																			
Bradford						2												2	
Canterbury																			
Chichester	1																		1
Concord		2	2		1	1					3			1	4		1	8	7
Danbury	1														2		1	2	2
Dunbarton																			
Epsom																			
Franklin		1	1								1				1			3	1
Henniker																	1		1
Hill			1										1				1	2	1
Hooksett																			
Hopkinton			1												1			1	1
Loudon			1			1												2	
Newbury																			
New London																			
Northfield	1					1												1	1
Pembroke																			
Pittsfield		1									1						1	2	1
Salisbury																			
Sutton		1																1	
Warner						1	1								1			2	1
Webster																			
Wilmot														1	1			1	1

— *Continued.*

DISEASES. — *Continued.*

ORDER 5. — Urinary Organs.												ORDER 6 — Generative Organs.			ORDER 7. — Osseous and Locomotory System.				ORDER 8. — Integumentary System.				Total for Class III.			
Nephritis.	Ischuria.	Nephria (Bright's Disease).	Diabetes.	Calculus (Gravel, etc.).	Cystitis.	Prostate, Disease of.	Kidney Diseases.	Bladder, Diseases of.	Testicles, Disease of.	Total.		Ovarian Dropsy.	Disease of Uterus.	Total.	Bones, Diseases of.	Joint Diseases.	Vertebræ, Diseases of.	Total.			Phlegmon.	Ulcer.	Skin Diseases.	Total.		Male.	Female.	Sex not stated.	Total.
										M.	F.						M.	F.					M.	F.				
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	1	..	..	1	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	4	..	10
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13	14	..	27
..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	7	1	..	8
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	..	4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
4	..	6	2	..	3	..	1	..	..	12	4	1	..	1	..	..	..	..	..	..	..	..	..	..	..	92	80	..	172
1	..	1	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	6	..	12
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	2	..	5
1	..	1	1	..	..	..	..	..	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	19	9	..	28
..	..	2	..	..	..	1	..	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12	4	..	16
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	..	4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	7	..	11
..	..	1	..	..	..	..	1	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	10	..	20
..	..	1	..	..	1	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	7	..	14
..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..	4
..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	2	3	..	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	7	..	9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	4	..	5
..	..	3	..	..	..	..	..	1	..	3	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13	12	..	25
..	..	1	1	..	..	..	1	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	4	..	7
..	..	2	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	6	..	8
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	4	..	12
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	4	..	6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	8	..	13

TABLE NO. XIII.

CLASS IV.—DEVELOPMENTAL DISEASES.

TOWNS IN MERRIMACK COUNTY.	ORDER 1.—Of Children.										ORDER 2.—Of Women.			ORDERS 3 and 4.				Total for Class IV.		
	Still-born.	Debility, Infantile.	Debility, Premature Birth.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Inanition.	Total.		Childbirth.	Paræmenia.	Total.	Old Age.	Atrophy and Debility.			Male.	Female.	Total.
									M.	F.				M.	F.	M.	F.			
Allenstown			1						1						1			1	1	2
Andover														1				1		1
Boscawen			1			1			1	1					1		1	1	3	4
Bow			1					1	2					1		1		4		4
Bradford		1								1				1				1	1	2
Canterbury	1								1					1			2	2	2	4
Chichester			1							1									1	1
Concord	17	1	3	1		2		4	14	14	1		1	2	9	1	6	17	20	37
Danbury														2	1			2	1	3
Dunbarton			1			1			2					1	2			3	2	5
Epsom																1	2	1	2	3
Franklin	3			2					1	4								1	4	5
Henniker			1						1						1			1	1	2
Hill	1								1					1	1			2	1	3
Hooksett	1	2						3	2	4				2	1			4	5	9
Hopkinton	1								1						4			1	4	5
Loudon	5								5								2	5	2	7
Newbury																				
New London															1				1	1
Northfield														2				2		2
Pembroke		1	1						1	1					1			1	2	3
Pittsfield	1	1	2					1	3	2					4			3	6	9
Salisbury			1						1					1	2			2	2	4
Sutton	2								2		1		1	1	2			3	3	6
Warner														1	1	1		2	1	3
Webster															2				2	2
Wilmot																				

— *Continued.*

CLASS V. — VIOLENT DEATHS.

Order 1. — Accident and Negligence: Fractures and Contusions.	Order 1: Wounds, Unspecified.	Order 1: Burns and Scalds.	Order 1: Poison.	Order 1: Drowning.	Order 1: Suffocation.	Order 1: Various.	Order 1: Total. M.	Order 1: Total. F.	Order 2: Homicide. M.	Order 2: Homicide. F.	Order 3. — Suicide: Wounds, Unspecified.	Order 3: Wounds, Pistol or Gunshot.	Order 3: Wounds, Knife.	Order 3: Poison.	Order 3: Drowning.	Order 3: Hanging.	Order 3: Otherwise.	Order 3: Total. M.	Order 3: Total. F.	Order 4. — Various: Violent, not Classed. M.	Order 4: Violent, not Classed. F.	Order 4: Cause not Reported. M.	Order 4: Cause not Reported. F.	Total for Class V. Male.	Total for Class V. Female.	Total for Class V. Total.	Grand Total for all Classes. Male.	Grand Total: Female.	Grand Total: Not stated.	Grand Total: Total.
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	6	..	11
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	..	2	14	6	..	10
..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	1	..	..	1	..	1	2	3	22	27	..	49
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	3	2	9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	5	..	15
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	1	2	8	9	..	17
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	5	..	7
6	2	..	..	1	..	5	10	4	..	..	..	..	..	..	..	..	..	..	..	..	..	1	3	11	7	18	162	174	..	336
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	8	..	17
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	4	1	8
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	5	..	11
..	..	..	..	..	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..	1	2	3	29	26	..	55
1	..	..	..	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	18	8	..	26
1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	5	7	..	12
..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	..	2	10	19	1	30
..	..	1	..	..	..	2	3	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	4	..	4	20	18	..	38
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	1	2	12	12	2	26
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	4	4	..	8
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	5	..	7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	..	2	10	7	..	17
..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	2	2	4	9	17	..	26
..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	6	2	4	3	7	24	29	2	55
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	7	9	..	16
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	6	12	..	18
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	2	3	14	12	..	26
..	..	..	..	1	..	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	7	9	..	16
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	6	9	..	15

TABLE NO. XIII.

CLASS I.—

ORDER 1. — Miasmatic.

TOWNS IN HILLSBOROUGH COUNTY.	Carbuncle.	Cholera, Asiatic.	Cholera, Sporadic.	Cholera Infantum.	Cholera Morbus.	Croup (Pseudo-membranous).	Diphtheria.	Diarrhœa.	Dysentery.	Erysipelas.	Fever, Bilious.	Fever, Cerebro-spinal.	Fever, Intermittent.	Fever, Malarial.	Fever, Typhoid.	Fever, Typho-malarial.	Fever, Unspecified.	Fever, Yellow.	Influenza (Epidemic).	Measles.	Mumps.	Metria (Puerperal Fever).	Pertussis.
Amherst																							
Antrim																							
Bedford				1			1								1								
Bennington				1																			
Brookline																							1
Deering																							
Francestown					1		2								2								
Goffstown						1	1								1								
Greenfield																							
Greenville				6		1									5								1
Hancock																							
Hillsborough				1			1								1								
Hollis						1		1	2														
Hudson				1			1		1														
Litchfield																							
Lyndeborough				2					1														
Manchester				86	1	25	24	7	7	1		2		3	18		1			5		2	5
Mason								1															
Merrimack						1																	
Milford				2		1	1	1							3					1			1
Mont Vernon															1								
Nashua	1			43	2	4	18	7	10	1					4							1	5
New Boston						1				1													
New Ipswich				1	1																		
Pelham				1																			
Peterborough				1		1	6																
Sharon																							
Temple							1																
Weare								1														1	
Wilton				1		1											2						2
Windsor																							

— *Continued.*

ZYMOTIC DISEASES.

Tonsilitis.	Scarlatina.	Small-pox.	Varicella.	Total. M.	Total. F.	Glanders.	Gonorrhœa.	Hydrophobia.	Malignant Pustule.	Septicæmia.	Syphilis.	Total. M.	Total. F.	Alcoholism.	Delirium Tremens.	Inanition.	Purpura and Scurvy.	Total. M.	Total. F.	Aphthæ.	Worms.	Other Parasites.	Total. M.	Total. F.	Male.	Female.	Sex not stated.	Total.
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	2	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	3	..	5
..	..	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	8	5	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	9	5	..	14
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	3
..	..	..	..	1	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	3	..	4
..	1	..	..	..	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..	4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	3
..	5	..	..	98	94	..	..	..	..	3	..	1	2	1	..	..	1	1	1	..	..	..	..	..	98	97	2	197
..	..	..	..	1	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	2
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
..	1	..	..	6	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	5	..	11
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
..	..	..	..	53	43	..	..	1	..	1	1	1	2	..	..	1	..	1	..	..	..	..	..	..	55	45	..	100
..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	4	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	4	..	8
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	..	5	1	..	..	..	..	1	2	3	..	..	..	..	..	..	..	..	..	..	..	..	8	1	..	9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

TABLE NO. XIII.

TOWNS IN HILLSBOROUGH COUNTY.	CLASS II.—CONSTITUTIONAL DISEASES.																														
	ORDER 1.—Diathetic.																			ORDER 2.—Tubercular.									Total for Class II.		
	Gout.		Dropsy.		Anæmia.		Cancer, Various.		Cancer of Breast.		Cancer of Stomach.		Cancer of Uterus.		Noma (Canker).		Mortification.		Rheumatism.		Total.		Scrofula.		Tabes Mesenterica.		Phthisis.		Hydrocephalus.		Tubercular Meningitis.		Total.				
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Male.	Female.	Total.
Amherst							1													1					2					1	1	1	2	3
Antrim																									2					1	1	1	1	2
Bedford							2													2					1					1		1	2	3
Bennington							1		1										1	1					1					1		2	1	3
Brookline							1	1									1			3					1						1	4	4	4
Deering		1																		1					2					1	1	1	2	3
Francestown									1											1					1								2	2
Goffstown																									5					1	4	1	4	5
Greenfield					1														1			1			3					2	2	3	2	5
Greenville																		1	1		2						1			2	1	3	1	4
Hancock									1					1				2							1			1			2	2	2	4
Hillsborough						1														1					1					1		1	1	2
Hollis						1														1													1	1
Hudson						1														1					2					1	1	1	2	3
Litchfield																									1						1		1	1
Lyndeborough																									2					1	1	1	1	2
Manchester		3	2	17	1	3	3	1	2	8	12	28	1	1	78			4	33	51	45	79	124											
Mason		1										1													1					1	1	1	2	
Merrimack																									1					1		1	1	1
Milford				1							1	1	1							4					3	1	4	2	6					
Mont Vernon																																		
Nashua			1	3		1	2		1	4	4	8	1		30	2	1	15	19	19	27	46											
New Boston															3			1	2	1	2	3											
New Ipswich			1	1					1		1	2			4			1	3	2	5	7											
Pelham				1								1			4			3	1	3	2	5											
Peterborough				1	1							2			8		1	4	5	4	7	11											
Sharon																																		
Temple																																		
Weare		1		2								1	2		2					2	1	4	5											
Wilton		1		1		1			1	1	3	2			8			5	3	8	5	13											
Windsor																																		

— *Continued.*

CLASS III.—LOCAL DISEASES.

ORDER 1.—Nervous System.													ORDER 2.—Circulatory System.					ORDER 3.—Respiratory System.														
Cephalitis.	Cerebritis.	Apoplexy.	Paralysis.	Insanity.	Chorea.	Epilepsy.	Tetanus.	Convulsions.	Brain Diseases.	Total.			Pericarditis.	Aneurism.	Heart Diseases.	Total.		Epistaxis.	Laryngitis.	Bronchitis, Acute.	Bronchitis, Chronic.	Pleurisy.	Pneumonia.	Asthma.	Lung Diseases.	Total.		
										M.	F.				M.	F.										M.	F.	
..	..	4	3	..	..	..	..	..	1	4	4	..	..	..	2	2	..	..	..	..	..	..	3	..	..	1	2	
..	..	2	4	..	..	..	..	..	..	3	3	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	3	1	2	..	..	..	..	..	2	..	..	1	1	
1	..	1	..	..	..	..	..	..	..	1	1	..	..	..	3	2	1	..	..	..	..	..	..	..	..	..	..	
..	..	..	2	..	..	..	..	1	..	3	..	..	..	..	2	2	..	..	..	2	..	..	..	..	..	..	2	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	4	..	..	2	2	
..	..	..	1	..	..	1	..	1	..	1	2	..	..	..	..	..	..	..	..	..	..	..	3	..	..	2	1	
..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	4	3	1	..	..	2	..	..	..	..	..	1	1	
..	..	4	..	..	..	..	..	..	..	4	..	..	..	..	2	1	1	..	..	..	..	..	1	..	..	..	1	
..	..	1	2	..	..	..	..	..	..	1	2	..	..	..	2	2	..	..	..	..	..	..	..	..	..	..	..	
..	..	2	1	..	..	..	..	1	..	2	2	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	
1	..	1	..	..	..	..	..	..	1	2	1	..	..	..	4	2	2	..	..	..	..	..	4	..	..	4	..	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	1	..	..	..	..	..	..	..	..	..	..	
..	..	2	..	..	..	..	..	..	..	1	1	..	..	..	3	2	1	..	..	1	..	..	1	..	..	1	1	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	
24	2	18	7	1	..	2	..	11	10	43	32	1	..	..	47	19	29	..	..	29	6	8	53	..	..	43	53	
1	..	..	1	..	..	..	..	..	..	2	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	
1	..	1	..	..	..	..	..	..	1	1	2	..	..	..	4	2	2	..	..	..	..	..	2	..	..	..	2	
..	..	2	2	..	..	..	..	..	..	..	4	..	..	..	3	2	1	..	1	3	..	..	7	..	..	3	8	
..	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
7	1	12	2	..	..	..	..	4	2	14	14	2	..	..	21	13	10	..	..	14	1	..	27	..	2	17	27	
..	..	3	..	..	..	..	..	1	..	4	..	1	..	..	1	1	1	..	..	1	..	..	2	..	..	1	2	
..	1	..	1	..	..	..	..	..	..	1	1	..	..	..	1	1	..	..	..	..	..	..	2	..	..	1	1	
..	..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	
..	..	1	..	..	..	..	..	1	1	..	3	..	..	..	4	3	1	..	..	1	..	..	8	..	..	5	4	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
..	..	..	3	..	..	..	..	..	..	..	3	..	..	..	7	3	4	..	..	..	..	..	1	1	..	1	1	
..	..	3	1	..	..	..	..	1	3	7	1	..	..	..	5	2	3	..	..	1	..	..	8	..	..	3	6	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	

TABLE NO. XIII.

CLASS III. — LOCAL

ORDER 4. — Digestive Organs.

TOWNS IN HILLSBOROUGH COUNTY.	Gastritis.	Enteritis.	Peritonitis.	Ascites.	Ulceration of Intestines.	Hernia.	Ileus.	Intussusception.	Stricture of Intestines.	Fistula.	Stomach Diseases.	Pancreas Diseases.	Hepatitis.	Jaundice.	Liver Diseases.	Spleen Diseases.	Bowel Diseases.	Total. M.	Total. F.
Amherst																			
Antrim																			
Bedford																			
Bennington		1																1	
Brookline						1													1
Deering															2			2	
Francestown			1								1		1		1			2	2
Goffstown				1			1						1						3
Greenfield																			
Greenville		1											1					1	1
Hancock			1															1	
Hillsborough																			
Hollis																			
Hudson		1																1	
Litchfield																			
Lyndeborough	1																		1
Manchester	7	6	4		2	1	1	1			3		2	1	5		2	13	22
Mason																			
Merrimack																			
Milford		1			2														3
Mont Vernon																			
Nashua	5	1	1								1			1	2			7	4
New Boston																			
New Ipswich											1		1						2
Pelham			1																1
Peterborough																			
Sharon																			
Temple																			
Weare			1								1								2
Wilton		2	1												1			3	1
Windsor															1			1	

— *Continued.*

DISEASES.— *Continued.*

ORDER 5.— Urinary Organs.													ORDER 6 —Generative Organs.			ORDER 7.— Osseous and Locomotory System.						ORDER 8.— Integumentary System.						Total for Class III.			
Nephritis.	Ischuria.	Nephria (Bright's Disease).	Diabetes.	Calculus (Gravel, etc.).	Cystitis.	Prostate, Disease of.	Kidney Diseases.	Bladder, Diseases of.	Testicles, Disease of.	Total.			Ovarian Dropsy.	Disease of Uterus.	Total.	Bones, Diseases of.	Joint Diseases.	Vertebræ, Diseases of.	Total.		Phlegmon.	Ulcer.	Skin Diseases.	Total.		Male.	Female.	Sex not stated.	Total.	
										M.	F.								M.	F.				M.	F.					
..	..	..	..	..	..	..	1	..	..	1	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	6	..	14
..	..	..	..	..	..	..	1	..	..	1	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	3	..	8
..	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	3	..	6
..	..	..	1	..	..	..	..	..	..	1	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	2	..	7
..	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	6	..	8
..	..	..	..	..	..	..	..	..	..	..	..		1	..	1	..	..	..	..	..	..	..	..	..	..	..	5	3	..	8
..	..	..	1	..	..	..	..	..	..	1	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	6	..	11
..	..	..	..	..	..	..	1	..	..	1	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	6	..	11
..	..	..	..	..	..	..	1	..	..	..	1		..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	3	..	8
..	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	3	..	7
..	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	2	..	6
..	..	..	..	..	1	..	..	..	..	1	..		..	1	1	..	..	..	..	..	..	..	..	..	..	..	9	4	..	13
..	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	3	..	8
..	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
..	..	1	..	..	..	..	..	..	..	1	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
1	..	11	2	2	1	..	1	..	..	10	8		..	2	2	1	1	..	2	..	..	..	..	..	..	..	130	146	..	276
..	..	1	..	..	..	..	..	..	..	1	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	* 1	..	5
..	..	1	..	..	1	..	..	..	..	1	1		..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	7	..	11
1	..	..	..	..	1	..	1	..	..	2	1		..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	17	..	24
..	..	1	..	..	..	..	..	..	..	1	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	8	..	..	1	..	4	..	..	5	8		..	..	..	..	..	..	..	..	..	..	..	..	..	..	56	63	..	119
1	..	..	..	..	..	..	..	..	..	1	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	3	..	10
..	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	4	..	7
..	..	..	..	..	..	..	..	..	..	..	..		1	..	1	..	..	..	..	..	..	..	..	..	..	..	1	3	..	4
..	..	1	..	..	1	..	1	..	..	2	1		..	..	..	1	..	..	..	1	..	..	..	..	..	..	10	10	..	20
..	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	1	..	..	..	..	..	..	..	1	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	10	..	15
..	..	1	1	..	..	..	1	..	..	1	2		..	..	..	..	..	..	..	..	..	..	..	..	..	..	16	13	..	29
..	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1

* Includes one death from Otitis, which is not embraced in any of the orders given.

TABLE NO. XIII.

CLASS IV.—DEVELOPMENTAL DISEASES.

TOWNS IN HILLSBOROUGH COUNTY.	ORDER 1.—Of Children.										ORDER 2.—Of Women.			ORDERS 3 and 4.				Total for Class IV.		
	Still-born.	Debility, Infantile.	Debility, Premature Birth.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Innutrition.	Total.		Childbirth.	Paramenia.	Total.	Old Age.		Atrophy and Debility.		Male.	Female.	Total.
									M.	F.				M.	F.	M.	F.			
Amherst	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	2	..	2
Antrim	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	1
Bedford	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	2	2
Bennington	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	1	1	2
Brookline	..	..	..	..	..	..	..	2	2	..	..	..	..	..	..	..	..	2	..	2
Deering	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Francestown	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	..	..	2	2	4
Goffstown	..	..	..	..	..	..	..	3	1	2	..	..	..	4	4	..	..	5	6	11
Greenfield	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	1
Greenville	2	..	..	..	..	..	..	1	2	1	..	..	..	..	..	..	..	2	1	3
Hancock	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	1
Hillsborough	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	1
Hollis	..	1	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	2	..	2
Hudson	..	1	..	..	..	..	..	..	1	..	..	..	..	1	1	..	..	2	1	3
Litchfield	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	1
Lyndeborough	3	..	..	..	..	..	..	..	2	1	..	..	..	1	1	..	..	3	2	5
Manchester	60	22	12	..	..	1	13	6	65	49	2	..	2	9	9	5	10	79	70	149
Mason	2	..	..	..	..	..	..	..	2	..	..	..	..	..	..	1	..	3	..	3
Merrimack	1	..	..	..	..	..	..	..	..	1	..	..	..	..	3	..	..	..	4	4
Milford	2	..	..	..	..	1	..	..	2	1	..	..	..	4	..	..	..	6	1	7
Mont Vernon	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Nashua	22	14	7	..	1	..	..	4	29	19	2	..	2	5	2	1	1	35	24	59
New Boston	..	..	1	..	..	..	..	..	..	1	..	..	..	1	..	..	2	1	3	4
New Ipswich	2	..	..	..	..	1	..	..	1	2	..	..	..	..	..	..	..	1	2	3
Pelham	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Peterborough	2	..	..	..	..	..	..	..	2	..	..	..	..	3	..	..	..	5	..	5
Sharon	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	1	1
Temple	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	1
Weare	..	..	..	..	..	..	..	..	..	..	1	..	1	5	2	..	..	5	3	8
Wilton	2	..	..	..	..	..	..	1	1	2	..	..	..	3	1	1	..	5	3	8
Windsor	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

— *Continued.*

CLASS V.—VIOLENT DEATHS.

ORDER 1.—Accident and Negligence.									ORDER 2.		ORDER 3.—Suicide.								ORDER 4.—Various.				Total for Class V.			Grand Total for all Classes.			
Fractures and Contusions.	Wounds, Unspecified.	Burns and Scalds.	Poison.	Drowning.	Suffocation.	Various.	Total.		Homicide.		Wounds, Unspecified.	Wounds, Pistol or Gunshot.	Wounds, Knife.	Poison.	Drowning.	Hanging.	Otherwise.	Total.	Violent, not Classed.		Cause not Reported.		Male.	Female.	Total.	Male.	Female.	Not stated.	Total.
						M.	F.		M.	F.							M.	F.			M.	F.							
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	..	2	13	8	..	21
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	4	..	11
..	..	2	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	7	9	..	16
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	5	..	13
..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	6	10	..	16
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	5	..	11
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	13	..	22
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	13	17	1	31
..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	9	7	..	16
..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	2	19	11	..	30
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	4	..	11
1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	13	7	..	20
..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	2	2	4	7	..	11
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	10	..	18
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	8	6	..	14
3	..	2	1	4	2	11	18	5	..	..	..	..	..	..	..	1	..	3	4	..	..	33	32	55	37	92	382	429	27	838
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	2	..	12
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	1	2	1	3	7	13	..	20
1	..	..	..	..	..	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	24	26	..	50
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
2	..	1	1	..	..	3	6	1	..	..	..	..	..	..	..	..	..	1	1	..	..	9	6	16	7	23	181	166	..	347
..	..	..	..	2	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	12	9	..	21
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	1	2	8	13	..	21
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	5	6	..	11
..	..	..	..	1	..	2	3	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	4	2	6	27	23	..	50
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	1	2	..	3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12	18	..	30
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	..	3	3	3	5	8	40	27	..	67
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1

TABLE NO. XIII.

CLASS I.—

ORDER 1.— Miasmatic.

TOWNS IN CHESHIRE COUNTY.	Carbuncle.	Cholera, Asiatic.	Cholera, Sporadic.	Cholera Infantum.	Cholera Morbus.	Croup (Pseudo-membranous).	Diphtheria.	Diarrhœa.	Dysentery.	Erysipelas.	Fever, Bilious.	Fever, Cerebro-spinal.	Fever, Intermittent.	Fever, Malarial.	Fever, Typhoid.	Fever, Typho-malarial.	Fever, Unspecified.	Fever, Yellow.	Influenza (Epidemic).	Measles.	Mumps.	Metria (Puerperal Fever).	Pertussis.
Alstead				3																			
Chesterfield							2										1						
Dublin											1												
Fitzwilliam									1														
Gilsum																							
Harrisville								1															
Hinsdale				2	1	1	1					1		1	3								
Jaffrey				2																			
Keene				8		1	24		2						1								2
Marlborough				2																			
Marlow				1			2															1	
Nelson																							
Richmond								1															
Rindge				1		1	1								1					1			
Roxbury																							2
Stoddard																							
Sullivan							1	1															1
Surry																							
Swanzey				3					2						1								
Troy				1		1																	
Walpole						1		1												1			
Westmoreland							4																
Winchester				2													2					1	

— *Continued.*

ZYMOTIC DISEASES.

Tonsilitis.	Scarlatina.	Small-pox.	Varicella.	Total. M.	Total. F.	ORDER 2. — Enthetic. Glanders.	Gonorrhea.	Hydrophobia.	Malignant Pustule.	Septicæmia.	Syphilis.	Total. M.	Total. F.	ORDER 3. — Dietic. Alcoholism.	Delirium Tremens.	Inanition.	Purpura and Scurvy.	Total. M.	Total. F.	ORDER 4. — Parasitic. Aphthæ.	Worms.	Other Parasites.	Total. M.	Total. F.	Total for Class I. Male.	Female.	Sex not stated.	Total.
..	..	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
..	..	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	3
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	6	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	4	..	10
..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	..	24	14	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	25	14	..	39
..	..	..	..	1	1	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
..	..	..	..	2	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	..	4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	1	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	4	..	5
..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	3
..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
..	..	..	..	4	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	2	..	6
..	2	..	..	1	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	3	..	4
..	..	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
..	..	..	..	..	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..	4
..	..	..	..	3	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	2	..	5

TABLE NO. XIII.

TOWNS IN CHESHIRE COUNTY.	CLASS II.—CONSTITUTIONAL DISEASES.																					
	ORDER 1.—Diathetic.												ORDER 2.—Tubercular.							Total for Class II.		
	Gout.	Dropsy.	Anæmia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus.	Noma (Canker).	Mortification.	Rheumatism.	Total. M.	Total. F.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Tubercular Meningitis.	Total. M.	Total. F.	Male.	Female.	Total.
Alstead			1		1						1	1	1		1			1	1	2	2	4
Chesterfield				2								2			2				2		4	4
Dublin																						
Fitzwilliam				1							1				2			1	1	2	1	3
Gilsum															2			1	1	1	1	2
Harrisville															2			1	1	1	1	2
Hinsdale										1		1			7			1	6	1	7	8
Jaffrey			1							1	1	1			4			3	1	4	2	6
Keene		1	2	4					1	1	5	4			13			7	6	12	10	22
Marlborough															2			1	1	1	1	2
Marlow			1									1			2				2		3	3
Nelson													1		1			1	1	1	1	2
Richmond									1			1									1	1
Rindge															1			1		1		1
Roxbury																						
Stoddard				1								1			1			1		1	1	2
Sullivan													1						1		1	1
Surry																						
Swanzey				3							2	1			4			1	3	3	4	7
Troy															2				2		2	2
Walpole										1		1			1			1		1	1	2
Westmoreland						1					1				1	1		2		3		3
Winchester			1			1					2				5	1		1	5	3	5	8

— *Continued.*

CLASS III.— LOCAL DISEASES.

ORDER 1.—Nervous System.													ORDER 2.— Circulatory System.					ORDER 3.— Respiratory System.									
Cephalitis.	Cerebritis.	Apoplexy.	Paralysis.	Insanity.	Chorea.	Epilepsy.	Tetanus.	Convulsions.	Brain Diseases.	Total.			Pericarditis.	Aneurism.	Heart Diseases.	Total.		Epistaxis.	Laryngitis.	Bronchitis, Acute.	Bronchitis, Chronic.	Pleurisy.	Pneumonia.	Asthma.	Lung Diseases.	Total.	
										M.	F.				M.	F.									M.	F.
..	..	2	..	..	..	1	..	..	..	2	1	..	..	1	..	1	..	..	..	..	..	1	..	..	..	1
..	..	1	1	..	..	..	..	..	..	2	..	..	..	3	1	2	..	..	..	..	..	3	..	..	3	..
..	..	2	..	..	..	..	..	..	..	1	1	..	..	3	..	3	..	..	..	..	..	1	..	..	..	1
..	..	2	2	..	..	..	..	..	..	2	2	..	..	1	..	1	..	..	..	1	..	3	..	..	2	2
1	..	..	2	..	..	..	..	..	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	1	..	..	1	..	..	..	1	1	..	..	..	..	..	..	1	..	..	1	..
..	1	1	..	..	..	..	..	..	1	1	2	..	..	3	1	2	..	..	..	..	..	1	..	..	..	1
..	..	..	1	..	..	..	..	..	1	1	1	..	..	1	1	..	..	..	1	..	..	2	1	..	1	3
4	..	3	7	..	..	..	..	2	1	5	12	..	..	12	7	5	..	..	..	..	..	8	..	..	4	4
1	..	..	..	..	..	1	..	..	2	1	3	..	..	..	..	..	..	..	..	..	..	4	..	..	3	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	3	..	..	..	..	..	..	1	..	..	..	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	1	1
..	..	..	1	..	..	..	..	..	..	1	..	..	..	3	3	..	..	..	..	..	..	..	..	..	..	..
1	..	..	1	1	..	..	..	..	..	3	..	..	..	..	..	..	..	..	1	..	..	4	..	..	3	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
1	..	..	..	..	..	..	..	..	1	..	2	..	..	2	..	2	..	..	..	..	..	1	..	..	..	1
1	..	..	..	..	..	..	..	..	..	1	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..
..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
1	..	..	2	..	..	1	..	..	..	1	3	..	..	4	3	1	..	..	..	..	..	3	..	1	3	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	1	..	..	1	..	..	1	1
1	..	..	..	..	..	..	..	1	1	2	1	..	..	3	3	..	..	..	2	..	..	7	..	..	5	4
..	..	..	..	..	..	..	..	1	..	1	..	..	..	6	3	3	..	..	1	..	..	7	..	..	2	6
1	..	2	1	..	..	..	..	..	..	1	3	..	..	6	2	4	..	..	..	..	..	2	..	..	2	..

TABLE NO. XIII.

CLASS III.—LOCAL

ORDER 4.—Digestive Organs.

TOWNS IN CHESHIRE COUNTY.	Gastritis.	Enteritis.	Peritonitis.	Ascites.	Ulceration of Intestines.	Hernia.	Ileus.	Intussusception.	Stricture of Intestines.	Fistula.	Stomach Diseases.	Pancreas Diseases.	Hepatitis.	Jaundice.	Liver Diseases.	Spleen Diseases.	Bowel Diseases.	Total. M.	Total. F.
Alstead																			
Chesterfield			1																1
Dublin		1				1													2
Fitzwilliam																	1	1	
Gilsum															1				1
Harrisville																			
Hinsdale																			
Jaffrey											1							1	
Keene		2													2			1	3
Marlborough																			
Marlow			2															1	1
Nelson																			
Richmond	1																	1	
Rindge		1									1							1	1
Roxbury																			
Stoddard																			
Sullivan																	1	1	
Surry																			
Swanzey														1				1	
Troy																			
Walpole			1															1	
Westmoreland																			
Winchester											1		1						2

— Continued.

DISEASES. — *Continued.*

Order 5. — Urinary Organs.												Order 6 — Generative Organs.			Order 7. — Osseous and Locomotory System.					Order 8. — Integumentary System.					Total for Class III.			
Nephritis.	Ischuria.	Nephria (Bright's Disease).	Diabetes.	Calculus (Gravel, etc.).	Cystitis.	Prostate, Disease of.	Kidney Diseases.	Bladder, Diseases of.	Testicles, Disease of.	Total.		Ovarian Dropsy.	Disease of Uterus.	Total.	Bones, Diseases of.	Joint Diseases.	Vertebræ, Diseases of.	Total.		Phlegmon.	Ulcer.	Skin Diseases.	Total.		Male.	Female.	Sex not stated.	Total.
										M.	F.							M.	F.				M.	F.				
..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	3	..	6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	6	4	..	10
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	7	..	8
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	6	..	11
..	..	..	..	..	1	..	..	..	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	4	2	..	6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	..	3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	5	..	7
2	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	6	..	10
..	..	4	..	..	1	..	..	..	..	4	1	..	..	..	..	1	..	1	..	..	..	..	..	..	22	25	..	47
..	..	2	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	5	5	..	10
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	2	..	6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	5	1	..	6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	6	..	10
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	..	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	..	3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	5	..	14
..	..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	3	..	4
..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	11	6	..	17
1	..	..	..	..	..	1	1	..	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	9	..	18
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	9	1	14

TABLE NO. XIII.

TOWNS IN CHESHIRE COUNTY.	CLASS IV. — DEVELOPMENTAL DISEASES.																				
	ORDER 1. — Of Children.										ORDER 2. — Of Women.			ORDERS 3 and 4.				Total for Class IV.			
	Still-born.	Debility, Infantile.	Debility, Premature Birth.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Inanition.	Total.		Childbirth.	Paramenia.	Total.	Old Age.		Atrophy and Debility.		Male.	Female.	Total.
									M.	F.				M.	F.	M.	F.			
Alstead	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1
Chesterfield	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	1	..	1
Dublin	..	..	1	..	..	..	..	..	1	..	..	..	..	2	..	..	..	1	2	3
Fitzwilliam	..	1	..	..	..	..	..	..	..	1	..	..	..	1	2	..	..	1	3	4
Gilsum	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Harrisville	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	1	1	2
Hinsdale	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	1	1
Jaffrey	1	..	1	..	..	..	..	..	2	..	..	..	..	..	2	..	..	2	2	4
Keene	4	2	..	..	..	..	..	..	5	1	..	..	..	5	5	..	2	10	8	18
Marlborough	1	1	..	..	..	..	..	..	2	..	..	1	1	1	4	..	..	3	5	8
Marlow	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	1
Nelson	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	2	..	2
Richmond	..	..	..	..	..	..	..	..	..	..	1	..	1	1	..	..	1	1	2	3
Rindge	4	..	..	..	..	..	..	..	4	1	..	..	1	..	5	1	..	1	10	11
Roxbury	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Stoddard	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	1
Sullivan	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	2
Surry	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	1	1	2
Swanzey	..	..	..	..	..	1	..	..	1	..	..	..	..	1	..	..	..	2	..	1
Troy	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Walpole	1	1	..	..	1	..	..	..	1	2	..	..	..	2	2	..	..	3	4	7
Westmoreland	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..	..	..	4	..	4
Winchester	1	..	..	..	..	..	..	1	..	2	..	..	..	1	2	..	1	1	5	6

— *Continued.*

CLASS V.—VIOLENT DEATHS.																																		Grand Total for all Classes.			
ORDER 1.—Accident and Negligence.											ORDER 2.			ORDER 3.—Suicide.										ORDER 4.—Various.				Total for Class V.								
Fractures and Contusions.	Wounds, Unspecified.	Burns and Scalds.	Poison.	Drowning.	Suffocation.	Various.	Total.				Homicide.			Wounds, Unspecified.	Wounds, Pistol or Gunshot.	Wounds, Knife.	Poison.	Drowning.	Hanging.	Otherwise.	Total.			Violent, not Classed.		Cause not Reported.		Male.	Female.	Total.								
							M.	F.	M.	F.											M.	F.																
..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	2	9	7	..	16
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	10	..	18
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	10	..	12
..	1	..	..	2	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	3	10	12	..	22
1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	5	4	..	9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	5	4	..	9
..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	2	3	10	19	..	29
..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	12	11	..	23
2	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	5	4	5	9	70	62	3	135
..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	12	12	..	24
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	8	..	14
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	5	2	..	7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	..	2	8	5	..	13
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	..	2	9	20	..	29
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	1	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	2	..	2	3	7	..	10
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	4	5	..	9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	..	4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	18	11	..	29
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	8	..	10
1	..	..	..	2	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	3	19	13	..	32
..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	2	2	4	17	15	1	33
..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	2	3	11	23	2	36

TABLE NO. XIII.

CLASS I.—

ORDER 1. — Miasmatic.

TOWNS IN SULLIVAN COUNTY.	Carbuncle.	Cholera, Asiatic.	Cholera, Sporadic.	Cholera Infantum.	Cholera Morbus.	Croup (Pseudo-membranous).	Diphtheria.	Diarrhœa.	Dysentery.	Erysipelas.	Fever, Bilious.	Fever, Cerebro-spinal.	Fever, Intermittent.	Fever, Malarial.	Fever, Typhoid.	Fever, Typho-malarial.	Fever, Unspecified.	Fever, Yellow.	Influenza (Epidemic).	Measles.	Mumps.	Metria (Puerperal Fever).	Pertussis.
Acworth	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Charlestown	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..
Claremont	..	..	..	4	..	1	4	..	3	..	..	2	..	..	2	..	..	..	..	..	..	1	..
Cornish	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Croydon	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Goshen	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Grantham	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Langdon	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Lempster	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Newport	..	..	..	3	..	..	2	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..
Plainfield	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Springfield	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Sunapee	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Unity	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Washington	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..

— *Continued.*

ZYMOTIC DISEASES.

Tonsilitis.	Scarlatina.	Small-pox.	Varicella.	Total. M.	Total. F.	ORDER 2.— Enthetic. Glanders.	Gonorrhœa.	Hydrophobia.	Malignant Pustule.	Septicæmia.	Syphilis.	Total. M.	Total. F.	ORDER 3.— Dietic. Alcoholism.	Delirium Tremens.	Inanition.	Purpura and Scurvy.	Total. M.	Total. F.	ORDER 4.— Parasitic. Aphthæ.	Worms.	Other Parasites.	Total. M.	Total. F.	Total for Class I. Male.	Female.	Sex not stated.	Total.
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	1	1	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	2	..	3
..	..	..	..	8	9	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	9	..	17
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	2
..	..	..	..	3	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	4	..	7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	1	1	..	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
..	..	..	..	1	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	2

TABLE NO. XIII.

CLASS II.— CONSTITUTIONAL DISEASES.

TOWNS IN SULLIVAN COUNTY.	ORDER 1.— Diathetic.												ORDER 2.— Tubercular.								Total for Class II.		
	Gout.	Dropsy.	Anæmia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus.	Noma (Canker).	Mortification.	Rheumatism.	Total.		Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Tubercular Meningitis.	Total.			Male.	Female.	Total.
											M.	F.						M.	F.				
Acworth						2					1		1								1	1	2
Charlestown				2					1		1		2		4			1	3		2	5	7
Claremont	2	1	3	1	1						1		7		7		1	4	4		5	11	16
Cornish							1		1				2		4			2	2		2	4	6
Croydon		1											1									1	1
Goshen																							
Grantham																							
Langdon																							
Lempster			1	1									2		2			1	1		1	3	4
Newport			1	2						1	2		2		5			1	4		3	6	9
Plainfield															2			2			2		2
Springfield															1			1			1		1
Sunapee				1									1		3			3			3	1	4
Unity																							
Washington																							

— *Continued.*

CLASS III. — LOCAL DISEASES.

ORDER 1. — Nervous System.													ORDER 2. — Circulatory System.					ORDER 3. — Respiratory System.										
Cephalitis.	Cerebritis.	Apoplexy.	Paralysis.	Insanity.	Chorea.	Epilepsy.	Tetanus.	Convulsions.	Brain Diseases.	Total.			Pericarditis.	Aneurism.	Heart Diseases.	Total.		Epistaxis.	Laryngitis.	Bronchitis, Acute.	Bronchitis, Chronic.	Pleurisy.	Pneumonia.	Asthma.	Lung Diseases.	Total.	
										M.	F.					M.	F.									M.	F.
..	..	1	1	..	..	..	..	..	..	1	1	1	...	2	2	1	..	..	..	..	..	..	6	..	..	2	4
..	..	3	1	..	..	..	..	..	..	3	1	...	...	2	2	...	..	..	..	..	1	..	2	..	..	2	1
1	1	2	3	..	..	..	..	2	..	5	4	...	...	11	3	8	..	..	..	1	..	..	7	..	..	6	2
..	..	1	..	..	..	..	..	..	..	1	..	...	...	3	1	2	..	..	..	..	..	..	3	..	..	3	..
..	..	2	..	..	..	..	..	..	..	2	..	...	...	2	1	1	..	..	..	..	..	..	2	..	1	1	2
..	..	..	..	..	..	..	..	..	..	..	..	...	...	4	1	3	..	..	..	..	..	..	..	..	..	..	..
..	..	1	..	..	..	..	..	..	..	1	..	...	...	2	...	2	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	...	...	...	...	...	..	..	..	..	..	..	2	..	..	..	2
..	1	..	..	..	..	..	..	..	..	1	..	...	...	2	...	2	..	..	..	..	..	..	2	..	..	..	2
1	3	3	2	..	..	1	..	..	1	3	8	...	...	4	2	2	..	..	..	2	..	..	2	..	..	2	2
..	..	1	1	..	..	..	..	..	..	2	..	...	...	2	2	..	..	..	..	..	..	..	1	..	..	1	..
..	..	3	..	1	..	..	..	..	..	4	..	...	...	3	2	1	..	..	..	..	..	..	1	..	..	1	..
..	..	1	..	..	..	..	..	..	..	1	..	...	...	...	..	..	..	..	..	..	..	..	..	..	1	1	..
..	..	..	2	..	..	..	..	1	..	1	2	...	...	2	1	1	..	..	..	..	..	..	3	..	..	1	2
..	..	..	1	1	..	..	..	..	1	2	1	...	...	..	..	..	..	..	..	..	..	..	..	..	..	..	..

TABLE NO. XIII.

CLASS III. — LOCAL

ORDER 4. — Digestive Organs.

TOWNS IN SULLIVAN COUNTY.	Gastritis.	Enteritis.	Peritonitis.	Ascites.	Ulceration of Intestines.	Hernia.	Ileus.	Intussusception.	Stricture of Intestines.	Fistula.	Stomach Diseases.	Pancreas Diseases.	Hepatitis.	Jaundice.	Liver Diseases.	Spleen Diseases.	Bowel Diseases.	Total.	
																		M.	F.
Acworth													1		1		1		3
Charlestown																			
Claremont	1		1			1												2	1
Cornish																			
Croydon																			
Goshen															1			1	
Grantham																			
Langdon																			
Lempster			2																2
Newport			2										1		1			2	2
Plainfield																			
Springfield	1														1			1	1
Sunapee			1															1	
Unity															1			1	
Washington																	1		1

— *Continued.*

DISEASES.— *Continued.*

Order 5. — Urinary Organs.												Order 6 — Generative Organs.			Order 7. — Osseous and Locomotory System.					Order 8. — Integumentary System.					Total for Class III.			
Nephritis.	Ischuria.	Nephria (Bright's Disease).	Diabetes.	Calculus (Gravel, etc.).	Cystitis.	Prostate, Disease of.	Kidney Diseases.	Bladder, Diseases of.	Testicles, Disease of.	Total.		Ovarian Dropsy.	Disease of Uterus.	Total.	Bones, Diseases of.	Joint Diseases.	Vertebræ, Diseases of.	Total.		Phlegmon.	Ulcer.	Skin Diseases.	Total.		Male.	Female.	Sex not stated.	Total.
										M.	F.							M.	F.				M.	F.				
..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	9	..	15
..	..	2	..	..	..	..	1	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	9	3	..	12
..	..	5	..	..	..	..	2	..	..	5	2	..	..	..	..	..	..	..	..	..	..	..	..	..	21	17	..	38
..	..	1	..	..	1	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	5	4	..	9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	5	..	7
..	..	1	..	..	..	..	1	..	..	1	1	..	..	..	..	..	..	..	..	..	1	..	..	1	3	5	..	8
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2
..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	..	8
..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	14	..	24
1	..	1	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	3	4	..	7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	6	..	10
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	1	..	4
..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	4	6	..	10
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	..	4

TABLE NO. XIII.

TOWNS IN SULLIVAN COUNTY.	CLASS IV.—DEVELOPMENTAL DISEASES.																				
	ORDER 1.—Of Children.											ORDER 2.—Of Women.			ORDERS 3 and 4.				Total for Class IV.		
	Still-born.	Debility, Infantile.	Debility, Premature Birth.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Inanition.				Childbirth.	Paramenia.	Total.	Old Age.		Atrophy and Debility.		Male.	Female.	Total.
								M.	F.	Total.					M.	F.	M.	F.			
Acworth																					
Charlestown								1	1						1	1	1		2	2	4
Claremont			3		1			2	2	4	1		1	2	3	2	3		6	11	17
Cornish															1	2			2	1	3
Croydon			1							1										1	1
Goshen															1					1	1
Grantham														1	1				1	1	2
Langdon																1			1		1
Lempster																					
Newport	3					1			3	1					1				3	2	5
Plainfield														1					1		1
Springfield					1					1					1					2	2
Sunapee															1		1			2	2
Unity														2	1		1		2	2	4
Washington																					

— *Continued.*

CLASS V.—VIOLENT DEATHS.

Order 1.—Accident and Negligence.										Order 2.		Order 3.—Suicide.										Order 4.—Various.				Total for Class V.			Grand Total for all Classes.			
Fractures and Contusions.	Wounds, Unspecified.	Burns and Scalds.	Poison.	Drowning.	Suffocation.	Various.		Total.		Homicide.		Wounds, Unspecified.	Wounds, Pistol or Gunshot.	Wounds, Knife.	Poison.	Drowning.	Hanging.	Otherwise.		Total.		Violent, not Classed.		Cause not Reported.		Male.	Female.	Total.	Male.	Female.	Not stated.	Total.
						M.	F.	M.	F.	M.	F.							M.	F.	M.	F.	M.	F.	M.	F.							
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	8	11	..	19
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	14	12	..	26
..	..	..	..	..	..	2	2	..	..	..	..	1	..	..	..	..	..	1	..	..	..	2	1	5	1	6	45	49	..	94		
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	9	10	..	19		
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	3	7	..	10		
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	6	..	9		
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	3	5	..	8		
..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	4	..	5		
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	11	..	14		
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	20	26	..	46		
1	..	..	..	..	..	1	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	3	8	5	..	13		
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	8	..	13		
..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	1	..	..	..	..	1	1	2	8	6	..	14		
1	..	1	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	4	9	9	..	18		
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	2	..	6		

TABLE NO. XIII.

CLASS I.—

ORDER 1.— Miasmatic.

TOWNS IN GRAFTON COUNTY.	Carbuncle.	Cholera, Asiatic.	Cholera, Sporadic.	Cholera Infantum.	Cholera Morbus.	Croup (Pseudo-membranous).	Diphtheria.	Diarrhea.	Dysentery.	Erysipelas.	Fever, Bilious.	Fever, Cerebro-spinal.	Fever, Intermittent.	Fever, Malarial.	Fever, Typhoid.	Fever, Typho-malarial.	Fever, Unspecified.	Fever, Yellow.	Influenza (Epidemic).	Measles.	Mumps.	Metria (Puerperal Fever).	Pertussis.
Alexandria																							
Ashland				1						1													
Bath																							
Benton															1								
Bethlehem				2																1			
Bridgewater				1			1																
Bristol				3			4							1	2	1	1						
Campton								1				1											
Canaan							1								1								1
Dorchester																							
Easton																							
Ellsworth																							
Enfield									1														
Franconia																							
Grafton							2																
Groton																			1				
Hanover								1	1	1		1								1			
Haverhill				2			2			1					3								
Hebron																							
Holderness										1													
Landaff																							
Lebanon				1						1					1				2				
Lincoln																							
Lisbon							1								1							2	
Littleton				4				2															
Livermore																							
Lyman								1							1								
Lyme																							
Monroe																							
Orange																							
Orford				1						1													
Piermont																							
Plymouth																							
Rumney																2							
Thornton																							
Warren															1								
Waterville																							
Wentworth				1																			
Woodstock																							

— *Continued.*

ZYMOTIC DISEASES.

			ORDER 2. — Enthetic.									ORDER 3. — Dietic.						ORDER 4. — Parasitic.						Total for Class I.			
Tonsilitis.	Scarlatina.	Small-pox.	Varicella.	Total.		Glanders.	Gonorrhœa.	Hydrophobia.	Malignant Pustule.	Septicæmia.	Syphilis.	Total.		Alcoholism.	Delirium Tremens.	Inanition.	Purpura and Scurvy.	Total.		Aphthæ.	Worms.	Other Parasites.	Total.		Male.	Female.	Sex not stated.	Total.
			M.	F.							M.	F.					M.	F.				M.	F.					
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	1	2	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	2	2	..	4
..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	2
..	..	..	5	7	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	7	..	12
..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2
..	..	..	1	2	..	..	..	..	..	2	..	2	..	..	..	..	..	..	..	..	..	..	..	..	1	4	..	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	1	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	2
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	1	4	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	2	4	..	6
..	..	..	5	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	3	..	8
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	1	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	4	..	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	2	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	..	4
..	1	..	4	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	3	..	7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	1	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1

TABLE NO. XIII.

TOWNS IN GRAFTON COUNTY.	CLASS II.—CONSTITUTIONAL DISEASES.																								
	ORDER 1.—Diathetic.													ORDER 2.—Tubercular.								Total for Class II.			
	Gout.	Dropsy.	Anæmia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus.	Noma (Canker).	Mortification.	Rheumatism.	Total.			Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Tubercular Meningitis.	Total.			Male.	Female.	Total.	
										M.	F.						M.	F.						
Alexandria				1							1		1		2			2	1	3	1	4		
Ashland															1			1		1		1		
Bath				1								1									1	1		
Benton															1				1		1	1		
Bethlehem				1							1									1		1		
Bridgewater																								
Bristol				1							1				7			2	5	3	5	8		
Campton				2								2			2				2		4	4		
Canaan		1		1							1	1			1				1	1	2	3		
Dorchester													1		2			1	2	1	2	3		
Easton																								
Ellsworth		1									1				1			1		1	1	2		
Enfield				3						1	2				1			1		2	2	4		
Franconia																								
Grafton						1						1									1	1		
Groton																								
Hanover				2			1				3	1			4			3	2	3	5	8		
Haverhill		1		2						2	1				3			1	2	3	3	6		
Hebron															1					1	1	1		
Holderness		1								1			1						1	1	1	2		
Landaff																								
Lebanon				2						1	2	1			5			3	2	5	3	8		
Lincoln																								
Lisbon		1		3						1	4	1			1			1		5	1	6		
Littleton		1		1			1				3				10		1	7	4	7	7	14		
Livermore																								
Lyman					1						1				2				2		3	3		
Lyme				3		1				1	3	2			2				2	3	4	7		
Monroe																								
Orange				1							1									1		1		
Orford				1						1	1	1			2			2		3	1	4		
Piermont				1							1									1		1		
Plymouth		1										1			1	1		1	1	1	2	3		
Rumney		1									1				3			1	2	2	2	4		
Thornton		1									1				2		1		3	1	3	4		
Warren															1				1		1	1		
Waterville																								
Wentworth															2				2		2	2		
Woodstock				2								2			1				1		3	3		

— *Continued.*

CLASS III. — LOCAL DISEASES.

ORDER 1. — Nervous System.													ORDER 2. — Circulatory System.					ORDER 3. — Respiratory System.												
Cephalitis.	Cerebritis.	Apoplexy.	Paralysis.	Insanity.	Chorea.	Epilepsy.	Tetanus.	Convulsions.	Brain Diseases.	Total.			Pericarditis.	Aneurism.	Heart Diseases.	Total.		Epistaxis.	Laryngitis.	Bronchitis, Acute.	Bronchitis, Chronic.	Pleurisy.	Pneumonia.	Asthma.	Lung Diseases.	Total.		
										M.	F.				M.	F.									M.	F.		
..	..	1	..	..	..	1	..	..	1	1	2	..	..	..	1	..	1	..	..	..	..	..	1	..	..	1	..	..	..
..	..	..	4	..	..	..	..	..	..	2	2	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	2	..
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	2	1	1	..	..	..	..	..	1	2	..	2	1	..	..
1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
1	..	..	1	..	..	..	..	1	..	1	2	..	..	..	1	1	..	..	..	1	..	..	2	..	..	1	2	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..
1	..	1	..	..	..	..	..	..	..	2	..	..	..	..	3	1	2	..	..	..	..	..	1	..	..	..	..	1	..
..	1	1	1	..	..	..	..	..	..	1	2	..	..	..	2	1	1	..	..	..	..	1	1	..	..	2	..	..	..
1	..	3	..	..	..	..	..	..	..	2	2	..	..	..	..	..	..	..	..	1	..	..	5	..	..	4	2	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	..	..	..
1	..	3	2	..	..	..	..	1	..	3	4	1	..	..	3	1	3	..	..	..	1	..	3	..	..	1	3	..	..
1	..	1	2	..	..	..	..	..	..	1	2	3	..	..	1	1	..	..	..	..	..	..	5	..	..	2	3	..	..
1	..	1	2	..	..	..	..	..	..	1	3	..	..	..	..	..	..	..	..	1	..	..	3	1	..	3	2	..	..
..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..
1	..	1	2	..	..	..	..	..	4	2	6	..	..	..	3	..	3	..	..	..	..	..	1	..	..	..	1	..	..
..	1	1	2	1	..	..	1	..	1	3	4	..	..	..	2	1	1	..	..	..	..	..	5	..	..	4	1	..	..
..	..	2	..	..	..	..	..	..	..	1	1	..	..	..	2	..	2	..	..	..	..	..	..	..	..	..	..	..	..
..	..	1	..	..	..	..	..	1	..	2	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	1	3	..	..	..	..	..	2	..	..	2	..	..	..
1	..	4	1	..	..	..	..	2	2	4	6	..	..	..	2	..	2	..	..	..	..	..	2	..	..	..	2	..	..
..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	6	..	6	..	..	1	..	..	2	..	..	2	1	..	..
1	..	1	5	..	..	..	..	..	1	5	3	..	..	..	..	..	..	..	..	..	..	..	5	..	..	4	1	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	2	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	3	..	..	1	2	..	..
..	1	1	1	..	..	..	..	2	1	5	1	..	..	..	2	1	1	..	..	..	..	..	2	..	..	..	2	..	..
2	..	..	1	..	..	..	..	..	1	2	..	..	..	..	..	..	..	..	..	1	..	..	4	..	..	3	2	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	2	..	..
1	..	..	1	..	..	..	..	1	1	2	2	..	..	..	4	1	3	..	..	..	1	..	3	..	..	3	1	..	..
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	3	1	..	..	..	..	1	2	5	2	..	..	..	2	1	1	..	..	..	..	..	2	..	..	1	1	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	3	..	..	..	..	..	..	2	..	..	1	1	..	..
..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	3	1	2	..	..	..	..	..	2	..	..	1	1	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	2	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	1	1	..	..

TABLE NO. XIII.

CLASS III.—LOCAL

ORDER 4.—Digestive Organs.

TOWNS IN GRAFTON COUNTY.	Gastritis.	Enteritis.	Peritonitis.	Ascites.	Ulceration of Intestines.	Hernia.	Ileus.	Intussusception.	Stricture of Intestines.	Fistula.	Stomach Diseases.	Pancreas Diseases.	Hepatitis.	Jaundice.	Liver Diseases.	Spleen Diseases.	Bowel Diseases.	Total. M.	Total. F.
Alexandria																			
Ashland															2			1	1
Bath											1							1	
Benton																			
Bethlehem	1																		1
Bridgewater							1											1	
Bristol			1																1
Campton			1								1							1	1
Canaan	1	1	1												1			2	2
Dorchester																			
Easton											1								1
Ellsworth																			
Enfield	1	1	1																3
Franconia																			
Grafton																	1		1
Groton																			
Hanover		1			1									1	2			2	3
Haverhill	2										2							2	2
Hebron																			
Holderness																			
Landaff		1																1	
Lebanon																	1		1
Lincoln																			
Lisbon																			
Littleton						1												1	
Livermore																			
Lyman															1				1
Lyme			1				1						1					2	1
Monroe																			
Orange																			
Orford																	1		1
Piermont																			
Plymouth		1																	1
Rumney	1																		1
Thornton																			
Warren		1			1										1				3
Waterville																			
Wentworth			1										2					2	1
Woodstock																			

— *Continued.*

DISEASES. — *Continued.*

ORDER 5. — Urinary Organs.													ORDER 6. — Generative Organs.			ORDER 7. — Osseous and Locomotory System.				ORDER 8. — Integumentary System.					Total for Class III.			
Nephritis.	Ischuria.	Nephria (Bright's Disease).	Diabetes.	Calculus (Gravel, etc.).	Cystitis.	Prostate, Disease of.	Kidney Diseases.	Bladder, Diseases of.	Testicles, Disease of.	Total.			Ovarian Dropsy.	Disease of Uterus.	Total.	Bones, Diseases of.	Joint Diseases.	Vertebræ, Diseases of.	Total.		Phlegmon.	Ulcer.	Skin Diseases.	Total.		Male.	Female.	Sex not stated.	Total.
										M.	F.								M.	F.				M.	F.				
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	3	..	5
1	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	4	5	..	9
..	..	..	..	..	..	..	1	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	5	3	..	8
..	..	1	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	1	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	4	5	..	9
..	..	..	1	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	4	..	7
..	..	..	..	..	..	..	2	..	..	2	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	7	4	..	11
1	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	9	6	..	15
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	13	..	18
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	6	..	11
..	..	1	..	..	1	..	..	..	..	2	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	6	6	..	12
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	2
1	1	..	..	..	1	..	..	..	..	3	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	7	13	..	20
1	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	11	8	..	19
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	3	..	4
..	..	..	..	..	..	..	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	3	1	..	4
..	..	..	..	..	..	..	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	4	4	..	8
..	..	1	1	..	..	..	..	1	..	2	1	3	..	1	1	..	..	..	..	..	..	..	..	..	..	6	13	..	19
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
1	..	1	..	..	..	..	..	..	..	2	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	3	9	..	12
..	..	..	..	..	..	1	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	11	4	..	15
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	4	..	6
..	..	1	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	1	..	1	..	..	..	..	9	6	..	15
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	4	..	8
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2
..	..	1	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	6	8	..	14
..	..	..	..	..	..	..	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
..	..	..	..	1	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	7	6	..	13
..	..	1	..	..	..	..	..	..	..	1	1	2	..	..	..	1	..	..	..	..	..	..	..	..	..	4	4	..	8
..	..	1	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	2	5	..	7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
1	..	2	..	..	2	..	..	..	..	5	..	5	..	..	..	..	..	..	..	..	..	..	..	..	..	8	3	..	11
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2

TABLE NO. XIII.

CLASS IV. — DEVELOPMENTAL DISEASES.

TOWNS IN GRAFTON COUNTY.	ORDER 1. — Of Children.									ORDER 2. — Of Women.			ORDERS 3 and 4.				Total for Class IV.		
	Still-born.	Debility, Infantile.	Debility, Premature Birth.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Inanition.	Total. M. F.	Childbirth.	Paræmia.	Total. M. F.	Old Age.		Atrophy and Debility.		Male.	Female.	Total.
													M.	F.	M.	F.			
Alexandria	1								1				1				1	1	2
Ashland	1	1							2				1				3		3
Bath													1	1			1	1	2
Benton																			
Bethlehem													1	1			1	1	2
Bridgewater																			
Bristol	1		1						2					4			2	4	6
Campton	1		1						2				2	2		1	4	3	7
Canaan	1								1				1	2			2	2	4
Dorchester														1	1		1	1	2
Easton																			
Ellsworth																			
Enfield				1					1				1	1			1	2	3
Franconia																			
Grafton	1									1								1	1
Groton																			
Hanover	1								1				1	1			1	2	3
Haverhill			1						1					4	1		2	4	6
Hebron	1								1				1	1			2	1	3
Holderness													1				1		1
Landaff													1				1		1
Lebanon		1							1				1	1			2	1	3
Lincoln																			
Lisbon						1			1				1				2		2
Littleton	1		2					1	2	2			2			1	4	3	7
Livermore																			
Lyman										1		1	1				1	1	2
Lyme														1		1		2	2
Monroe																			
Orange																			
Orford													4	2	1		5	2	7
Piermont		1							1					1			1	1	2
Plymouth													2	1			2	1	3
Rumney	1								1				1	2			2	2	4
Thornton	1								1								1		1
Warren	1									1			1	1			1	2	3
Waterville																			
Wentworth													2				2		2
Woodstock																			

— *Continued.*

CLASS V.—VIOLENT DEATHS.																																		Grand Total for all Classes.			
ORDER 1.—Accident and Negligence.											ORDER 2.	ORDER 3.—Suicide.												ORDER 4.—Various.				Total for Class V.								
Fractures and Contusions.	Wounds, Unspecified.	Burns and Scalds.	Poison.	Drowning.	Suffocation.	Various.	Total.				Homicide.	Wounds, Unspecified.	Wounds, Pistol or Gunshot.	Wounds, Knife.	Poison.	Drowning.	Hanging.	Otherwise.	Total.		Violent, not Classed.		Cause not Reported.		Male.	Female.	Total.	Male.	Female.	Not stated.	Total.						
							M.	F.	M.	F.									M.	F.	M.	F.	M.	F.													
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	5	..	11			
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	10	6	..	16			
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	1	3	1	4	9	6	..	15			
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	2	3	..	5			
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	..	2	10	8	..	18			
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	5	1	..	6			
..	..	..	..	..	..	2	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	15	20	..	35			
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	11	14	..	25				
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13	14	..	27			
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	2	5	..	7				
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2				
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	2	..	5			
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	19	..	27			
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	6	..	11			
..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	2	3	2	..	5			
..	1	..	..	..	..	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	14	25	..	39			
..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	22	18	..	40			
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	5	..	8			
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	6	3	..	9			
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	4	..	9			
..	1	..	..	..	..	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	15	22	..	37			
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1			
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	12	13	..	25				
..	..	1	..	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	1	3	28	18	..	46			
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..			
..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	5	9	..	14			
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	2	3	13	14	..	27			
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	4	..	8			
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	3			
..	..	..	..	2	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	17	12	..	29			
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	5	2	..	7			
..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	2	..	2	12	9	..	21			
1	..	..	..	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	3	1	4	12	10	..	22			
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	8	..	12			
1	..	..	..	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	3	7	..	10			
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..			
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	12	5	..	17			
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	1	3	3	6	..	9			

TABLE NO. XIII.

CLASS I.—

ORDER 1.—Miasmatic.

TOWNS IN COÖS COUNTY.	Carbuncle.	Cholera, Asiatic.	Cholera, Sporadic.	Cholera Infantum.	Cholera Morbus.	Croup (Pseudo-membranous).	Diphtheria.	Diarrhœa.	Dysentery.	Erysipelas.	Fever, Bilious.	Fever, Cerebro-spinal.	Fever, Intermittent.	Fever, Malarial.	Fever, Typhoid.	Fever, Typho-malarial.	Fever, Unspecified.	Fever, Yellow.	Influenza (Epidemic).	Measles.	Mumps.	Metria (Puerperal Fever).	Pertussis.
Berlin				6				4	1			1			1		14			1		1	6
Carroll				1											1								
Clarksville															1								
Colebrook								1		1					3	1							
Columbia																							
Dalton				1			1		1														
Dummer																							
Errol															1								
Gorham				1					1						1								
Jefferson				1					2														
Lancaster							1	1															
Milan					1		5					1											
Millsfield																							
Northumberland							1		1			1			1								
Pittsburg				1																			
Randolph								1															
Shelburne					1		3																
Stark																							
Stewartstown										1													
Stratford							2					1			1								
Whitefield				3		1	1																

— *Continued.*

ZYMOTIC DISEASES.

Tonsilitis.	Scarlatina.	Small-pox.	Varicella.	Total. M.	Total. F.	Order 2.— Enthetic. Glanders.	Gonorrhœa.	Hydrophobia.	Malignant Pustule.	Septicæmia.	Syphilis.	Total. M.	Total. F.	Order 3.— Dietic. Alcoholism.	Delirium Tremens.	Inanition.	Purpura and Scurvy.	Total. M.	Total. F.	Order 4.— Parasitic. Aphthæ.	Worms.	Other Parasites.	Total. M.	Total. F.	Total for Class I. Male.	Female.	Sex not stated.	Total.
..	1	..	..	16	20	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	16	20	..	36
..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	2
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
..	..	..	..	3	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	3	..	6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
..	..	..	..	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	3
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
..	..	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
..	..	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
..	..	..	..	..	2	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	3
..	..	..	..	5	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	2	..	7
..	..	..	..	1	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	3	..	4
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..	..	4
..	..	..	..	..	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..	4
..	..	..	..	3	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
																									3	2	..	5

TABLE NO. XIII.

TOWNS IN COÖS COUNTY.	CLASS II.— CONSTITUTIONAL DISEASES.																					
	ORDER 1.— Diathetic.												ORDER 2.— Tubercular.							Total for Class II.		
	Gout.	Dropsy.	Anæmia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus.	Noma (Canker).	Mortification.	Rheumatism.	Total. M.	Total. F.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Tubercular Meningitis.	Total. M.	Total. F.	Male.	Female.	Total.
Berlin	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	..	1	2	1	2	3
Carroll	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Clarksville	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Colebrook	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Columbia	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	1
Dalton	..	..	..	1	..	..	..	..	..	..	1	..	..	..	1	..	..	1	..	2	..	2
Dummer	..	..	..	1	..	..	..	..	..	..	..	1	..	..	1	..	..	1	..	1	1	2
Errol	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	1
Gorham	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Jefferson	..	..	..	1	..	1	..	..	..	..	1	1	1	..	..	..	..	..	1	1	2	3
Lancaster	..	..	..	2	..	..	..	..	..	..	..	2	..	..	7	..	..	4	3	4	5	9
Milan	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Millsfield	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Northumberland	..	2	..	1	..	..	..	..	..	..	1	2	..	..	..	1	..	..	1	1	3	4
Pittsburg	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	1
Randolph	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	1
Shelburne	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Stark	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Stewartstown	..	2	..	..	..	..	..	..	..	..	1	1	..	..	1	..	..	..	1	1	2	3
Stratford	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	1
Whitefield	..	..	..	1	..	..	..	..	..	..	1	..	..	..	7	..	..	4	3	5	3	8

— *Continued.*

CLASS III.—LOCAL DISEASES.

ORDER 1.—Nervous System.													ORDER 2.—Circulatory System.					ORDER 3.—Respiratory System.									
Cephalitis.	Cerebritis.	Apoplexy.	Paralysis.	Insanity.	Chorea.	Epilepsy.	Tetanus.	Convulsions.	Brain Diseases.	Total.			Pericarditis.	Aneurism.	Heart Diseases.	Total.		Epistaxis.	Laryngitis.	Bronchitis, Acute.	Bronchitis, Chronic.	Pleurisy.	Pneumonia.	Asthma.	Lung Diseases.	Total.	
										M.	F.				M.	F.									M.	F.
4	..	..	..	..	..	..	..	3	..	6	1	...	...	4	3	1	..	..	..	..	..	4	..	..	2	2
..	..	..	..	..	..	..	..	..	..	..	..	...	...	2	1	1	..	..	..	..	..	3	..	..	2	1
..	..	..	..	..	..	..	..	..	1	1	..	...	...	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	1	..	1	..	..	..	..	..	1	1	...	...	1	1	..	..	..	..	..	..	3	..	..	1	2
..	..	..	..	..	..	..	..	..	..	..	..	...	...	2	1	1	..	1	..	..	..	2	..	..	..	3
..	..	..	..	..	..	..	..	..	..	..	..	...	...	1	1	..	..	..	..	..	..	1	..	..	..	1
..	..	..	..	..	..	..	..	..	..	..	..	...	...	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	1	..	..	..	..	..	..	1	..	..	...	...	..	..	..	..	..	..	..	..	1	..	..	..	1
..	..	..	..	..	..	..	..	..	1	1	..	..	...	..	..	..	..	..	..	..	..	1	..	..	..	1
..	..	..	1	..	1	..	1	1	1	1	3	...	...	3	1	2	..	..	..	..	1	2	..	..	1	2
..	..	1	3	..	..	..	..	..	1	3	..	...	...	1	1	..	..	..	..	..	..	..	1	..	1	..
..	..	..	..	..	..	..	..	..	..	..	..	...	...	..	..	..	..	..	..	..	..	..	..	..	..	..
2	..	1	1	..	..	..	..	..	..	4	..	...	...	1	1	..	..	..	..	..	..	1	..	..	1	..
..	..	..	..	..	..	..	..	..	..	..	..	...	...	..	..	..	..	..	1	..	..	..	..	..	..	1
..	..	..	..	..	..	..	..	..	..	..	..	...	...	..	..	..	..	..	..	..	..	..	..	..	..	..
1	..	..	..	..	..	..	..	..	1	..	..	...	...	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	1	..	..	..	..	1	1	1	...	...	2	2	..	..	..	..	..	..	1	..	..	1	..
..	..	1	..	..	..	..	..	1	1	1	2	...	...	4	1	3	..	..	..	..	..	2	..	..	..	2
3	..	2	..	..	..	..	..	1	..	3	3	...	...	1	...	1	..	..	..	..	..	5	..	..	5	..

TABLE NO. XIII.

CLASS III.—LOCAL

ORDER 4.—Digestive Organs.

TOWNS IN COÖS COUNTY.	Gastritis.	Enteritis.	Peritonitis.	Ascites.	Ulceration of Intestines.	Hernia.	Ileus.	Intussusception.	Stricture of Intestines.	Fistula.	Stomach Diseases.	Pancreas Diseases.	Hepatitis.	Jaundice.	Liver Diseases.	Spleen Diseases.	Bowel Diseases.	Total. M.	Total. F.
Berlin	..	..	1	..	..	..	..	..	..	..	1	..	2	..	..	..	..	3	1
Carroll	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1
Clarksville	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Colebrook	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
Columbia	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..
Dalton	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Dummer	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Errol	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Gorham	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
Jefferson	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Lancaster	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1
Milan	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1
Millsfield	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Northumberland	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..
Pittsburg	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..
Randolph	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Shelburne	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Stark	..	..	..	..	1	1	..	..	..	..	..	..	1	..	..	..	..	3	..
Stewartstown	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	..	..	2	..
Stratford	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
Whitefield	..	..	3	..	..	..	..	..	..	..	..	..	1	..	..	..	..	2	2

— *Continued.*

DISEASES. — *Continued.*

Order 5. — Urinary Organs.													Order 6. — Generative Organs.			Order 7. — Osseous and Locomotory System.				Order 8. — Integumentary System.				Total for Class III.			
Nephritis.	Ischuria.	Nephria (Bright's Disease).	Diabetes.	Calculus (Gravel, etc.).	Cystitis.	Prostate, Disease of.	Kidney Diseases.	Bladder, Diseases of.	Testicles, Disease of.	Total.			Ovarian Dropsy.	Disease of Uterus.	Total.	Bones, Diseases of.	Joint Diseases.	Vertebræ, Diseases of.	Total.		Phlegmon.	Ulcer.	Skin Diseases.	Total.		Male.	Female.	Sex not stated.	Total.
										M.	F.								M.	F.				M.	F.				
..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	14	6	..	20
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	3	..	6
..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	2	1	..	3
2	..	..	..	..	..	..	..	..	..	..	2	..	1	1	..	..	..	..	..	..	..	..	..	..	..	4	6	..	10
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	4	..	6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	3	9	..	12
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	4	..	7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
1	..	1	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	5	..	9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	..	..	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	1	..	7
1	..	..	..	..	1	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	7	..	12
..	..	..	..	..	2	..	..	..	..	1	1	..	..	..	..	..	..	1	1	..	..	..	..	..	..	12	7	..	19

TABLE NO. XIII.

TOWNS IN COÖS COUNTY.	CLASS IV.—DEVELOPMENTAL DISEASES.																				
	ORDER 1.—Of Children.											ORDER 2.—Of Women.			ORDERS 3 and 4.				Total for Class IV.		
	Still-born.	Debility, Infantile.	Debility, Premature Birth.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Inanition.	Total.			Childbirth.	Paramenia.	Total.	Old Age.		Atrophy and Debility.		Male.	Female.	Total.
									M.	F.					M.	F.	M.	F.			
Berlin	5	2	3	..	..	..	3	2	9	6	1	..	1	1	..	1	..	11	7	18	
Carroll															1	..	..	..	1	...	1
Clarksville															1	..	..	..	1	...	1
Colebrook	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	4	..	1	1	5	6
Columbia	..	..	1	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	2	...	2
Dalton	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	1	1	2
Dummer																					...
Errol															1	..	..	..	1	...	1
Gorham																					...
Jefferson	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	1	1	2
Lancaster	5	..	1	1	..	..	..	..	3	4	..	..	..	..	2	1	1	..	6	5	11
Milan																					...
Millsfield																					...
Northumberland												1	..	1	1	1	..	..	1	2	3
Pittsburg																					...
Randolph																					...
Shelburne																					...
Stark	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	2	...	2
Stewartstown	..	..	..	..	..	1	..	..	..	..	1	..	..	..	3	2	..	..	3	3	6
Stratford	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	...	1
Whitefield	2	..	1	..	1	2	..	3	4	5	..	..	..	..	..	..	..	..	4	5	9

— *Continued.*

CLASS V.—VIOLENT DEATHS.																														Grand Total for all Classes.			
ORDER 1.—Accident and Negligence.									ORDER 2.	ORDER 3.—Suicide.									ORDER 4.—Various.				Total for Class V.										
Fractures and Contusions.	Wounds, Unspecified.	Burns and Scalds.	Poison.	Drowning.	Suffocation.	Various.	Total.			Homicide.		Wounds, Unspecified.	Wounds, Pistol or Gunshot.	Wounds, Knife.	Poison.	Drowning.	Hanging.	Otherwise.	Total.			Violent, not Classed.		Cause not Reported.		Male.	Female.	Total.						
							M.	F.	M.	F.									M.	F.	M.	F.									Male.	Female.	Not stated.	Total.
..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	2	42	36	1	79
2	..	..	..	..	..	2	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..	4	10	3	..	13
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	1	..	5
1	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	1	1	2	9	15	..	24
..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	6	4	..	10
..	..	..	..	..	..	2	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	6	5	..	11
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	1	2	1	2	1	4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	5	2	..	7
..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	1	1	4	7	..	11
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	14	22	..	36
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	6	..	14
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	2	8	14	..	22
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	2	3	3	4	..	7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	4	1	..	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	2	2	4	9	3	..	12
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	10	8	..	18
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	2	8	12	..	20
1	..	..	..	..	..	2	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	3	1	4	27	18	..	45

TABLE NO. XIII.

RECAPITULATION

CLASS I. —

ORDER 1. — Miasmatic.

COUNTIES.	Carbuncle.	Cholera, Asiatic.	Cholera, Sporadic.	Cholera Infantum.	Cholera Morbus.	Croup (Pseudo-membranous).	Diphtheria.	Diarrhea.	Dysentery.	Erysipelas.	Fever, Bilious.	Fever, Cerebro-spinal.	Fever, Intermittent.	Fever, Malarial.	Fever, Typhoid.	Fever, Typho-malarial.	Fever, Unspecified.	Fever, Yellow.	Influenza (Epidemic).	Measles.	Mumps.	Metria (Puerperal Fever).	Pertussis.
Rockingham	..	..	..	40	1	5	22	7	11	4	1	4	..	..	12	..	2	..	..	1	..	..	5
Strafford	..	..	..	36	3	24	54	10	1	7	..	5	..	..	14	..	5	..	..	3	..	..	8
Belknap	..	..	..	23	..	..	2	3	5	..	1	1	..	1	7	..	..	..	..	1	..	1	3
Carroll	..	..	..	13	..	1	2	4	6	..	..	2	1	..	6	..	..	..	..	..	..	..	..
Merrimack	1	..	..	31	2	12	8	6	5	6	1	1	..	2	19	..	..	..	1	..	..	2	4
Hillsborough	1	..	..	147	5	37	56	18	21	3	..	2	..	3	36	..	3	..	..	6	..	4	15
Cheshire	..	..	..	25	1	5	35	4	5	..	1	1	..	1	6	..	3	..	..	2	..	2	5
Sullivan	..	..	..	8	..	1	8	2	4	..	..	3	..	..	4	..	..	..	..	..	..	2	..
Grafton	..	..	..	16	..	..	9	7	3	5	..	2	..	1	13	1	1	..	3	2	..	2	1
Coös	..	..	..	14	..	3	14	7	6	2	..	4	..	..	10	1	14	..	..	1	..	1	6
Total	2	..	..	353	12	88	210	68	67	27	4	25	1	8	127	2	28	..	4	16	..	14	47

— *Continued.*

BY COUNTIES.

ZYMOTIC DISEASES.

	Tonsilitis.	Scarlatina.	Small-pox.	Varicella.	Total. M.	Total. F.	Order 2. — Enthetic. Glanders.	Gonorrhœa.	Hydrophobia.	Malignant Pustule.	Septicæmia.	Syphilis.	Total. M.	Total. F.	Order 3. — Dietic. Alcoholism.	Delirium Tremens.	Inanition.	Purpura and Scurvy.	Total. M.	Total. F.	Order 4. — Parasitic. Aphthæ.	Worms.	Other Parasites.	Total. M.	Total. F.	Total for Class I. Male.	Female.	Sex not stated.	Total.
..	1	..	..		60	56	..	..	..	..	5	..	2	3	1	1	..	..	2	..	..	..	..	..	..	64	59	..	123
..	1	..	..		78	93	..	1	..	..	2	3	2	4	1	..	..	..	..	1	..	..	..	..	..	80	98	..	178
..	1	..	..		31	18	..	..	..	1	..	..	..	1	3	..	..	..	3	..	..	..	..	..	..	34	19	..	53
..	..	..	..		15	20	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	15	20	1	36
..	2	..	..		51	52	..	..	..	..	3	..	1	2	..	..	..	1	..	1	..	..	..	..	..	52	55	..	107
..	7	..	..		190	174	..	..	1	..	7	4	7	5	1	..	1	1	2	1	..	..	..	..	..	197	180	2	379
..	2	..	..		50	48	..	..	..	..	3	..	3	..	..	..	..	..	..	..	..	..	..	..	..	53	48	..	101
..	1	..	..		15	18	..	..	..	..	2	..	1	1	1	..	..	..	1	..	..	..	..	..	..	17	19	..	36
..	1	..	..		29	38	..	..	..	..	5	..	1	4	1	..	..	..	1	..	..	..	..	..	..	31	42	..	73
..	2	..	..		40	45	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	41	45	..	86
..	18	..	..		559	562	..	1	1	1	29	7	19	20	8	1	1	2	9	3	..	..	..	..	..	584	585	3	1,172

TABLE NO. XIII.

RECAPITULATION

COUNTIES.	CLASS II.—CONSTITUTIONAL DISEASES.																							
	ORDER 1.—Diathetic.													ORDER 2.—Tubercular.								Total for Class II.		
	Gout.	Dropsy.	Anæmia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus.	Noma (Canker).	Mortification.	Rheumatism.	Total.			Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Tubercular Meningitis.	Total.		Male.	Female.	Total.
											M.	F.							M.	F.				
Rockingham	..	17	2	17	1	4	3	..	3	7	20	34	4	5	88	7	3	53	54	73	88	161		
Strafford	..	6	17	8	..	2	1	2	1	3	17	23	..	3	75	..	3	32	49	49	72	121		
Belknap	..	3	3	8	1	1	2	..	3	3	11	13	3	..	42	2	..	19	28	30	41	71		
Carroll	..	4	..	8	..	2	..	1	..	2	6	11	..	..	29	2	2	15	18	21	29	50		
Merrimack	..	7	5	21	1	3	7	..	3	4	17	34	4	2	88	3	6	45	58	62	92	154		
Hillsborough	..	7	4	36	3	8	5	1	7	15	28	58	4	2	168	3	7	78	106	106	164	270		
Cheshire	..	1	6	11	1	2	..	..	2	4	13	14	3	..	53	2	..	24	34	37	48	85		
Sullivan	..	3	3	9	1	3	1	..	2	1	5	18	..	..	28	..	1	15	14	20	32	52		
Grafton	..	9	..	28	1	2	2	..	..	4	22	24	3	1	58	1	2	27	38	49	62	111		
Coös	..	5	..	9	..	1	..	..	..	..	8	7	1	..	22	1	..	11	13	19	20	39		
Total	..	62	40	155	9	28	21	4	21	43	147	236	22	13	651	21	24	319	412	466	648	1,114		

— *Continued.*

BY COUNTIES.

CLASS III.— LOCAL DISEASES.

ORDER 1.—Nervous System.													ORDER 2.—Circulatory System.					ORDER 3.—Respiratory System.													
Cephalitis.	Cerebritis.	Apoplexy.	Paralysis.	Insanity.	Chorea.	Epilepsy.	Tetanus.	Convulsions.	Brain Diseases.	Total.			Pericarditis.	Aneurism.	Heart Diseases.	Total.		Epistaxis.	Laryngitis.	Bronchitis, Acute.	Bronchitis, Chronic.	Pleurisy.	Pneumonia.	Asthma.	Lung Diseases.	Total.					
										M.	F.					M.	F.									M.	F.			
14	2	34	35	1	..	3	1	10	21	42	79		1	...	85	49	37	..	..	8	3	2	68	..	7	44	44				
12	5	16	14	2	..	1	..	10	14	36	38		3	...	42	24	21	..	1	11	3	1	38	2	3	22	37				
8	..	20	22	..	..	3	..	6	7	29	37		1	...	34	17	18	..	..	4	1	..	37	1	..	26	17				
3	1	18	7	..	..	1	..	2	6	23	15		...	...	31	16	15	..	..	7	..	1	49	2	1	25	35				
14	5	46	23	24	..	4	..	5	28	71	78		4	...	82	46	40	..	..	8	1	3	86	1	1	47	53				
35	5	59	31	1	..	3	..	21	19	92	82		4	...	125	68	61	..	1	54	7	8	131	1	2	89	115				
12	1	13	19	1	..	3	1	4	7	25	36		...	...	54	29	25	..	..	7	..	..	52	1	1	31	30				
2	5	18	11	2	..	1	..	3	2	16	28		1	...	39	17	23	..	..	3	1	..	31	..	2	20	17				
13	4	28	30	1	..	1	1	9	17	51	53		1	...	50	17	34	..	..	6	2	1	64	3	3	41	38				
10	..	7	4	3	..	1	..	6	5	17	19		...	...	22	13	9	..	1	1	..	1	26	1	..	14	16				
123	28	259	196	35	..	21	3	76	126	402	465		15	...	564	296	283	..	3	109	18	17	582	12	20	359	402				

TABLE NO. XIII.

RECAPITULATION

CLASS III.—LOCAL

ORDER 4.—Digestive Organs.

COUNTIES.	Gastritis.	Enteritis.	Peritonitis.	Ascites.	Ulceration of Intestines.	Hernia.	Ileus.	Intussusception.	Stricture of Intestines.	Fistula.	Stomach Diseases.	Pancreas Diseases.	Hepatitis.	Jaundice.	Liver Diseases.	Spleen Diseases.	Bowel Diseases.	Total. M.	Total. F.
Rockingham	6	7	8	..	..	..	3	..	..	1	6	..	2	1	7	..	4	16	29
Strafford	3	7	4	..	1	1	..	..	..	..	2	..	4	..	8	..	2	15	17
Belknap	3	7	7	..	..	..	..	..	..	..	1	..	1	..	..	..	1	10	10
Carroll	4	1	..	..	..	2	..	..	..	..	2	..	1	..	3	1	1	11	4
Merrimack	3	8	7	..	1	6	1	..	..	1	5	..	1	2	10	..	5	30	20
Hillsborough	13	13	10	1	4	2	2	1	..	..	7	..	6	2	12	..	2	32	43
Cheshire	1	4	4	..	..	1	..	..	..	..	3	..	1	1	3	..	2	9	11
Sullivan	2	..	6	..	..	1	..	..	..	..	..	..	2	..	5	..	2	8	10
Grafton	6	6	6	..	2	1	2	..	..	..	5	..	3	1	7	..	3	16	26
Coös	1	3	5	..	1	2	2	..	..	..	1	..	5	..	1	..	1	16	6
Total	42	56	57	1	9	16	10	1	..	2	32	..	26	7	56	1	23	163	176

— *Continued.*

BY COUNTIES.

DISEASES.— *Continued.*

ORDER 5.— Urinary Organs.												ORDER 6 — Generative Organs.			ORDER 7.— Osseous and Locomotory System.						ORDER 8.— Integumentary System.						Total for Class III.			
Nephritis.	Ischuria.	Nephria (Bright's Disease).	Diabetes.	Calculus (Gravel, etc.).	Cystitis.	Prostate, Disease of.	Kidney Diseases.	Bladder, Diseases of.	Testicles, Disease of.	Total.		Ovarian Dropsy.	Disease of Uterus.	Total.	Bones, Diseases of.	Joint Diseases.	Vertebræ, Diseases of.	Total.		Phlegmon.	Ulcer.	Skin Diseases.	Total.		Male.	Female.	Sex not stated.	Total.
										M.	F.							M.	F.				M.	F.				
..	..	21	5	..	2	2	8	1	..	24	15	..	..	..	1	..	1	2	..	3	..	..	1	2	178	206	..	384
3	..	15	2	1	3	1	1	..	..	12	14	2	..	2	..	1	..	1	..	..	..	..	..	..	109	130	..	239
2	..	4	4	..	2	1	2	..	..	12	3	1	..	1	..	..	..	..	..	..	..	..	..	..	94	86	..	180
..	..	4	2	..	..	..	..	2	1	7	2	..	..	..	1	..	1	2	..	1	..	..	..	1	84	72	..	156
6	..	23	4	..	5	1	4	1	..	30	14	2	..	2	..	..	1	1	..	..	..	..	..	..	224	208	..	432
3	..	26	5	2	6	..	12	..	..	31	23	2	3	5	2	1	..	2	1	..	..	..	..	..	314	* 331	..	645
3	..	8	1	..	3	1	2	..	..	11	7	1	..	1	..	1	1	1	1	1	..	..	1	..	106	111	1	218
1	..	13	..	..	2	..	5	..	..	12	9	..	..	..	..	..	..	..	..	..	1	..	..	1	73	88	..	161
6	1	11	2	1	4	1	7	..	..	23	10	1	1	2	..	..	1	1	..	..	..	..	..	..	148	164	..	312
4	..	3	..	..	3	..	1	..	..	6	5	..	1	1	..	..	1	1	..	2	..	..	1	1	68	57	..	125
28	1	128	25	4	30	7	44	3	..	168	102	9	5	14	4	3	6	8	5	7	1	..	3	5	1,398	1,453	1	2,852

* Includes one death from Otitis, which is not embraced in any of the orders given.

TABLE NO. XIII.

RECAPITULATION

COUNTIES.	CLASS IV. — DEVELOPMENTAL DISEASES.																			
	ORDER 1. — Of Children.										ORDER 2. — Of Women.			ORDERS 3 and 4.				Total for Class IV.		
	Still-born.	Debility, Infantile.	Debility, Premature Birth.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Inanition.	Total.		Childbirth.	Paramenia.	Total.	Old Age.		Atrophy and Debility.		Male.	Female.	Total.
									M.	F.				M.	F.	M.	F.			
Rockingham	25	6	9	..	..	2	1	13	40	16	3	..	3	28	41	8	11	76	71	147
Strafford	13	12	2	5	..	1	1	10	25	19	7	1	8	19	19	7	6	51	52	103
Belknap	10	4	4	..	..	1	..	2	11	10	1	..	1	10	17	3	3	24	31	55
Carroll	3	2	2	..	..	1	..	..	6	2	2	..	2	10	12	..	..	16	16	32
Merrimack	32	6	13	3	..	4	..	9	39	28	2	..	2	17	34	4	13	60	77	137
Hillsborough	98	38	20	..	1	3	13	18	112	79	6	..	6	45	30	8	13	165	128	293
Cheshire	12	5	2	..	1	2	..	2	13	11	2	1	3	20	29	2	4	35	47	82
Sullivan	3	..	4	..	1	2	..	3	6	7	1	..	1	6	11	6	6	18	25	43
Grafton	12	3	5	1	..	1	..	1	16	7	1	..	1	27	27	3	3	46	38	84
Coös	12	3	7	1	1	3	3	5	19	16	2	..	2	14	10	3	1	36	29	65
Total	220	79	68	10	4	20	18	63	287	195	27	2	29	196	230	44	60	527	514	1,041

— *Continued.*

BY COUNTIES.

CLASS V.—VIOLENT DEATHS.																														Grand Total for all Classes.			
ORDER 1.—Accident and Negligence.									ORDER 2.		ORDER 3.—Suicide.										ORDER 4.—Various.				Total for Class V.								
Fractures and Contusions.	Wounds, Unspecified.	Burns and Scalds.	Poison.	Drowning.	Suffocation.	Various.	Total.		Homicide.		Wounds, Unspecified.	Wounds, Pistol or Gunshot.	Wounds, Knife.	Poison.	Drowning.	Hanging.	Otherwise.	Total.		Violent, not Classed.		Cause not Reported.		Male.	Female.	Total.	Male.	Female.	Not stated.	Total.			
							M.	F.	M.	F.								M.	F.	M.	F.	M.	F.									
6	..	..	1	3	2	13	18	7	..	..	..	..	..	..	..	..	2	1	1	..	..	17	16	36	24	60	422	448	5	875			
3	..	1	1	4	1	4	11	3	..	..	..	..	..	1	..	1	3	4	1	..	..	21	10	36	14	50	322	366	3	691			
4	1	1	..	2	..	2	8	2	..	..	..	1	..	..	..	2	1	4	..	..	..	7	9	19	11	30	201	188	..	389			
2	1	..	1	2	..	5	8	3	..	..	..	..	..	..	..	..	..	..	..	..	..	7	6	15	9	24	150	146	2	298			
8	2	3	..	3	..	12	21	7	..	2	..	..	..	..	1	..	1	1	1	..	..	16	13	38	23	61	428	455	8	891			
7	2	6	3	7	2	19	36	10	..	..	..	..	..	..	2	1	6	6	3	..	..	53	45	95	58	153	851	861	28	1,740			
4	3	..	1	6	..	4	12	6	..	..	..	1	..	..	..	..	..	1	..	..	..	9	11	22	17	39	248	271	6	525			
2	..	1	..	1	..	5	7	2	1	1	..	2	..	..	..	1	..	2	1	..	..	5	3	15	7	22	143	171	..	314			
2	3	2	..	4	..	13	21	3	..	..	..	..	..	..	..	..	1	1	..	..	..	11	9	33	12	45	307	318	..	625			
4	..	1	..	2	..	8	14	1	..	..	..	..	..	1	..	..	1	..	2	..	..	5	11	19	14	33	181	165	2	348			
42	12	15	7	34	5	85	156	44	1	3	..	4	..	2	3	5	15	20	9	..	..	151	133	328	189	517	3,253	3,389	54	6,696			

TABLE NO. XIV.

Recapitulation of the Causes of Death by Classes and Orders, by Counties.

Causes of Death.	Rockingham.	Strafford.	Belknap.	Carroll.	Merrimack.	Hillsborough.	Cheshire.	Sullivan.	Grafton.	Coös.	Total for State.
All causes	875	691	389	298	891	1,740	525	314	625	348	6,696
Specified causes	842	660	373	285	862	1,642	505	306	605	332	6,412
Cause not stated	33	31	16	13	29	98	20	8	20	16	284
CLASSES.											
I — Zymotic diseases	123	178	53	36	107	379	101	36	73	86	1,172
II — Constitutional diseases	161	121	71	50	154	270	85	52	111	39	1,114
III — Local diseases	384	239	180	156	432	645	218	161	312	125	2,852
IV — Developmental diseases	147	103	55	32	137	293	82	43	84	65	1,041
V — Violent deaths	27	19	14	11	32	55	19	14	25	17	233
ORDERS.											
I — 1. Miasmatic diseases	116	171	49	35	103	364	98	33	67	85	1,121
2. Enthetic diseases	5	6	1	1	3	12	3	2	5	1	39
3. Dietic diseases	2	1	3	.....	1	3	.....	1	1	.....	12
4. Parasitic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

II — 1. Diathetic diseases	54	40	24	17	51	86	27	23	46	15	383
2. Tubercular diseases	107	81	47	33	103	184	58	29	65	24	731
III — 1. Diseases of nervous system	121	74	66	38	149	174	61	44	104	36	867
2. Diseases of organs of circulation	86	45	35	31	86	129	54	40	51	22	579
3. Diseases of respiratory organs	88	59	43	60	100	204	61	37	79	30	761
4. Diseases of digestive organs	45	32	20	15	50	75	20	18	42	22	339
5. Diseases of urinary organs	39	26	15	9	44	54	18	21	33	11	270
6. Diseases of generative organs	.....	2	1	.....	2	5	1	...	2	1	14
7. Diseases of osseous and locomotory organs	2	1	.....	2	1	3	2	.....	1	1	13
8. Diseases of integumentary system	3	.....	.....	1	.....	.....	1	1	.....	2	8
9. Diseases of organs of special sense	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1
IV — 1. Developmental diseases of children	56	44	21	8	67	191	24	13	23	35	482
2. Developmental diseases of women	3	8	1	2	2	6	3	1	1	2	29
3. Old age	69	38	27	22	51	75	49	17	54	24	426
4. Atrophy and debility	19	13	6	.....	17	21	6	12	6	4	104
V — 1. Accident and negligence	25	14	10	11	28	46	18	9	24	15	200
2. Homicide	.....	.....	.....	.....	2	.....	.....	2	.....	.....	4
3. Suicide	2	5	4	.....	2	9	1	3	1	2	29

TABLE NO. XV.

*Deaths by Ages, Sex, and Months, by Counties and Towns.**

TOWNS IN ROCKINGHAM COUNTY.		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Atkinson	Males	1	2	.	.	.	.	1	.	1	1	1	.	1	.	.	.	.	.	2	2	.	.	2	1	.	.	1	.	8	. . .
	Females	.	.	.	2	.	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	3	11
Auburn	Males	.	1	.	.	1	.	.	1	2	1	2	.	.	.	.	.	.	1	1	.	1	1	1	1	1	1	.	8	. . .
	Females	.	.	.	1	.	.	1	.	4	2	2	1	.	.	2	.	.	1	.	.	3	1	.	.	3	1	.	11	19
Brentwood	Males	.	.	.	.	1	1	1	1	4	2	3	.	.	.	1	2	2	.	.	1	2	2	1	1	.	1	.	13	. . .
	Females	1	.	.	.	.	1	3	2	3	6	4	.	.	1	.	2	2	1	.	2	1	4	2	2	2	3	.	21	34
Candia	Males	1	1	1	.	2	1	.	.	.	.	3	1	.	.	2	2	.	.	1	.	.	1	1	.	2	1	.	10	. . .
	Females	.	1	.	.	1	.	.	1	2	.	3	.	.	.	1	2	.	.	2	.	.	.	1	.	.	2	.	8	18
Chester	Males	.	.	.	.	.	1	1	2	1	2	2	.	.	.	.	.	2	.	2	1	1	2	1	.	.	.	.	9	. . .
	Females	.	.	.	.	1	1	1	5	2	.	1	1	.	.	4	.	.	1	.	2	.	3	1	.	1	.	.	12	21
Danville	Males	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	.	3	.	.	.	4	. . .
	Females	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	2	6
Deerfield	Males	.	.	1	.	3	2	1	2	2	5	.	.	.	.	1	1	.	3	2	.	1	2	.	1	3	2	.	16	. . .
	Females	1	.	.	2	1	.	2	2	1	2	2	.	.	.	.	2	.	1	2	2	4	1	.	.	.	1	.	13	29
Derry	Males	5	2	.	.	1	1	1	.	1	1	2	.	.	.	.	1	1	2	.	1	2	2	.	1	2	2	.	14	. . .
	Females	1	1	1	1	2	1	3	1	1	4	4	.	.	.	1	1	1	.	1	.	2	3	4	2	2	3	.	20	34

East Kingston	Males	...	2	..	..	..	1	1	..	3	2	..	..	..	1	1	3	1	..	..	..	..	..	1	3	1	..	..	10	...
	Females	...	1	1	..	1	1	..	..	..	..	1	..	..	..	1	1	1	..	1	..	1	..	..	..	..	..	..	5	15
Epping	Males	3	..	1	..	1	..	1	1	3	1	1	..	..	..	..	..	1	2	..	1	..	1	1	3	2	1	..	12	...
	Females	5	2	3	1	..	4	1	3	1	1	3	1	..	..	2	..	4	1	3	..	1	2	..	3	3	6	..	25	37
Exeter	Males	2	2	1	2	5	..	3	1	2	2	3	..	..	..	2	1	2	2	4	..	3	1	2	1	3	2	..	23	...
	Females	1	4	1	..	2	1	3	5	8	8	5	1	..	..	7	4	4	2	3	2	2	3	2	1	5	4	..	39	62
Fremont	Males	1	2	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	1	1	..	1	1	1	..	..	..	..	5	...
	Females	..	..	..	..	2	..	..	..	..	2	..	..	..	..	..	1	..	..	..	..	..	..	..	1	2	..	..	4	9
Greenland	Males	..	..	..	2	..	..	..	1	1	..	..	1	..	..	..	..	..	..	1	1	..	1	..	..	..	2	..	5	...
	Females	..	..	1	2	..	1	..	1	1	1	..	..	..	..	1	..	..	..	..	1	1	..	..	2	..	2	..	7	12
Hampstead	Males	..	..	..	..	..	..	..	..	1	3	1	..	..	..	..	..	..	..	..	..	1	2	..	1	..	1	..	5	...
	Females	2	..	..	..	1	..	..	..	1	3	1	2	..	..	..	..	..	..	1	3	1	..	2	2	..	1	..	10	15
Hampton	Males	2	..	..	..	..	1	..	1	1	4	3	..	..	..	1	..	2	2	1	2	1	1	..	..	..	2	..	12	...
	Females	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	2	14
Hampton Falls	Males	..	..	..	..	..	..	..	..	..	2	1	..	..	..	..	..	..	..	1	1	1	..	..	..	..	..	..	3	...
	Females	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	..	2	5
Kensington	Males	..	..	..	..	..	..	..	..	2	1	..	1	..	..	2	1	..	..	..	..	..	..	..	1	..	..	..	4	...
	Females	1	..	..	..	..	..	..	2	2	..	1	..	..	..	..	2	1	..	..	1	..	1	1	..	..	..	..	6	10
Kingston	Males	2	..	..	..	..	2	1	1	..	2	..	1	..	..	..	..	1	..	1	2	1	1	1	..	..	2	..	9	...
	Females	2	2	..	..	1	..	..	1	1	3	3	..	..	..	..	..	..	..	..	1	..	2	2	5	3	..	..	13	22
Londonderry	Males	1	..	1	..	..	..	..	..	1	..	1	..	..	..	1	..	..	..	..	..	1	..	1	..	1	..	..	4	...
	Females	3	1	..	..	1	1	1	1	..	..	1	1	..	..	3	..	..	1	..	1	1	..	..	2	1	1	..	10	14

* Not including premature births and still births.

TABLE NO. XV. — *Continued.*

TOWNS IN ROCKINGHAM COUNTY. — *Continued.*		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Newcastle	Males	1	1	..	..	..	..	1	1	1	..	2	..	..	..	..	1	..	1	..	..	..	..	1	2	2	..	..	7	...
	Females	1	..	..	..	..	1	..	2	1	1	..	..	..	..	1	..	2	1	..	1	1	..	..	..	..	..	..	6	13
Newington	Males	...	1	..	..	1	..	..	..	..	2	..	..	..	..	..	..	1	..	..	1	..	..	..	2	..	..	..	4	...
	Females	...	..	..	..	..	1	..	..	..	1	..	1	..	..	..	..	..	..	..	2	1	..	..	..	..	..	..	3	7
Newmarket	Males	4	3	..	1	..	3	1	2	4	8	2	1	..	..	4	..	4	2	5	3	4	2	3	1	1	..	..	29	...
	Females	6	3	..	2	1	2	4	..	2	4	5	..	..	..	1	1	1	3	3	1	4	4	1	2	3	5	..	29	58
Newton	Males	2	..	..	..	..	..	..	..	..	1	2	..	..	..	3	..	..	..	..	..	1	1	..	..	..	..	..	5	...
	Females	2	1	..	..	..	..	..	1	1	2	1	..	..	..	1	..	1	1	..	..	2	1	..	1	1	..	..	8	13
North Hampton	Males	1	..	..	..	..	..	1	..	1	2	1	..	..	..	..	1	1	1	..	..	..	..	2	1	..	..	..	6	...
	Females	...	1	..	..	..	..	..	..	1	1	1	..	..	..	1	..	2	..	..	..	1	..	..	..	..	..	..	4	10
Northwood	Males	1	..	..	..	1	2	..	..	2	2	1	..	..	..	2	1	2	1	..	..	..	..	..	..	2	1	..	9	...
	Females	1	..	..	..	1	2	1	..	2	3	2	..	..	..	1	1	..	1	..	..	1	3	2	1	1	1	..	12	21
Nottingham	Males	...	..	..	..	1	1	1	1	1	2	..	..	..	1	..	..	1	..	1	..	2	2	1	1	..	..	..	8	...
	Females	2	..	..	1	..	..	..	..	1	3	1	..	..	..	..	1	2	1	..	..	1	..	..	2	1	..	..	8	16
Plaistow	Males	1	1	..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	..	2	1	..	..	..	..	..	..	1	..	4	...
	Females	1	..	1	..	1	1	1	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	1	..	1	1	..	5	9

Portsmouth	Males	18	7	3	5	4	7	10	6	13	14	9	..	..	2	2	7	11	11	12	6	7	15	6	7	10	4	..	98	...	
	Females	14	11	2	3	5	4	4	9	11	17	10	..	..	..	10	8	5	7	6	6	6	10	8	3	9	12	..	90	188	
Raymond	Males	1	1	..	1	..	..	..	2	..	2	..	..	..	..	..	..	1	..	1	1	..	..	1	1	2	..	..	7	...		
	Females	...	1	..	..	1	1	..	2	4	2	..	..	..	..	1	2	2	2	..	..	1	1	1	1	..	..	..	11	18		
Rye	Males	...	..	1	..	..	..	..	..	1	3	..	..	..	..	..	..	..	..	..	1	..	1	..	..	1	2	..	5	...		
	Females	...	..	..	..	1	..	..	4	2	2	..	2	..	..	..	1	..	1	1	1	..	1	..	2	2	2	..	11	16		
Salem	Males	4	..	..	..	..	..	..	..	3	2	1	..	..	..	..	..	..	1	..	..	1	4	..	1	..	3	..	10	...		
	Females	1	..	1	..	..	1	..	1	1	1	2	..	1	..	..	1	1	1	..	1	1	1	..	2	..	1	..	9	19		
Sandown	Males	..	..	..	..	..	..	..	..	..	2	1	..	..	..	..	..	1	..	..	..	..	..	..	..	1	1	..	3	...		
	Females	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	..	2	5		
Seabrook	Males	2	3	..	..	..	1	1	1	2	1	..	..	..	.	1	1	1	1	..	..	..	2	1	1	2	1	..	11	...		
	Females	2	..	..	1	1	..	1	..	2	3	2	..	..	..	1	1	1	..	2	..	1	3	1	..	2	..	..	12	23		
South Hampton	Males	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	..	2	...		
	Females	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	2	4		
South Newmarket	Males	1	1	..	..	..	..	1	..	1	1	1	..	..	..	..	2	1	..	..	1	1	..	1	..	..	..	..	6	...		
	Females	1	..	..	..	..	1	..	1	2	..	..	..	..	..	..	..	1	1	1	..	..	1	..	..	..	1	..	5	11		
Stratham	Males	1	..	..	1	..	2	..	1	..	..	1	..	..	..	1	..	..	1	..	..	1	1	..	1	..	1	..	6	...		
	Females	..	..	..	..	..	1	..	..	2	1	..	..	..	..	1	1	..	..	..	..	..	..	..	..	1	1	..	4	10		
Windham	Males	..	..	..	..	..	2	..	..	1	2	..	..	..	..	1	..	..	..	2	..	..	..	..	..	2	..	..	5	...		
	Females	..	..	..	..	1	..	1	..	2	..	3	1	..	..	..	..	2	..	..	..	1	1	2	1	1	..	..	8	13		

TABLE NO. XV. — *Continued.*

TOWNS IN STRAFFORD COUNTY.		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Barrington	Males	1	..	1	..	..	..	..	..	..	1	2	..	..	..	..	1	3	..	..	1	..	..	..	..	..	..	..	5	...
	Females	3	2	..	..	..	..	1	..	3	5	2	1	..	..	..	..	4	1	2	2	1	1	2	..	3	1	..	17	22
Dover	Males	28	28	7	5	4	8	7	6	7	10	9	2	..	1	4	3	10	17	6	7	11	22	11	15	6	10	..	122	...
	Females	15	21	10	7	16	8	13	10	6	12	6	3	..	1	3	1	10	10	9	6	17	17	20	16	7	12	..	128	...
	Not stated	...	..	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	251
Durham	Males	1	..	..	..	3	1	..	1	..	2	1	..	..	..	..	1	1	1	1	1	1	..	..	2	1	..	..	9	...
	Females	...	..	1	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	..	3	12
Farmington	Males	2	1	..	1	2	3	..	4	2	6	2	..	..	..	4	2	2	3	..	..	..	2	..	4	4	2	..	23	...
	Females	4	..	..	3	4	2	3	1	4	2	5	..	..	..	3	2	3	1	3	2	4	1	3	1	2	3	..	28	51
Lee	Males	...	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	2	...
	Females	...	..	..	..	1	1	..	1	1	..	..	..	..	..	2	..	..	..	..	..	..	..	1	..	1	..	..	4	6
Madbury	Males	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	...
	Females	...	..	..	..	..	..	1	..	1	1	..	..	..	..	1	1	..	..	..	..	..	..	1	..	..	..	..	3	4
Middleton	Males	...	..	..	1	..	1	..	1	1	2	..	..	..	..	1	..	..	2	..	..	..	1	..	..	..	2	..	6	...
	Females	...	..	..	1	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..	1	1	..	3	9

Milton	Males	...	1	..	..	..	..	1	1	1	1	1	1	..	..	..	..	..	1	..	1	..	2	..	..	..	3	..	7	...
	Females	...	..	..	..	..	2	..	..	4	2	1	..	..	..	..	..	1	..	..	1	1	1	2	..	2	1	..	9	16
New Durham	Males	1	..	..	..	..	1	1	..	2	4	1	..	..	..	3	..	..	1	..	1	1	..	1	..	2	1	..	10	...
	Females	..	..	..	1	2	..	..	1	2	..	2	..	..	..	..	..	1	1	..	..	3	1	1	..	1	..	..	8	18
Rochester	Males	5	7	..	3	..	6	3	5	4	8	10	..	..	1	4	4	7	4	5	2	6	5	5	6	2	2	..	52	...
	Females	6	7	2	2	3	6	3	3	6	4	5	..	1	1	8	1	5	3	6	3	3	2	5	6	3	4	..	49	101
Rollinsford	Males	5	1	1	1	..	..	..	1	3	1	1	..	..	..	2	2	..	1	1	..	1	2	1	1	1	2	..	14	...
	Females	4	2	2	..	2	..	..	1	1	1	..	..	..	..	..	..	..	..	3	..	2	1	1	4	1	1	..	13	27
Somersworth	Males	17	4	3	5	3	3	2	6	7	1	2	..	..	..	7	4	5	5	3	..	4	4	5	7	2	7	..	53	...
	Females	25	10	5	4	7	7	5	8	2	5	2	1	..	..	10	7	2	5	7	7	8	10	7	11	3	4	..	81	134
Strafford	Males	...	1	..	..	..	..	..	..	1	5	5	..	..	..	1	..	..	1	1	1	1	1	1	2	..	3	..	12	...
	Females	...	2	..	1	1	1	..	..	4	1	2	1	..	..	1	1	..	2	1	1	2	..	1	2	1	1	..	13	25

TABLE NO. XV. — *Continued.*

TOWNS IN BELKNAP COUNTY.		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Alton	Males	1	2	..	2	2	1	3	1	3	4	3	..	..	..	..	2	1	4	1	2	3	3	1	3	..	2	..	22	...
	Females	1	..	1	1	1	1	2	1	2	3	2	..	..	..	1	2	1	1	1	..	2	..	2	2	1	2	..	15	37
Barnstead	Males	..	..	..	..	..	..	2	..	..	5	5	..	..	..	1	..	1	2	..	1	..	1	2	1	2	1	..	12	...
	Females	..	1	..	..	1	3	1	1	1	5	1	1	..	1	2	1	4	..	3	..	1	2	1	..	..	1	1	16	28
Belmont	Males	2	..	..	1	1	..	1	..	..	1	3	..	..	..	..	..	1	..	1	..	..	1	2	1	2	1	..	9	...
	Females	1	2	..	..	1	..	2	2	1	1	2	..	..	..	2	1	1	2	1	..	1	..	1	1	..	2	..	12	21
Center Harbor	Males	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
	Females	..	..	..	..	..	..	..	1	..	..	2	..	..	..	..	1	..	..	..	..	..	1	1	..	..	..	..	3	3
Gilford	Males	4	1	2	1	1	..	3	5	1	2	1	1	..	1	1	2	2	1	4	5	1	2	2	..	1	2	..	23	...
	Females	4	1	..	3	1	1	..	4	4	6	2	1	..	..	2	..	3	3	2	2	3	2	2	3	2	3	..	27	50
Gilmanton	Males	..	..	..	1	1	..	..	2	1	1	2	2	..	..	1	1	..	4	..	..	..	2	..	..	..	2	..	..	10	...
	Females	..	..	..	1	1	..	..	..	1	4	1	2	..	..	..	..	2	2	2	1	1	..	1	..	..	..	1	..	10	20
Laconia	Males	12	7	..	4	4	6	6	2	3	10	3	..	..	..	5	3	5	2	2	4	7	13	2	4	6	4	..	57	...
	Females	13	3	1	7	2	1	5	1	4	5	8	2	..	1	7	4	2	2	4	4	7	3	11	2	4	3	..	53	110

Meredith	Males	3	1	..	..	..	1	1	..	4	5	3	..	..	1	1	2	2	1	1	1	3	1	1	1	3	2	..	19	...
	Females	1	..	..	..	1	2	..	1	3	3	2	1	..	..	..	..	..	2	3	..	1	3	1	2	1	1	..	14	33
New Hampton	Males	1	..	..	..	..	..	..	2	5	2	1	..	..	..	..	1	4	1	..	..	1	..	2	..	1	1	..	11	...
	Females	...	..	..	..	..	1	..	1	2	1	3	..	..	..	1	..	1	..	2	..	..	..	1	..	2	1	..	8	19
Sanbornton	Males	3	..	..	..	..	..	..	..	3	6	1	..	..	..	..	1	2	1	2	..	2	..	..	1	4	..	..	13	...
	Females	...	..	1	..	..	..	1	..	3	4	2	..	..	..	2	1	1	2	..	1	..	..	1	2	1	..	..	11	24
Tilton	Males	4	1	..	1	1	..	2	1	3	1	3	..	..	..	1	..	1	..	3	2	4	1	2	..	2	1	..	17	...
	Females	1	..	..	..	2	2	..	..	5	1	2	..	..	..	..	2	..	1	2	1	2	1	..	2	1	1	..	13	30

TABLE NO. XV. — *Continued.*

TOWNS IN CARROLL COUNTY.		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Albany	Males	1									1										1				1				2	
	Females								1												1								1	3
Bartlett	Males	1	1			1			1	1	1					1		1					2		1	1			6	
	Females	3	1			1				2	1	2					1	2	1				1	2	2	1			10	
	Not stated	1																						1				1	17
Brookfield	Males		2		3	1	2		1								1	2				1		1		1	3	9	
	Females									1	1	1	1			1		2							1			4	13
Chatham	Males																												
	Females							1			1		1			1		1						1				3	3
Conway	Males	3		1	1	1	2	2	4		5	3					2	4	3	2	1	5	2	2	1			22	
	Females	3	1			1	2	2	2	3	3	2				2		3	2	5	2	2	3						19	41
Eaton	Males					1		1																1		1		2	
	Females										1	1				1											1	2	4
Effingham	Males	1		1				1	2	1	4	1						1	2	1		1	1	1	4			11	
	Females							1		3	2					1	1	1						3				6	17
Freedom	Males							1	1			1					1					1	1					3	
	Females				1					1	2								1	1		2						4	7

Hart's Location	Males	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...	...
	Females	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...	...
Jackson	Males	..	..	..	..	..	..	..	..	..	..	3	1	..	..	..	2	..	..	1	1	..	..	..	..	..	..	..	4	...
	Females	..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	2	6
Madison	Males	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	2	...
	Females	..	1	..	..	1	..	..	..	..	2	..	1	..	..	..	1	..	..	1	..	..	..	..	1	2	..	..	5	7
Moultonborough	Males	1	1	..	1	..	..	..	..	1	..	1	..	..	..	..	..	2	2	..	..	..	1	..	..	..	..	..	5	...
	Females	2	..	..	1	..	1	..	..	1	4	2	..	..	..	1	2	2	1	2	..	..	1	..	1	..	1	..	11	16
Ossipee	Males	3	1	1	..	..	..	2	2	..	1	3	..	..	1	1	1	1	1	1	..	1	3	..	3	1	1	..	14	...
	Females	3	1	..	..	1	..	..	1	..	2	5	..	..	..	1	2	1	..	..	..	..	3	1	1	2	2	..	13	27
Sandwich	Males	..	..	..	..	1	2	1	2	5	3	3	1	..	..	1	1	2	2	2	1	2	1	..	3	1	2	..	18	...
	Females	1	..	..	..	..	1	1	..	1	3	3	1	..	..	..	1	1	..	1	..	..	2	3	..	2	1	..	11	29
Tamworth	Males	..	..	..	..	..	..	..	1	2	1	1	1	..	..	1	..	..	..	..	1	1	2	..	..	..	1	..	6	...
	Females	1	..	..	..	1	..	2	1	1	3	2	..	..	..	1	..	..	3	1	1	1	1	..	1	1	1	..	11	17
Tuftonborough	Males	1	1	..	..	1	1	..	2	3	1	1	..	..	..	..	1	1	..	1	2	3	..	..	1	2	..	..	11	...
	Females	2	..	..	1	..	2	..	1	6	..	..	..	..	..	..	..	4	2	1	1	1	1	1	..	..	1	..	12	23
Wakefield	Males	1	1	..	..	1	..	..	..	3	3	1	..	..	..	..	..	..	1	1	..	1	1	2	2	1	1	..	10	...
	Females	..	..	..	2	2	1	..	..	3	..	3	..	..	..	1	2	1	1	1	..	..	2	..	2	1	..	..	11	21
Wolfeborough	Males	1	1	..	..	1	3	3	1	8	2	1	..	..	1	..	..	3	2	5	2	..	2	..	3	3	2	..	22	...
	Females	..	..	..	4	2	2	4	..	2	1	5	..	..	..	..	..	3	5	1	3	3	2	..	1	..	2	..	20	42

TABLE NO. XV. — *Continued.*

TOWNS IN MERRIMACK COUNTY.		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Allenstown	Males	...	2	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	1	..	..	1	..	1	..	4	...
	Females	1	..	1	..	..	..	..	1	1	1	..	..	..	1	..	1	..	1	..	..	1	..	1	..	..	2	..	6	10
Andover	Males	1	2	2	..	..	..	..	1	2	3	2	..	..	1	3	2	..	1	2	1	1	2	..	2	..	..	..	14	...
	Females	..	..	1	1	..	1	..	..	..	1	2	..	..	..	1	2	..	..	1	..	1	..	1	..	..	..	..	6	20
Boscawen	Males	2	2	1	..	1	2	1	1	1	8	2	..	..	..	1	1	4	..	..	2	4	5	2	..	1	1	..	21	...
	Females	1	2	..	..	1	3	2	3	5	3	7	..	..	..	1	2	2	2	2	..	5	3	1	4	2	3	..	27	48
Bow	Males	..	..	..	..	..	..	1	..	1	1	1	..	..	..	..	..	2	..	..	..	..	..	..	1	..	1	..	4	...
	Females	...	1	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..	..	1	..	..	..	..	3	...
	Not stated	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	8
Bradford	Males	1	1	..	2	..	..	..	..	2	1	3	..	..	..	1	..	2	2	..	2	..	2	..	..	..	1	..	10	...
	Females	2	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	2	1	1	..	..	..	..	5	15
Canterbury	Males	...	1	..	..	..	1	..	..	..	2	3	..	..	..	..	..	1	..	2	..	1	1	1	..	1	..	..	7	...
	Females	1	..	..	..	1	..	1	1	1	..	3	1	..	..	..	2	1	2	..	1	..	1	1	1	..	..	..	9	16
Chichester	Males	...	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	2	...
	Females	...	..	..	..	1	1	..	1	1	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	..	1	..	4	6

Concord	Males	25	6	4	7	14	12	11	18	21	24	9	..	..	..	14	14	14	16	11	17	15	16	9	9	8	8	..	151	...
	Females	15	13	..	6	14	16	15	14	27	31	9	4	..	1	16	10	21	15	9	15	9	22	9	15	10	14	..	165	316
Danbury	Males	..	..	..	1	..	1	..	1	3	..	1	2	..	..	..	1	1	..	3	2	..	1	..	..	1	..	..	9	...
	Females	1	..	..	1	..	1	2	..	..	1	2	..	..	..	..	1	..	..	4	..	..	1	2	..	..	..	..	8	17
Dunbarton	Males	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	2	...
	Females	..	..	..	..	..	..	..	..	1	1	2	..	..	..	..	..	..	..	..	1	1	..	..	1	1	..	..	4	...
	Not stated	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	7
Epsom	Males	..	..	..	..	1	..	1	1	1	1	1	..	..	..	1	..	1	1	1	..	..	..	..	..	..	2	..	6	...
	Females	..	..	..	..	1	..	..	1	..	2	1	..	..	..	1	..	1	..	2	1	..	..	..	..	..	..	..	5	11
Franklin	Males	7	2	..	..	..	2	3	4	4	6	1	..	..	..	1	2	1	3	1	1	1	3	4	5	3	4	..	29	...
	Females	4	1	1	2	1	3	2	1	4	2	2	..	..	..	3	2	3	2	2	..	1	5	..	..	2	3	..	23	52
Henniker	Males	..	..	1	1	..	1	1	1	5	3	4	..	..	..	1	2	1	2	1	2	..	2	2	2	..	2	..	17	...
	Females	..	..	..	..	..	1	1	..	3	1	2	..	..	..	..	2	..	..	..	1	..	1	1	2	1	..	..	8	25
Hill	Males	..	..	..	..	..	..	..	..	2	1	1	..	..	..	1	..	1	..	1	..	1	..	..	..	..	..	..	4	...
	Females	..	1	..	..	..	..	1	1	1	1	1	1	..	..	1	1	1	1	1	..	..	1	1	..	..	..	..	7	11
Hooksett	Males	4	1	..	1	..	..	..	1	1	1	1	..	..	..	1	1	1	..	..	2	1	..	..	1	1	2	..	10	...
	Females	6	1	1	..	4	1	1	..	2	3	..	..	..	..	2	1	4	1	2	..	2	2	3	1	1	..	..	19	29
Hopkinton	Males	..	..	1	..	1	1	1	1	5	5	4	..	..	..	2	2	..	2	1	..	..	3	2	3	1	3	..	19	...
	Females	..	..	..	..	1	3	..	2	1	4	6	1	..	..	3	..	2	1	3	2	1	1	1	2	..	2	..	18	37
Loudon	Males	..	..	..	..	..	2	1	..	..	4	1	..	..	1	..	2	1	1	..	1	1	..	1	..	1	1	..	9	...
	Females	..	1	..	1	..	2	1	3	..	2	2	..	..	..	1	3	1	..	..	2	1	2	..	2	..	..	..	12	21

TABLE NO. XV. — *Continued.*

TOWNS IN MERRIMACK COUNTY. — *Continued.*		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Newbury	Males	1	1	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	1	..	..	..	..	2	..	1	..	..	4	...
	Females	...	..	..	1	..	1	..	..	..	..	2	..	..	..	..	..	1	..	2	..	..	..	..	..	1	..	..	4	8
New London	Males	...	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	2	...
	Females	...	..	..	..	..	1	1	..	1	1	..	1	..	..	..	1	1	..	2	..	..	..	..	..	..	1	..	5	7
Northfield	Males	3	..	..	..	..	1	..	1	..	1	2	1	..	1	..	1	..	..	..	2	..	..	2	2	2	..	1	10	...
	Females	1	..	..	..	..	..	1	..	3	1	..	1	..	..	1	..	..	2	..	1	..	..	..	1	..	2	..	7	17
Pembroke	Males	3	1	..	..	..	2	2	1	..	..	..	..	..	..	..	1	..	1	..	2	1	1	..	2	1	..	..	9	...
	Females	4	1	..	3	..	2	..	3	1	..	2	..	..	..	1	2	4	..	..	2	2	1	2	..	..	2	..	16	25
Pittsfield	Males	9	2	..	..	1	..	..	2	5	3	1	..	..	..	1	3	1	1	2	2	4	5	..	1	..	3	..	23	...
	Females	...	2	1	..	1	1	1	2	4	4	6	1	..	4	1	5	..	4	4	3	2	4	1	..	..	3	..	27	...
	Not stated	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	1	..	..	2	52
Salisbury	Males	...	..	..	..	..	..	1	2	..	2	1	..	..	..	..	1	..	..	1	..	..	1	2	1	..	..	..	6	...
	Females	1	1	..	1	..	..	..	..	2	2	1	1	..	..	1	1	2	..	..	..	..	1	1	1	1	1	..	9	15
Sutton	Males	...	2	..	..	..	..	..	1	..	..	..	1	..	..	..	..	1	..	1	1	..	..	..	..	..	1	..	4	...
	Females	...	..	..	..	..	2	2	1	2	4	1	..	..	..	1	1	2	1	..	..	2	3	1	..	1	..	..	12	16

Warner	Males	1	..	..	..	..	..	2	2	3	2	4	..	..	..	1	1	1	1	..	2	1	3	1	..	2	1	..	14	...
	Females	2	2	..	..	1	..	2	..	1	3	1	..	..	..	..	2	3	..	..	1	1	2	1	2	..	..	..	12	26
Webster	Males	1	..	..	..	1	1	..	..	1	1	2	..	..	..	1	..	1	1	1	..	..	1	..	2	..	..	..	7	...
	Females	..	..	..	..	1	..	1	3	..	1	3	..	..	..	1	1	..	1	2	..	..	2	1	..	..	1	..	9	16
Wilmot	Males	..	1	..	..	..	1	..	2	..	1	1	..	..	..	..	2	..	..	2	..	..	1	..	..	..	1	..	6	...
	Females	2	..	..	..	..	1	1	1	1	2	1	..	..	..	..	2	2	..	..	..	1	..	1	3	..	..	..	9	15

TABLE NO. XV. — *Continued.*

TOWNS IN HILLSBOROUGH COUNTY.		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Amherst	Males	1					1		1	2	4	4				1	2	3	2	2		2			1				13	
	Females						1		1	4		2				1		1	1					2	2	1			8	21
Antrim	Males									2	3	2				1			1			2	1	1	1				7	
	Females					1				1	2						2			1				1					4	11
Bedford	Males		2		1			1		2	1					2			1			1	1	1	1				7	
	Females			2				2	1		2	2				1		1	2		1		1		1	2			9	16
Bennington	Males	1		1	1		1	1	1	1		1						1	1	1		1	1	1	2				8	
	Females	1					1			1		2				1							1	1	2				5	13
Brookline	Males	3						1			1	1							2		1				1	1	1		6	
	Females	3					1		1	1	2	2				1	1	2	1			2	1		1	1			10	16
Deering	Males	1					1	2	1			1					2		1							1	2		6	
	Females					2				1	1	1				1	1		1						1		1		5	11
Francestown	Males		1								2	4	2			1	1	2	1	2		1			1				9	
	Females		1		3		2	1	1	1		3	1				1	1	3	1	3		2		1	1			13	22

Goffstown	Males	1	1	1	..	..	..	..	2	1	4	3	..	..	..	2	1	2	1	3	1	..	1	..	1	1	..	..	13	...
	Females	2	1	..	..	1	3	1	..	2	2	4	1	..	..	1	3	..	..	..	2	2	3	2	1	2	1	..	17	...
	Not stated	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	31
Greenfield	Males	1	..	..	..	2	1	..	..	2	3	..	..	..	..	2	1	..	3	1	..	..	1	..	1	..	..	..	9	...
	Females	..	..	..	..	1	..	2	1	1	1	1	..	..	..	..	1	..	1	1	..	1	1	1	..	1	..	..	7	16
Greenville	Males	5	1	1	..	2	..	1	2	2	3	..	..	..	..	3	2	..	1	..	1	1	2	4	1	1	1	..	17	...
	Females	3	2	1	1	2	..	..	1	..	..	1	..	..	..	2	..	1	..	..	1	..	1	2	..	2	2	..	11	28
Hancock	Males	1	..	..	..	1	..	..	..	1	2	2	..	..	..	2	..	..	..	1	..	..	..	..	3	..	1	..	7	...
	Females	..	..	..	1	..	..	..	1	1	..	1	..	..	..	..	..	1	1	..	1	..	..	..	..	..	1	..	4	11
Hillsborough	Males	3	2	..	..	..	..	..	2	2	2	1	1	..	..	1	..	2	2	2	1	..	..	2	1	2	..	..	13	...
	Females	..	..	..	..	2	..	..	..	1	1	2	..	..	1	..	..	2	..	2	..	1	1	..	..	1	..	..	7	20
Hollis	Males	1	..	..	..	..	..	..	..	1	1	1	..	..	..	..	..	..	..	..	1	..	1	..	..	1	1	..	4	...
	Females	..	1	..	..	..	1	..	..	1	3	1	..	..	..	..	1	..	..	..	1	1	2	..	1	..	1	..	7	11
Hudson	Males	1	..	..	..	1	..	..	..	2	3	1	..	..	..	..	..	1	..	..	2	1	1	1	1	1	..	..	8	...
	Females	1	2	..	..	..	..	1	1	1	2	1	1	..	..	1	2	..	2	..	1	..	3	..	..	1	..	..	10	18
Litchfield	Males	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	2	...
	Females	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	1	3
Lyndeborough	Males	..	1	..	..	2	..	..	1	1	..	..	1	..	..	..	1	..	..	..	..	..	..	..	3	1	1	..	6	...
	Females	1	1	..	1	..	..	..	1	..	..	1	..	..	..	1	..	1	..	1	..	1	..	..	..	1	..	..	5	11
Manchester	Males	103	65	17	17	26	19	17	32	29	20	16	..	..	1	31	32	22	25	21	39	43	26	36	29	29	29	..	362	...
	Females	108	50	16	36	37	23	30	29	29	28	12	2	..	2	27	30	34	28	19	51	46	32	40	33	29	33	..	402	...
	Not stated	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	2	766

TABLE NO. XV. — *Continued.*

TOWNS IN HILLSBOROUGH COUNTY. — *Continued.*		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Mason	Males		2			1				1	4					1	1	1		1	2			1			1		8	
	Females	1				1										1											1		2	10
Merrimack	Males		1						2		3	1				1	1	1	1			1		1			1		7	
	Females						1	1	1	3	2	2	2			2	1	1	1			1	2			2	2		12	19
Milford	Males	5	1			1		1	1	1	6	7					4	2	2	3	1	3	1	1	5		1		23	
	Females	2	5		2	2	1	1	3	4	1	4				2	1	1	3	1	4	2	2	3	2	4			25	48
Mont Vernon	Males						1				1										1		1						2	
	Females			1														1											1	3
Nashua	Males	64	17	8	7	8	6	4	13	10	11	11			1	11	11	15	9	12	19	23	15	19	8	7	11		160	
	Females	41	17	5	7	14	11	8	10	14	23	7			1	17	12	10	18	6	18	21	13	14	10	12	7		158	318
New Boston	Males		2		2	2				2	2	2				1	1	1	1	1	1		1	1		1	3		12	
	Females		1				2	1		1	3						1		2			2				1	2		8	20
New Ipswich	Males		1							2	4							3	1				1	2					7	
	Females		2	1			2	1		2	2	2				1	1	1		2	2	2			1	2			12	19
Pelham	Males		1			1				2		1				1			1	1					2				5	
	Females		1			1			1	1		2				1						1	1	1	1		1		6	11

Peterborough	Males	2	2	3	2	3	..	3	..	3	2	4	1	..	..	3	3	1	3	2	7	1	1	1	1	..	2	..	25	...	
	Females	3	3	2	2	..	1	2	2	5	2	1	..	..	..	4	1	..	1	2	4	2	1	6	..	2	..	..	23	48	
Sharon	Males	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...	
	Females	..	..	..	..	1	..	..	..	..	..	1	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	2	2	
Temple	Males	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	...	
	Females	...	1	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	2	3	
Weare	Males	..	..	..	..	1	..	1	..	..	5	4	1	..	..	3	2	2	1	..	1	..	2	1	..	..	..	..	12	...	
	Females	2	1	..	1	2	1	1	..	4	4	..	2	..	..	2	2	2	1	2	2	2	1	1	..	1	2	..	18	30	
Wilton	Males	7	2	..	1	2	4	2	5	5	5	6	..	..	..	4	1	5	2	2	5	..	4	4	3	4	5	..	39	...	
	Females	2	3	1	1	1	..	1	6	2	3	3	1	..	2	3	6	..	4	2	2	1	..	1	3	2	2	..	26	65	
Windsor	Males	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	...	
	Females	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	

TABLE NO. XV. — *Continued.*

TOWNS IN CHESHIRE COUNTY.		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Alstead	Males	3	..	..	1	..	..	..	1	..	2	2	..	..	..	2	..	..	..	1	..	..	2	1	..	..	2	1	9	...
	Females	1	..	..	..	..	..	1	1	..	2	1	..	..	1	2	..	..	..	..	1	3	..	1	..	..	..	..	7	16
Chesterfield	Males	1	..	..	..	1	1	..	1	1	3	..	..	..	..	1	2	..	..	..	..	1	2	1	..	..	1	..	8	...
	Females	..	..	1	..	2	1	1	2	1	1	1	..	..	..	1	1	1	..	..	1	1	..	1	..	3	1	..	10	18
Dublin	Males	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	...
	Females	..	..	..	..	1	1	1	2	1	2	2	..	..	..	..	1	..	2	1	1	..	2	1	1	1	..	..	10	11
Fitzwilliam	Males	1	1	..	1	..	..	2	1	..	2	1	1	..	..	..	2	..	2	..	..	..	3	..	2	..	1	..	10	...
	Females	2	2	..	1	..	..	..	..	..	3	1	3	..	..	4	..	1	..	2	..	1	2	1	1	..	..	..	12	22
Gilsum	Males	..	..	..	..	..	2	..	1	1	1	..	..	..	..	1	..	1	..	..	..	..	..	1	1	1	..	..	5	...
	Females	..	1	..	..	..	..	1	1	..	1	..	..	..	..	1	..	..	1	..	1	..	..	1	..	..	..	..	4	9
Harrisville	Males	..	..	..	1	1	1	..	..	..	..	2	..	..	..	..	..	1	..	1	..	..	2	..	..	1	..	..	5	...
	Females	1	..	..	..	1	..	1	..	..	1	..	..	..	..	..	1	2	..	..	..	..	..	1	..	..	..	..	4	9
Hinsdale	Males	2	2	..	2	1	1	..	..	2	..	..	..	..	..	1	..	1	1	1	..	1	1	1	1	..	2	..	10	...
	Females	3	2	1	4	4	1	1	..	2	..	1	..	..	..	1	1	..	1	1	3	2	2	2	5	1	..	..	19	29
Jaffrey	Males	2	..	..	1	..	1	1	2	3	..	..	..	..	..	2	..	..	1	..	1	1	..	2	2	..	1	..	10	...
	Females	3	..	..	..	1	1	..	1	..	2	2	1	..	..	1	1	..	..	..	..	..	3	2	2	1	1	..	11	21

Keene	Males	9	12	5	1	4	3	3	9	6	9	6	2	.	.	.	5	3	4	5	8	1	6	7	8	12	5	5	.	69	.
	Females	9	8	4	3	5	2	5	3	6	8	9	.	.	.	.	3	2	7	7	5	5	2	6	5	6	7	7	.	62	131
Marlborough	Males	4	.	.	.	1	.	1	.	.	.	1	1	1	.	.	2	1	1	.	1	.	1	.	2	2	1	1	1	.	11	.
	Females	2	.	.	.	2	1	.	.	.	2	.	3	2	.	.	.	1	.	1	2	2	1	1	1	2	.	.	1	.	12	23
Marlow	Males	.	.	1	1	.	1	.	.	.	.	1	2	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	2	1	.	6	.
	Females	1	.	.	.	.	1	1	1	.	.	2	2	.	.	.	.	1	.	.	1	.	1	1	.	1	2	1	.	.	8	14
Nelson	Males	.	.	.	.	.	2	.	.	.	.	.	3	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	2	.	5	.
	Females	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2	7
Richmond	Males	.	.	.	1	.	.	.	.	.	1	3	2	1	.	.	.	1	1	.	1	.	.	2	1	2	.	.	.	.	8	.
	Females	1	.	.	.	.	1	.	.	.	1	1	1	.	.	.	.	.	3	.	.	1	.	.	1	.	.	.	.	.	5	13
Rindge	Males	.	.	2	.	.	.	1	.	1	1	3	.	1	.	.	.	.	3	2	2	1	.	.	.	.	1	.	.	.	9	.
	Females	2	2	1	1	1	1	1	.	.	2	2	3	.	.	.	2	.	1	1	2	2	.	1	.	1	1	5	.	16	25
Roxbury	Males	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
	Females	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	2
Stoddard	Males	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	3	.
	Females	.	.	.	.	1	2	.	2	1	1	.	.	.	.	.	.	.	.	1	2	1	.	.	1	2	.	7	10			
Sullivan	Males	.	.	.	.	.	.	1	.	2	1	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	1	.	.	.	4	.
	Females	1	.	1	1	.	.	.	.	.	.	1	.	.	1	.	1	1	.	.	2	.	.	.	.	.	1	.	.	.	5	9
Surry	Males	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
	Females	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	2	4
Swanzey	Males	3	.	.	.	.	.	1	1	1	5	5	2	.	.	.	2	1	.	4	.	2	1	.	3	3	1	1	.	18	.
	Females	2	.	.	1	.	2	.	1	1	3	1	.	.	.	.	1	1	.	3	1	.	.	1	2	2	.	.	.	11	29

TABLE NO. XV. — *Continued.*

TOWNS IN CHESHIRE COUNTY. — *Continued.*		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Troy	Males	1										1				1								1				2	
	Females		3				2	1		1					1	1	1	2				1		1		2		8	10
Walpole	Males	4	2		3	1	4		2			2						2	3	3	2	2	2		1	2	1		18	
	Females	3					1		3	1	3	2					3	3	3	1	1		1				1		13	31
Westmoreland	Males	1			2		1		1	3	4	4	1					1	2	1	1	1		1	5	2	2	1	17	
	Females			1	2	2			2	4	2	1	1				2	1	1	1	1		1	1	2	1	4		15	
	Not stated	1																	1									1	33
Winchester	Males	4	1			1	2		1	1		1				2		2				2		2	2	1		11	
	Females	4			1	3		2		3	4	2	1		2	1	2			4	1	3	4	4	1		2	22	
	Not stated	1			1																	1			1			2	35

TABLE NO. XV. — *Continued.*

TOWNS IN SULLIVAN COUNTY.		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Acworth	Males				1			1	1	1	2	2				2	1	1	1			1	1				1		8	
	Females				2		2	1	2	1	2	1				2	4	1	1			1			1	1			11	19
Charlestown	Males	1			1			1		5	4	2							5	1		1	1	2		1	3		14	
	Females				1	2	2	1	1		3	1	1				1		2	2	1	1	2	1			2		12	26
Claremont	Males	13	4		1	1	1	2	3	6	4	6	1		1	4	4	2	3	4	2	6	5	1	4	6	2		43	
	Females	5	2	2	1	6	4	3	5	5	7	7	1			6	3	3	1	5	3	1	6	3	7	5	5		48	91
Cornish	Males		1			1			1	3	2	1					2		1				1	3	1		1		9	
	Females				1		1	2		3	1		2			1	1	1		1			1		2	2	1		10	19
Croydon	Males	1						1			1								1	1	1								3	
	Females						1		1		2	2							1	2						1	2		6	9
Goshen	Males							1			1	1									1	1		1					3	
	Females									1	3	1	1			1		1						2		2			6	9
Grantham	Males					1				1	1								1	1			1						3	
	Females	1			1					1			1		1					1	2					1	1		5	8
Langdon	Males										1											1							1	
	Females			1	3											1	1	1					1						4	5

TABLE NO. XV. — *Continued.*

TOWNS IN SULLIVAN COUNTY. — *Continued.*		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Lempster	Males	1	..	..	..	..	..	..	1	1	..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..	..	..	3	...
	Females	...	..	..	1	..	1	1	1	3	4	..	..	..	..	..	2	..	2	2	..	..	2	1	2	..	..	..	11	14
Newport	Males	3	..	1	1	4	1	2	1	..	5	..	..	..	..	..	..	1	2	1	2	..	1	3	2	4	2	..	18	...
	Females	4	..	..	2	3	3	..	3	4	2	2	2	..	..	6	3	..	2	1	4	1	1	3	2	1	1	..	25	43
Plainfield	Males	...	..	..	..	..	..	1	1	1	3	1	1	..	..	..	..	..	1	1	2	..	1	1	1	..	1	..	8	...
	Females	...	..	..	..	..	..	..	..	2	1	2	..	..	..	1	..	..	1	..	1	..	..	1	..	..	1	..	5	13
Springfield	Males	...	..	..	..	..	..	..	..	1	1	3	..	..	..	1	..	1	..	1	..	..	1	..	..	..	1	..	5	...
	Females	1	..	..	..	..	..	..	1	1	3	2	..	..	..	..	..	1	2	..	..	1	..	1	..	2	1	..	8	13
Sunapee	Males	...	..	..	..	..	..	3	1	..	2	1	1	..	..	..	..	2	1	..	1	..	1	1	..	1	1	..	8	...
	Females	1	..	..	..	..	..	..	1	..	2	2	..	..	..	1	1	..	..	..	..	1	..	..	2	1	..	..	6	14
Unity	Males	2	..	..	..	1	..	..	..	1	3	2	..	..	..	1	..	..	1	3	..	..	..	1	2	..	1	..	9	...
	Females	1	1	..	..	..	..	..	1	4	..	2	..	..	..	1	..	..	1	2	1	1	..	..	2	..	1	..	9	18
Washington	Males	...	..	..	1	..	..	..	..	1	1	..	1	..	..	..	..	..	..	..	2	..	1	..	..	1	..	..	4	...
	Females	...	..	..	..	..	..	..	1	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	2	6

TABLE NO. XV. — *Continued.*

TOWNS IN GRAFTON COUNTY.		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Alexandria	Males					1			1	1	2	1				1	2	1	1							1		6	
	Females	1					1		2								1	1			1	1						4	10
Ashland	Males	1				1				2	2	2			1	1	1	1		1		1			1	1	2	9	
	Females	1					1	2		1	1					1					2	1		1			1	6	15
Bath	Males	3			1					1	1	2			1		2					3	1		1		2	9	
	Females	1					1				4					1		2	1	1							1	6	15
Benton	Males				1						1									1							1	2	
	Females							1		1	1									2							1	3	5
Bethlehem	Males		1	1			1	3	1		2	1				1		2	1	1	1	1	3					10	
	Females		2		1	2						3				1	4						2		1			8	18
Bridgewater	Males	1			1	1	2									1	1					1		1	1			5	
	Females											1										1						1	6
Bristol	Males	1	1		1	3		1	1	4	1					1	2	3	1	1	1		1		1	1	1	13	
	Females	3	1	1	1	4	2	1		1		4	2			1		6		3	2	1	3		1	2	1	20	33
Campton	Males									1	3	3	2				1			1			1		2	3	1	9	
	Females	1			1	2	1	1		1	5	2				1	2		2		2	2	1	1	3			14	23

TABLE NO. XV. — *Continued.*

TOWNS IN GRAFTON COUNTY. — *Continued.*		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Canaan	Males	1	1	1	1	..	2	1	1	3	1	..	..	..	..	1	3	..	1	..	1	1	..	3	..	1	1	..	12	...
	Females	...	1	2	..	2	3	1	1	..	1	1	1	..	1	..	1	2	3	2	..	..	1	..	..	2	3	..	14	26
Dorchester	Males	...	..	..	..	..	1	..	..	..	..	1	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	2	...
	Females	...	..	..	1	1	..	..	1	..	2	..	..	..	..	..	..	..	..	1	..	..	2	..	..	2	..	..	5	7
Easton	Males	...	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
	Females	...	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	2	2
Ellsworth	Males	2	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	1	..	..	3	...
	Females	...	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2	5
Enfield	Males	1	..	..	..	..	..	..	1	1	1	2	1	..	..	1	..	1	2	2	..	1	1	1	..	..	..	..	8	...
	Females	1	..	..	..	..	1	1	3	2	5	6	..	..	..	1	..	3	4	1	2	1	2	1	2	..	2	..	19	27
Franconia	Males	...	..	..	..	..	..	..	..	..	1	3	1	..	..	..	1	2	..	..	..	..	..	..	1	1	..	..	5	...
	Females	...	..	..	..	..	..	1	..	2	1	2	..	..	..	..	1	3	1	1	..	..	..	..	..	..	..	..	6	11
Grafton	Males	1	..	..	..	..	..	..	1	2	2	1	2	..	..	..	1	..	3	1	1	1	..	2	..	..	..	..	9	...
	Females	...	..	..	..	..	1	..	1	..	1	3	..	1	..	..	1	..	..	1	2	..	..	1	..	1	1	..	7	16
Groton	Males	1	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	2	1	..	..	..	..	..	..	..	3	...
	Females	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	2	5

Hanover	Males	2	1	..	..	1	1	1	..	2	5	1	..	..	..	..	2	..	1	3	..	..	1	2	1	1	3	..	14	...
	Females	1	1	1	..	2	..	1	3	6	6	3	..	..	..	2	1	4	1	2	3	5	2	2	1	..	1	..	24	38
Haverhill	Males	1	1	..	2	1	3	3	1	6	2	..	..	..	1	2	3	..	4	2	1	3	..	1	3	..	2	..	21	...
	Females	3	1	..	..	1	2	2	2	2	3	1	1	..	..	1	1	1	1	1	..	3	..	2	6	1	1	..	18	39
Hebron	Males	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	2	...
	Females	..	..	..	..	..	..	1	1	..	..	3	..	..	..	..	1	..	..	..	1	..	1	..	2	..	..	..	5	7
Holderness	Males	1	..	..	..	..	..	..	1	1	2	1	..	..	..	2	..	1	..	1	1	..	..	..	..	..	1	..	6	...
	Females	1	..	..	..	..	..	..	1	..	..	1	..	..	..	..	1	..	..	1	..	..	..	..	1	..	..	..	3	9
Landaff	Males	..	..	..	..	..	..	1	..	1	2	1	..	..	..	..	..	..	3	..	..	..	..	..	1	1	..	..	5	...
	Females	..	..	..	..	..	..	..	..	..	2	2	..	..	..	1	..	..	1	1	..	..	..	..	1	..	..	..	4	9
Lebanon	Males	2	..	1	..	3	..	..	..	4	3	2	..	..	..	1	1	..	..	3	2	1	3	3	..	..	1	..	15	...
	Females	3	1	..	..	..	1	3	3	4	5	1	1	..	..	2	2	2	3	3	1	1	1	1	2	1	3	..	22	37
Lincoln	Males	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
	Females	..	..	..	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	1
Lisbon	Males	1	1	1	..	..	1	2	1	1	2	1	1	..	..	..	..	1	1	1	1	..	..	2	4	2	..	..	12	...
	Females	1	..	..	1	3	..	..	1	4	2	1	..	..	..	2	1	2	1	2	1	..	1	1	..	1	1	..	13	25
Littleton	Males	3	1	1	2	3	1	1	2	4	4	2	2	..	..	1	1	5	3	..	..	1	5	4	4	1	1	..	26	...
	Females	3	..	1	2	..	1	2	2	3	2	1	..	..	..	1	..	2	..	3	..	4	3	2	..	1	1	..	17	43
Livermore	Males	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
	Females	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
Lyman	Males	..	..	..	1	..	..	..	..	..	2	2	1	..	..	2	..	1	..	..	..	..	2	..	..	..	..	..	5	...
	Females	1	..	..	2	1	..	..	2	..	1	2	..	..	..	..	..	1	3	3	..	..	..	1	1	..	..	..	9	14

TABLE NO. XV. — *Continued.*

TOWNS IN GRAFTON COUNTY. — *Continued.*		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Lyme	Males	2	..	..	..	..	1	.	2	3	1	4	..	..	..	..	..	..	1	2	4	..	2	1	1	2	..	..	13	...
	Females	1	..	..	..	..	1	1	..	4	4	3	..	..	..	1	1	1	2	1	2	3	2	..	1	..	..	..	14	27
Monroe	Males	...	1	..	1	..	..	..	..	1	..	..	1	..	..	..	..	..	3	..	1	..	..	..	..	..	..	..	..	4	...
	Females	..	..	1	..	..	..	..	..	..	1	1	1	..	..	..	2	1	1	..	..	..	..	..	..	..	..	..	..	4	8
Orange	Males	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	1	...
	Females	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	2	3
Orford	Males	2	1	..	1	2	..	1	2	..	4	4	..	..	..	..	1	3	1	1	3	1	3	1	1	..	2	..	..	17	...
	Females	1	1	..	..	1	..	..	1	1	4	3	..	..	..	1	..	3	2	..	..	1	3	1	1	..	..	..	..	12	29
Piermont	Males	1	..	..	..	..	..	1	..	..	3	..	..	..	..	..	..	1	1	..	..	1	1	..	..	..	1	..	..	5	...
	Females	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	2	7
Plymouth	Males	...	1	..	1	..	..	2	..	1	3	4	..	..	..	1	1	..	3	2	1	2	..	1	1	..	..	..	..	12	...
	Females	1	..	..	1	2	..	..	..	3	2	..	..	..	..	2	2	..	..	1	..	1	..	1	1	..	1	..	..	9	21
Rumney	Males	..	..	1	1	1	2	..	..	2	1	2	..	..	1	1	..	1	2	1	..	..	..	3	2	..	..	1	..	11	...
	Females	..	..	..	1	..	2	1	1	1	2	1	1	..	..	..	1	1	1	1	1	..	..	..	3	2	..	..	..	10	21
Thornton	Males	..	..	..	..	..	..	..	..	..	1	..	2	..	..	1	..	..	..	..	1	..	..	..	1	..	..	..	..	3	...
	Females	1	..	..	..	1	1	2	1	1	1	..	..	..	..	2	1	..	..	1	1	1	1	..	..	1	..	..	..	8	11

Warren	Males	..	..	..	..	..	1	..	..	..	..	2	..	..	..	..	..	..	..	..	..	1	..	1	..	1	..	..	3	...
	Females	..	..	..	..	..	1	1	..	2	1	1	..	..	..	..	1	2	..	..	1	..	..	..	..	1	1	..	6	9
Waterville	Males	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
	Females	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
Wentworth	Males	1	..	..	..	1	..	1	2	2	3	2	..	..	..	3	..	2	2	1	1	1	..	..	1	1	..	..	12	...
	Females	..	..	..	..	1	..	..	1	1	2	..	..	..	..	..	..	..	..	..	2	..	..	1	2	..	..	..	5	17
Woodstock	Males	1	..	..	..	..	..	..	1	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	1	..	3	...
	Females	..	..	..	..	1	1	..	2	1	1	..	..	..	..	..	1	1	..	1	..	..	1	1	1	..	..	..	6	9

TABLE NO. XV. — *Continued.*

TOWNS IN COÖS COUNTY.		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Berlin	Males	11	6	2	4	6	3	1	1	1	1	1	..	..	..	..	2	..	2	3	3	1	4	6	9	4	3	..	37	...
	Females	14	6	..	2	9	..	1	..	..	1	..	..	..	1	2	..	2	..	3	4	6	5	6	2	1	3	..	34	71
Carroll	Males	2	..	..	1	3	1	1	..	..	..	1	..	..	1	1	..	..	..	..	2	..	1	2	1	..	3	..	10	...
	Females	..	..	..	..	2	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	1	1	..	..	..	..	..	..	3	13
Clarksville	Males	..	..	..	..	..	..	1	..	..	2	1	..	..	..	1	1	..	..	1	..	..	..	1	..	..	..	..	..	4	...
	Females	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	5
Colebrook	Males	2	..	..	1	2	2	..	..	..	2	..	..	..	..	1	..	..	..	..	..	1	3	..	1	2	1	..	9	...
	Females	1	..	..	..	2	2	1	2	..	2	2	2	..	1	1	..	..	2	1	1	4	2	1	1	2	..	..	15	24
Columbia	Males	..	1	..	..	..	..	..	..	..	2	2	..	..	..	..	..	2	1	..	..	..	..	1	..	..	1	..	5	...
	Females	..	..	..	1	..	..	..	1	..	1	1	..	..	..	1	..	2	..	..	..	..	..	..	..	..	1	..	4	9
Dalton	Males	1	1	..	1	1	..	..	..	1	..	..	..	..	..	..	1	1	..	..	..	1	1	..	..	..	1	..	5	...
	Females	2	..	..	1	..	..	..	..	2	..	..	..	..	..	1	..	..	..	..	..	..	2	1	..	..	1	..	5	10
Dummer	Males	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	1	...
	Females	..	..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	2	...
	Not stated	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	4

Errol	Males	..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	2	...
	Females	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	3
Gorham	Males	2	1	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	2	..	..	..	5	...
	Females	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	2	7
Jefferson	Males	1	..	..	..	..	2	..	..	..	..	..	1	..	..	..	..	1	..	..	1	1	1	..	..	..	..	..	4	...
	Females	1	1	1	..	..	..	..	..	1	1	2	..	..	..	..	..	..	1	..	2	..	..	1	1	1	1	..	7	11
Lancaster	Males	..	..	..	..	1	3	1	..	2	2	1	1	..	..	1	1	1	..	1	1	1	..	..	3	..	2	..	11	...
	Females	2	2	..	..	3	2	..	5	3	1	..	..	..	1	1	4	2	1	3	1	..	1	2	3	1	..	..	19	30
Milan	Males	1	1	2	..	1	..	..	..	..	2	..	..	..	1	..	..	1	1	..	..	..	1	..	1	3	1	..	8	...
	Females	..	..	..	2	..	..	2	..	1	1	..	..	..	..	..	..	..	1	..	..	..	1	1	1	1	1	..	6	14
Millsfield	Males	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...	...
	Females	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...	...
Northumberland	Males	..	..	1	..	1	..	1	1	1	3	..	..	..	..	..	1	1	1	..	1	..	3	..	1	..	..	..	8	...
	Females	4	1	..	1	..	1	1	3	..	2	1	..	..	..	1	3	2	2	..	..	2	..	2	1	1	..	..	14	22
Pittsburg	Males	..	..	..	1	..	..	..	1	..	..	1	..	..	..	..	..	1	..	1	..	..	..	..	..	1	..	..	3	...
	Females	..	1	..	..	..	..	1	1	..	1	..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	1	..	4	7
Randolph	Males	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	...
	Females	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	1	2
Shelburne	Males	..	..	2	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	2	1	..	4	...
	Females	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	1	5

TABLE NO. XV. — *Continued.*

TOWNS IN COÖS COUNTY. — *Continued.*		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Stark	Males	3	1	..	1	..	..	..	..	2	1	..	..	..	1	1	1	..	..	1	1	..	2	1	..	..	2	..	9	...
	Females	1	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	..	..	3	12
Stewartstown	Males	..	..	..	..	1	1	..	..	1	4	1	1	..	1	2	1	1	1	..	..	..	1	1	2	1	..	..	10	...
	Females	1	..	..	..	1	..	1	..	2	2	1	..	..	..	..	1	1	1	..	..	..	1	1	1	1	1	..	8	18
Stratford	Males	1	..	1	..	1	..	..	..	..	3	1	1	..	..	..	..	..	1	1	2	1	2	..	..	..	1	..	8	...
	Females	2	1	2	..	..	2	..	1	2	2	..	..	..	..	3	2	..	1	1	..	1	1	..	1	1	1	..	12	20
Whitefield	Males	5	3	1	1	4	2	1	2	2	4	..	..	..	..	3	2	1	2	1	1	1	2	3	3	3	3	..	25	...
	Females	9	1	..	1	..	..	1	..	1	3	1	..	..	..	1	1	3	..	1	2	..	1	4	2	2	..	..	17	42

TABLE

Deaths by Ages, Sex, and

COUNTIES.		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.
Rockingham	Males	56	31	9	12	21	30	26	26	57	79	40
	Females	50	29	11	17	25	28	28	44	62	74	61
	Not stated.											
Strafford	Males	61	43	12	16	12	23	14	25	28	41	36
	Females	57	44	20	20	36	28	26	26	34	33	26
	Not stated.					1						
Belknap	Males	30	12	2	10	10	8	18	13	23	37	25
	Females	21	7	3	12	10	11	11	12	26	33	27
	Not stated.											
Carroll	Males	13	8	3	5	8	11	11	18	24	22	19
	Females	15	4		9	10	9	11	6	24	26	27
	Not stated.	1										
Merrimack	Males	58	25	10	12	19	27	25	41	59	73	47
	Females	41	27	5	18	27	41	35	39	62	71	56
	Not stated.	3										
Hillsborough	Males	202	100	31	32	53	33	34	63	74	94	75
	Females	173	90	28	56	67	52	54	61	80	84	58
	Not stated.	1	2									
Cheshire	Males	36	21	7	13	14	18	9	22	35	33	28
	Females	36	18	9	16	23	14	18	19	26	41	35
	Not stated.	2			1							
Sullivan	Males	21	5	1	5	8	6	10	8	25	28	19
	Females	13	3	3	12	11	14	9	18	25	31	20
	Not stated.											
Grafton	Males	29	10	6	14	19	16	21	20	46	59	43
	Females	27	9	6	11	24	21	22	31	44	61	47
	Not stated.											
Coös	Males	30	14	9	12	23	14	7	5	10	26	10
	Females	37	14	3	8	18	8	8	14	15	17	9
	Not stated.	1										
Total	Males	536	269	90	131	187	186	175	241	381	492	342
	Females	470	245	88	179	251	226	222	270	398	471	366
	Not stated.	8	2		1	1						
Grand total		1,014	516	178	311	439	412	397	511	779	963	708

NO. XVI.

Months, by Counties. *

90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
7	..	5	25	25	36	34	41	24	33	48	28	32	41	32	..	399	.....
11	1	1	40	36	34	30	27	29	37	47	32	35	44	51	..	442	.....
...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	..	.....	841
3	..	2	26	17	28	36	17	14	25	39	24	39	19	32	..	316	.....
6	1	2	28	13	26	23	31	22	41	35	44	41	26	29	..	359	.....
...	..	...	...	1	...	...	...	...	...	...	...	...	...	...	..	1	676
3	..	2	10	12	19	16	14	15	21	24	14	11	23	14	..	193	.....
7	..	2	17	12	15	15	20	9	18	12	22	14	12	15	1	182	.....
...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	..	.....	375
3	..	2	4	7	14	14	16	11	11	20	6	17	17	10	..	147	.....
4	..	...	6	13	18	19	11	11	7	17	11	14	9	9	..	145	.....
...	..	...	...	...	...	...	...	...	...	...	1	...	...	...	..	1	293
4	..	3	29	36	35	33	32	40	32	49	28	32	23	33	1	403	.....
11	..	6	35	42	51	35	36	32	32	54	31	36	20	35	..	439	.....
...	..	1	...	...	...	...	1	...	1	...	...	...	2	...	..	4	846
6	..	2	71	67	65	62	55	85	79	61	77	66	51	60	..	799	.....
11	..	6	71	68	60	70	41	93	89	69	75	60	68	56	..	820	.....
...	..	...	...	...	...	...	...	...	...	1	2	...	...	...	..	3	1,622
4	..	2	19	16	16	25	18	9	18	24	24	33	18	20	2	242	.....
6	..	5	21	20	20	24	23	21	17	26	26	24	18	26	..	266	.....
...	..	...	...	...	...	1	...	1	...	...	...	1	...	...	..	3	511
2	..	1	8	8	8	17	13	10	9	15	13	12	13	13	..	139	.....
8	..	1	21	16	9	14	14	12	7	12	11	21	13	17	1	168	.....
...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	..	.....	307
7	..	5	20	25	27	38	26	20	21	22	30	27	17	21	1	295	.....
8	1	1	21	24	40	27	35	22	29	28	20	28	20	19	..	313	.....
...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	..	.....	608
4	..	5	10	10	10	9	11	12	10	22	16	23	17	19	..	169	.....
3	..	5	11	11	14	11	9	11	19	16	21	13	13	10	..	159	.....
...	..	...	...	...	...	...	...	...	...	...	...	...	...	1	..	1	329
43	..	29	222	223	258	284	243	240	259	324	260	292	239	254	4	3,102	.....
75	3	29	271	255	287	268	247	262	296	316	293	286	243	267	2	3,293	.....
...	..	1	...	1	...	1	1	1	1	1	3	1	2	1	..	13	6,408
118	3	59	493	479	545	553	491	503	556	641	556	579	484	522	6	6,408	6,408

* Not including premature births and still births.

TABLE NO. XVII.

Causes of Death alphabetically arranged by Ages, Sex, and Months.

Sex.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	CAUSES OF DEATH.	Whole Number. Total.	Male.	Female.	Unknown.	Ages. Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.
M.				1					2					Abscess	6	3	3										1	1	1		
F.			1		1		1							"									1	1				1			
M.					1									" lumbar	1	1																
M.					1									" of bowels	2	1	1					1										
F.		1												" "											1						
M.		1		1				1						" of brain	5	3	2									1			1	1		
F.						1		1						" "						1									1			
M.					1									" of head	1	1							1									
F.													1	" of kidney	1		1									1						
M.			1						1	1		1		" of liver	5	4	1							1	1		1	1				
F.				1										" "													1		1			
M.			1					1						" of lungs	2	2											1		1			
F.									1					" of neck	1		1		1			1										
M.				1										" of pelvis	4	1	3								1	1	1					
F.									1	1	1			" "																		
M.				1	1				1	1	2			Alcoholism	8	6	2							1	1	1		1	2			
F.		1		1										"										1					1			

M.	2	1	1	2	..	2	..	3	4	..	2	1	..	Anæmia	40	18	22	..	5	2	..	1	1	1	..	1	3	2	1	1	..
F.	1	1	1	2	4	1	3	4	1	1	2	1	..	"	...	...	...	..	5	..	..	..	..	3	3	4	..	4	2	1	..
M.	..	..	1	..	2	..	..	1	2	..	1	..	..	Angina pectoris	15	7	8	..	..	1	..	..	..	..	2	..	1	1	2	..	..
F.	..	..	..	..	2	1	1	..	..	2	1	1	..	" "	...	...	...	..	..	..	..	..	..	..	..	1	1	3	2	1	..
M.	14	14	8	8	2	9	7	10	6	10	10	13	..	Apoplexy	259	111	148	..	..	1	..	..	..	4	2	6	14	34	32	17	1
F.	11	6	10	16	12	17	11	15	15	11	13	11	..	"	...	...	...	..	1	..	..	..	..	2	2	10	29	31	42	31	..
M.	..	..	..	..	..	..	..	..	1	..	..	..	..	Arteries, disease of	1	1	...	..	..	..	..	..	..	..	..	..	..	..	1	..	..
M.	..	..	..	..	..	1	1	..	1	..	..	1	..	Asphyxia	7	4	3	..	4	..	..	..	..	..	..	..	..	..	..	..	..
F.	..	1	..	..	..	..	..	..	..	1	..	1	..	"	...	...	...	..	1	1	..	..	..	..	..	1	..	..	..	..	..
M.	..	..	..	..	..	..	..	..	1	1	..	2	..	Asthma	12	4	8	..	..	..	..	..	..	..	..	..	..	..	3	..	1
F.	..	..	..	..	3	1	..	..	1	2	1	..	..	"	...	...	...	..	1	1	..	..	..	..	..	1	1	1	1	2	..
F.	..	..	..	..	..	..	..	..	1	..	..	..	..	Ascites	1	...	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..
F.	..	..	..	..	..	..	..	..	1	..	..	..	..	Anthrax	1	...	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..
M.	..	..	..	..	..	..	1	1	..	1	..	..	..	Bladder, disease of	3	3	...	..	1	..	..	..	..	..	..	..	..	2	..	..	..
M.	..	..	..	1	1	1	..	1	1	1	1	..	..	Blood poisoning	13	7	6	..	1	..	..	..	1	..	..	1	1	..	3	..	..
F.	1	..	2	1	1	..	..	..	..	1	..	..	..	" "	...	...	...	..	..	..	..	..	..	3	..	1	1	1	..	..	..
M.	..	..	..	..	2	..	..	1	..	..	..	..	..	Bone, disease of	4	3	1	..	..	1	..	..	..	..	..	..	1	1	..	..	..
F.	..	..	..	..	..	..	..	..	1	..	..	..	..	" "	...	...	...	..	1	..	..	..	..	..	..	..	..	..	..	..	..
M.	..	..	..	..	3	..	..	..	..	..	1	1	..	Bowels, disease of	15	5	10	..	1	1	..	..	..	..	..	..	..	3	..	..	..
F.	1	1	1	1	..	..	1	..	2	1	..	2	..	" "	...	...	...	..	1	..	..	..	..	2	1	1	1	1	3	..	..
M.	4	..	2	1	1	3	5	4	3	4	3	1	..	Brain, disease of	66	31	35	..	3	..	3	..	..	1	2	3	6	7	4	2	..
F.	1	3	..	2	3	2	2	4	5	5	3	5	..	" "	...	...	...	..	3	..	..	..	1	1	3	2	6	8	9	2	..
M.	1	1	2	3	1	1	3	3	..	2	2	1	..	Brain, softening of	36	20	16	..	..	..	..	..	..	1	2	..	2	4	10	1	..
F.	2	..	1	1	1	..	4	4	..	..	1	2	..	" "	...	...	...	..	..	..	..	..	..	..	..	1	4	4	4	3	..
M.	6	5	8	9	1	4	2	..	5	2	5	3	..	Bronchitis	127	50	77	..	15	11	1	..	..	1	..	5	5	4	5	3	..
F.	6	4	14	7	4	6	1	1	8	6	11	9	..	"	...	...	...	..	13	17	..	..	..	3	..	3	7	8	10	16	..
M.	..	1	..	1	..	..	..	1	..	1	2	3	..	Burns and scalds	15	9	6	..	..	6	..	..	1	..	..	..	..	1	..	1	..
F.	..	..	1	..	..	1	..	1	1	..	2	..	..	" "	...	...	...	..	..	1	1	..	..	1	1	..	1	1	..	..	..
F.	2	..	..	..	1	..	1	..	..	..	..	..	..	Calculus	4	...	4	..	..	..	..	..	..	1	..	1	1	..	1	..	..
M.	1	2	5	6	1	4	3	5	3	2	2	..	..	Cancer	113	34	79	..	..	1	..	..	..	1	1	1	4	9	14	3	..
F.	6	4	7	2	10	10	10	6	6	8	5	5	..	"	...	...	...	..	..	..	..	..	..	..	1	14	15	16	20	13	..

TABLE NO. XVII. — *Continued.*

Sex.	Months.												CAUSES OF DEATH.	Whole Number.				Ages.										
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.		Total.	Male.	Female.	Unknown.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.
M.									1					Cancer of bladder	1	1													1		
M.			1	1	1	1	1			1		1		" of bowels	10	7	3								1		1	1	3	1	
F.					1				1			1		" "											1		1		1		
F.	1		2				2	1	2	1				" of breast	9		9										2	5		1	1
F.								1						" of eye	1		1											1			
M.				1							1			" of face	2	2											1	1			
F.									1					" of gall-duct	1		1								1						
M.					1									" of kidney	1	1												1			
M.		1	1											" of lip	2	2													1	1	
M.			1							1				" of liver	10	2	8											2			
F.	1	1			1		1		1	1	1	1		" "											1		4	3			
F.			1											" of lungs	1		1										1				
M.						1								" of pharynx	1	1												1			
M.			1	1	1									" of rectum	8	3	5												2	1	
F.		1	1						1	1		1		" "											1		1	1	2		
M.	2	1	1	1			1	2	1	3	1	2		" of stomach	28	15	13								3	1	2	6	3		
F.	1	2	1		1	2			1	1		4		" "					1						1		1	3	6	1	
F.			1					1						" of throat	2		2										1		1		
M.									1					" of tongue	2	2											1			1	
F.	2	3		2	4	1	4		1	1	1	2		" of uterus	21		21							1	2	7	5	4	2		

M.	..	..	..	..	..	..	..	..	..	..	..	1	..	Carbuncle	1	1	...	..	..	..	..	..	..	..	..	..	..	..	1	..	..
M.	5	1	5	8	4	6	6	8	7	7	3	7	..	Casualty	80	67	13	..	1	4	..	5	3	12	4	8	9	8	9	4	..
F.	1	..	2	1	..	4	..	..	1	1	..	3	..	"	...	...	...	..	1	1	..	1	..	..	..	1	1	..	3	4	1
M.	..	..	..	..	..	..	..	..	..	..	..	1	..	Cellulitis	1	1	...	..	..	..	..	..	..	..	..	..	1	..	..	..	..
M.	4	2	5	2	..	2	..	2	3	1	3	1	..	Cephalitis	47	25	22	..	3	5	3	1	..	..	1	1	1	4	4	1	1
F.	1	2	3	1	4	2	..	3	2	1	1	2	..	"	...	...	...	..	5	4	..	..	2	4	2	1	2	..	1	..	1
M.	1	..	2	3	2	..	..	..	..	2	1	1	..	Cerebritis	28	12	16	..	3	2	1	1	..	3	1	..	..	..	1	..	..
F.	..	1	2	3	..	..	2	4	2	2	..	..	..	"	...	...	...	..	..	3	1	1	..	1	3	2	2	2	1	..	..
M.	1	..	1	2	..	1	1	2	1	..	1	..	..	Cerebro-spinal meningitis	25	10	15	..	1	4	2	1	..	..	..	..	..	..	1	..	1
F.	..	2	4	1	1	1	1	2	..	1	2	..	..	" " "	...	...	...	..	3	2	3	2	2	2	1	..	..	..	..	..	..
F.	3	3	2	1	1	3	..	..	1	1	2	2	..	Childbirth	19	...	19	..	..	..	..	..	1	8	7	3	..	..	..	..	..
M.	..	..	3	3	5	16	48	60	38	14	2	2	..	Cholera infantum	353	190	162	*1	165	24	1	..	..	..	..	..	..	..	..	..	1
F.	2	..	..	2	5	13	33	58	35	10	2	1	1	" "	...	...	...	..	132	30	..	..	..	..	..	..	..	..	..	..	..
M.	..	..	..	..	..	..	4	1	..	..	..	..	..	Cholera morbus	12	5	7	..	..	..	..	..	..	..	..	1	..	2	1	1	..
F.	..	..	..	..	..	..	2	4	1	..	..	..	..	" "	...	...	...	..	..	..	..	1	..	..	..	1	..	2	..	3	..
M.	..	..	1	..	..	..	..	..	..	..	..	1	..	Colic	2	2	...	..	2	..	..	..	..	..	..	..	..	..	..	..	..
M.	20	36	24	26	17	19	22	29	16	29	22	20	1	Consumption	651	280	370	*1	9	7	3	3	22	56	51	33	34	31	26	2	4
F.	34	27	45	28	28	29	41	27	31	23	26	31	..	"	...	...	...	..	5	8	4	19	37	91	69	44	22	34	27	8	2
M.	1	2	5	8	2	4	2	3	2	1	4	4	..	Convulsions	71	38	33	..	26	8	2	..	..	..	..	..	..	1	..	..	1
F.	4	4	6	2	4	..	4	..	5	2	1	1	..	"	...	...	...	..	18	12	..	..	..	..	1	2	..	..	..	..	..
M.	..	..	..	..	..	..	..	..	1	..	..	..	..	Cramps	1	1	...	..	..	..	1	..	..	..	..	..	..	..	..	..	..
M.	4	6	2	2	4	2	1	4	4	8	3	8	..	Croup	88	47	40	*1	3	39	6	..	..	..	..	..	..	..	..	..	..
F.	2	3	4	2	4	2	2	1	2	4	5	9	..	"	...	...	...	..	8	26	5	1	..	..	..	..	..	..	..	..	..
M.	..	..	..	..	..	..	..	2	1	..	..	..	..	Cyanosis	10	3	7	..	3	..	..	..	..	..	..	..	..	..	..	..	..
F.	1	..	..	1	..	1	..	1	..	2	1	..	..	"	...	...	...	..	7	..	..	..	..	..	..	..	..	..	..	..	..
M.	3	1	1	3	2	2	2	1	2	3	1	6	..	Cystitis	30	27	3	..	..	..	..	..	..	..	1	..	2	6	7	11	..
F.	..	..	1	..	..	1	..	..	..	..	1	..	..	"	...	...	...	..	..	..	..	..	..	..	1	1	..	1	..	..	..
M.	7	4	7	3	5	9	3	11	7	5	6	5	..	Debility	159	72	87	..	39	..	1	..	..	..	..	2	2	7	11	10	..
F.	4	8	9	11	6	5	7	8	13	6	3	7	..	"	...	...	...	..	35	2	1	..	1	3	2	..	7	7	15	13	1
M.	1	..	..	..	..	..	..	..	..	..	..	..	..	Delirium tremens	1	1	...	..	..	..	..	..	..	..	1	..	..	..	..	..	..

* Classed with males.

TABLE NO. XVII. — *Continued.*

Sex.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	CAUSES OF DEATH.	Whole Number. Total.	Male.	Female.	Unknown.	Ages. Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.
M.	1	2	1	1	3	3	2	..	3	..	..	..	..	Diabetes	25	16	9	..	..	..	..	1	..	..	4	1	2	3	4	1	..
F.	..	2	1	1	..	..	..	1	..	2	1	1	..	"	..	..	..	..	..	1	..	1	..	1	1	1	1	2	1	..	..
M.	3	..	1	1	2	2	5	10	7	3	4	2	..	Diarrhea	68	40	28	..	18	5	..	..	..	1	1	2	3	3	3	4	..
F.	..	1	2	..	..	3	4	8	5	4	..	1	..	"	..	..	..	..	16	..	..	..	..	..	1	2	..	4	3	1	1
M.	3	1	3	6	5	5	3	8	11	24	13	11	..	Diphtheria	210	92	117	*1	3	41	27	9	5	4	1	2	..	1	..	..	..
F.	10	8	7	9	8	10	8	8	7	17	10	15	..	"	..	..	..	..	4	45	41	9	8	6	2	1	..	..	..	..	1
M.	2	1	..	2	2	4	1	4	3	3	2	2	..	Dropsy	62	26	36	..	..	1	..	..	..	..	..	2	3	8	11	1	..
F.	1	4	1	1	6	3	2	3	6	3	3	3	..	"	..	..	..	..	..	..	..	..	..	..	2	2	8	8	10	6	..
M.	2	1	1	3	6	3	5	3	1	1	..	4	..	Drowned	34	30	4	..	..	3	5	4	5	4	2	4	..	1	..	1	1
F.	..	1	..	..	1	..	..	1	1	..	..	..	..	"	..	..	..	..	..	1	..	..	1	1	..	..	1	..	..	..	..
M.	..	..	1	..	..	3	4	10	5	3	1	..	..	Dysentery	67	27	40	..	13	4	1	..	..	..	1	1	..	3	..	4	..
F.	..	..	1	1	..	4	8	12	8	5	1	..	..	"	..	..	..	..	7	4	1	..	..	1	1	2	3	6	7	8	..
M.	..	..	..	..	..	1	..	..	..	1	..	..	..	Dyspepsia	4	2	2	..	..	..	..	..	..	..	..	..	..	1	..	1	..
F.	..	..	..	..	1	..	1	..	..	..	..	..	..	"	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..
M.	1	1	..	..	..	..	..	..	..	1	..	..	..	Eclampsia	5	3	2	..	2	..	..	..	..	..	..	..	1	..	..	..	..
F.	..	..	..	..	..	..	1	..	..	..	..	1	..	"	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..
F.	..	..	..	..	..	..	..	..	1	..	..	..	..	Elephantiasis	1	..	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..
M.	..	..	..	..	..	1	..	..	..	..	..	..	..	Embolism	5	1	4	..	..	..	..	..	..	..	..	..	..	..	..	1	..
F.	..	..	1	..	1	..	..	..	..	1	..	1	..	"	..	..	..	..	..	..	..	..	..	..	2	..	..	1	1	..	..
M.	2	2	1	..	1	2	2	4	..	..	2	1	..	Enteritis	30	17	13	..	5	3	1	..	..	..	..	1	2	2	3	..	..

F.	..	..	1	1	..	2	1	2	2	2	..	2	..	Enteritis	...	...	...	..	...	1	1	1	..	3	1	..	1	4	1	..	..
M.	1	1	..	2	..	1	2	..	..	..	2	1	..	Epilepsy	21	10	11	..	...	..	..	1	..	3	1	2	..	..	2	..	1
F.	..	..	2	2	1	2	1	..	..	1	1	1	..	"	...	...	...	..	1	..	..	2	..	3	2	..	2	..	1	..	..
M.	2	2	1	1	..	..	..	1	..	..	1	1	..	Erysipelas	18	9	9	..	2	..	..	..	..	..	..	..	2	2	2	1	..
F.	1	..	2	..	2	..	..	1	..	1	..	2	..	"	...	...	...	..	...	..	..	..	..	1	1	1	1	1	1	3	..
M.	..	2	1	..	1	..	..	..	..	..	..	2	..	Exposure	7	6	1	..	...	..	..	..	..	..	1	2	..	2	1	..	..
F.	..	..	..	..	..	..	..	..	..	..	..	1	..	"	...	...	...	..	...	..	..	..	..	..	..	..	..	..	..	1	..
M.	..	2	..	..	..	..	..	1	3	7	2	..	..	Fever	28	15	13	..	2	1	..	..	2	7	1	..	1	..	1	..	..
F.	1	..	..	..	1	1	..	..	3	3	3	1	..	"	...	...	...	..	2	..	2	1	1	3	..	2	..	..	..	1	1
M.	..	..	1	..	..	..	..	..	1	..	..	..	..	" bilious	4	2	2	..	...	..	..	..	..	..	..	..	..	1	1	..	..
F.	..	..	1	..	..	..	..	1	..	..	..	..	..	" "	...	...	...	..	...	..	..	..	..	..	1	..	..	..	1	..	..
M.	..	..	..	..	..	..	..	..	1	..	..	..	..	" gastric	4	1	3	..	...	..	1	..	..	..	..	..	..	..	..	..	..
F.	1	..	..	..	..	..	1	1	..	..	..	..	..	" "	...	...	...	..	1	..	..	..	..	..	..	1	..	..	1	..	..
M.	..	..	..	..	..	..	..	..	..	..	..	1	..	" intermittent	1	1	...	..	...	..	..	..	..	..	..	..	..	..	..	1	..
M.	..	1	1	1	1	1	2	..	..	..	..	1	..	" malarial	8	8	...	..	...	..	..	..	1	1	..	2	3	1	..	..	..
F.	..	..	2	2	..	1	1	1	..	2	1	..	..	" puerperal	10	...	10	..	...	..	..	..	1	8	1	..	..	..	..	..	..
M.	1	..	..	..	..	1	..	..	..	..	..	..	..	" rheumatic	3	2	1	..	...	..	..	1	..	..	..	..	1	..	..	..	..
F.	..	..	..	..	..	..	..	..	..	1	..	..	..	" "	...	...	...	..	...	..	..	..	..	..	..	..	..	..	1	..	..
M.	6	1	2	1	2	4	6	6	6	12	8	12	..	" typhoid	127	66	61	..	...	3	2	4	9	27	9	6	2	2	..	2	..
F.	3	3	3	6	3	2	6	7	7	12	9	..	..	" "	...	...	...	..	...	1	5	9	14	12	2	6	6	2	3	1	..
M.	..	..	1	..	..	..	..	..	..	1	..	..	..	" typho-malarial	2	2	...	..	...	..	..	..	..	1	..	..	1	..	..	..	..
M.	1	..	..	1	1	1	..	..	1	..	..	..	..	Fits	6	5	1	..	4	..	..	..	..	..	..	1	..	..	..	..	..
F.	..	..	..	..	..	..	..	..	1	..	..	..	..	"	...	...	...	..	...	..	..	..	..	..	..	..	..	..	1	..	..
M.	..	..	..	..	..	..	1	..	..	..	..	..	..	Fistula	2	1	1	..	...	..	..	..	..	..	..	..	..	..	1	..	..
F.	..	1	..	..	..	..	..	..	..	..	..	..	..	"	...	...	...	..	...	..	..	..	..	..	..	..	1	..	..	..	..
M.	1	3	2	1	..	..	3	2	3	1	..	1	..	Fracture	24	17	7	..	1	..	1	..	..	2	4	4	3	..	2	..	..
F.	..	..	..	..	..	1	1	..	2	1	2	..	..	"	...	...	...	..	...	..	..	..	..	..	..	..	..	1	1	5	..
M.	..	..	1	..	1	1	1	2	..	1	..	..	..	Gangrene	19	7	12	..	...	..	..	..	..	..	..	..	..	..	3	4	..
F.	..	..	2	1	2	2	1	1	..	3	..	..	..	"	...	...	...	..	...	..	..	..	..	1	..	..	..	5	3	3	..
M.	..	1	1	1	2	..	1	3	..	1	1	2	..	Gastritis	38	13	25	..	...	..	..	1	..	1	3	1	..	3	3	1	..

* Classed with males.

TABLE NO. XVII. — *Continued.*

Sex.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	CAUSES OF DEATH.	Whole Number. Total.	Male.	Female.	Unknown.	Ages. Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.
F.	1	3	..	3	3	3	1	1	3	2	3	2	..	Gastritis	..	..	..	..	2	..	..	1	2	2	1	2	3	3	5	4	..
F.	..	1	..	..	..	2	..	..	..	..	..	..	..	Goitre	3	..	3	..	..	..	1	..	..	..	..	..	1	..	1	..	..
M.	.	1	..	..	..	..	..	..	..	..	..	..	..	Gonorrhœa	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
M.	25	17	25	32	32	17	21	16	17	27	24	22	1	Heart disease	541	275	265	*1	12	1	2	1	8	5	8	15	22	59	93	49	1
F.	27	16	24	25	21	18	22	24	22	17	28	21	..	" "	..	..	..	..	10	1	1	3	4	15	19	20	35	59	73	24	1
M.	..	1	..	..	1	..	..	..	1	2	..	..	..	Hemorrhage	12	5	7	..	..	..	..	..	..	1	1	1	..	1	1	..	..
F.	1	1	1	..	..	..	1	..	..	..	3	..	..	"	..	..	..	..	3	..	..	..	..	..	..	1	1	1	..	1	..	..
M.	..	..	3	4	2	1	..	1	1	1	1	3	..	Hepatitis	26	17	9	..	..	..	..	..	..	..	1	2	5	7	2	..	..
F.	1	..	..	..	..	..	..	1	1	2	3	1	..	"	..	..	..	..	..	..	..	..	..	..	3	1	..	1	..	3	1
M.	..	1	..	2	..	..	..	2	1	..	2	2	..	Hernia	16	10	6	..	3	..	..	1	..	..	1	..	..	2	2	1	..
F.	..	1	1	1	..	..	..	1	1	1	..	..	..	"	..	..	..	..	2	..	..	..	..	..	..	..	..	4	..	..	..
M.	1	1	..	..	..	..	..	..	..	..	..	..	..	Hip disease	3	2	1	..	..	1	1	..	..	..	..	..	..	..	..	..	..
F.	..	..	..	..	..	..	..	1	..	..	..	..	..	" "	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..
M.	..	..	..	..	..	1	..	..	..	..	..	..	..	Homicide	4	1	3	..	..	..	..	..	..	..	..	..	..	1	..	..	..
F.	..	..	..	..	..	1	..	..	..	..	1	1	..	"	..	..	..	..	..	..	..	..	..	..	1	..	..	2	..	..	..
M.	3	1	1	2	..	2	..	1	..	..	1	..	..	Hydrocephalus	21	11	10	..	7	4	..	..	..	..	..	..	..	..	..	..	..
F.	1	1	..	1	..	..	1	..	4	..	..	2	..	"	..	..	..	..	6	4	..	..	..	..	..	..	..	..	..	..	..
M.	..	..	..	..	..	..	..	..	1	..	..	..	..	Hydropericarditis	1	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..
M.	..	..	..	..	..	..	..	..	..	..	..	1	..	Hydrophobia	1	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..
M.	..	..	..	..	..	..	..	..	..	..	1	..	..	Hydrothorax	1	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..

F.	..	1	..	..	..	..	..	..	..	..	..	..	..	Icterus	1	...	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..
M.	2	..	..	..	1	..	1	..	..	..	1	..	..	Ileus	10	5	5	..	1	..	..	..	..	..	1	..	..	..	..	3	..
F.	..	1	..	..	..	..	..	..	..	2	1	1	..	"	...	...	...	..	...	1	..	..	..	..	..	..	2	1	..	1	..
M.	..	4	1	2	1	2	4	1	2	1	1	..	..	Inanition	31	17	12	*2	14	..	..	..	..	..	..	..	1	1	..	2	1
F.	3	1	..	..	..	1	1	1	3	2	..	..	..	"	...	...	...	..	9	1	..	..	..	..	..	..	..	1	1	..	..
M.	..	..	1	..	1	..	..	..	..	..	..	..	..	Infantile	4	2	2	..	2	..	..	..	..	..	..	..	..	..	..	..	..
F.	..	1	..	1	..	..	..	..	..	..	..	..	..	"	...	...	...	..	1	..	1	..	..	..	..	..	..	..	..	..	..
F.	..	..	..	..	..	1	..	..	..	..	1	..	..	Inflammation	2	...	2	..	...	..	..	..	..	..	1	..	1	..	..	..	..
M.	1	1	1	1	..	1	1	1	1	1	3	2	..	" of bowels	26	14	12	..	1	3	..	..	..	2	1	2	2	1	1	1	..
F.	..	..	1	2	2	..	2	3	1	..	..	1	..	" "	...	...	...	..	...	1	1	1	..	1	1	2	1	1	3	..	..
M.	1	..	..	..	..	..	..	..	..	..	..	..	..	Influenza	4	1	3	..	1	..	..	..	..	..	..	..	..	..	..	..	..
F.	1	..	..	1	..	..	1	..	..	..	..	..	..	"	...	...	...	..	2	..	..	..	..	..	..	..	..	..	1	..	..
M.	1	1	3	1	..	2	1	2	1	..	1	1	..	Insanity	30	14	16	..	...	..	..	..	..	3	..	1	2	2	4	1	1
F.	1	2	2	1	..	..	3	2	1	4	..	..	..	"	...	...	...	..	...	..	..	..	..	2	4	1	1	2	1	4	1
M.	..	..	1	..	..	..	..	..	..	..	..	..	..	Intussusception	1	1	...	..	...	1	..	..	..	..	..	..	..	..	..	..	..
M.	..	..	..	..	1	..	..	..	..	..	..	..	..	Ischuria	1	1	...	..	...	..	..	..	..	..	..	..	..	..	1	..	..
M.	1	..	..	..	..	1	..	..	..	..	..	..	..	Jaundice	6	2	4	..	1	..	..	..	..	..	..	..	..	1	..	..	..
F.	1	..	..	..	..	1	1	..	..	..	..	1	..	"	...	...	...	..	...	..	..	..	..	..	..	..	..	1	2	1	..
M.	..	6	3	..	5	..	1	2	1	1	3	1	..	Kidney disease	33	23	10	..	1	..	..	..	..	..	..	2	2	4	10	4	..
F.	1	..	2	2	..	2	1	1	..	..	..	1	..	" "	...	...	...	..	1	..	..	..	..	..	..	..	2	3	3	1	..
M.	..	..	..	..	..	..	..	1	..	..	..	..	..	Laryngitis	3	1	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..
F.	..	..	..	1	..	..	..	..	..	..	..	1	..	"	...	...	...	..	...	1	..	..	..	..	..	..	1	..	..	..	..
M.	1	2	2	3	..	1	2	3	1	1	4	2	..	Liver disease	43	22	21	..	1	..	..	1	..	..	3	2	3	2	7	3	..
F.	2	4	1	..	1	..	5	..	2	3	..	3	..	" "	...	...	...	..	1	1	..	..	..	..	..	3	6	6	4	..	..
M.	..	2	..	..	..	..	1	1	..	1	2	..	..	" cirrhosis of	8	7	1	..	...	..	..	..	..	..	1	1	3	1	1	..	..
F.	1	..	..	..	..	..	..	..	..	..	..	..	..	" "	...	...	...	..	...	..	..	..	..	..	..	..	..	1	..	..	..
M.	..	..	..	..	..	..	..	..	1	1	..	..	..	Locomotor ataxia	3	2	1	..	...	..	..	..	..	..	..	..	..	1	1	..	..
F.	..	..	..	..	..	..	..	1	..	..	..	..	..	" "	...	...	...	..	...	..	..	..	..	..	..	..	1	..	..	..	..
M.	..	..	..	3	1	2	1	2	..	..	..	..	..	Lung disease	18	9	9	..	2	1	..	..	..	1	..	1	1	2	..	1	..
F.	..	2	..	1	..	2	1	..	1	..	1	1	..	" "	...	...	...	..	3	2	1	..	1	1	..	..	..	..	1	..	..

* Classed with males.

TABLE NO. XVII. — *Continued.*

Sex.	Months.												CAUSES OF DEATH.	Whole Number.				Ages.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.		Total.	Male.	Female.	Unknown.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.
M.	..	1	..	1	2	3	..	1	..	1	1	1	..	Malformation	20	10	9 *1		11	..	..	..	..	..	..	..	..	..	..	..	..
F.	..	1	2	2	..	..	1	..	1	1	1	..	..	"	..	..	..	..	9	..	..	..	..	..	..	..	..	..	..	..	..
F.	..	..	1	..	..	..	..	..	..	..	..	..	..	Malignant pustule	1	..	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..
M.	..	1	..	..	..	..	1	..	..	..	..	..	..	Maniacal exhaustion	5	2	3	..	..	..	..	..	..	..	..	2	..	..	..	..	..
F.	..	1	..	..	..	..	..	1	..	1	..	..	..	" "	..	..	..	..	..	..	..	..	..	1	1	1	..	..	..	..	..
M.	1	1	2	1	..	1	2	2	5	3	..	2	..	Marasmus	52	20	32	..	12	2	1	..	..	..	..	..	1	..	2	2	..
F.	..	1	1	5	2	2	..	5	4	6	3	3	..	"	..	..	..	..	21	3	..	..	..	..	1	..	..	3	1	3	..
M.	..	..	1	1	1	2	..	..	..	..	..	3	..	Measles	16	8	8	..	1	2	..	..	1	2	1	..	..	..	..	..	1
F.	2	..	2	1	..	..	1	..	..	..	2	..	..	"	..	..	..	..	1	4	1	..	1	..	..	..	1	..	..	..	..
M	3	4	1	5	1	3	4	5	1	2	3	7	..	Meningitis	67	39	28	..	8	17	4	2	4	1	3	..	..	..	..	..	..
F.	..	4	1	..	3	4	4	1	3	3	1	4	..	"	..	..	..	..	12	6	1	..	2	..	2	1	1	..	3	..	..
F.	2	..	..	..	1	..	..	1	..	..	..	..	..	Metria (puerperal fever)	4	..	4	..	..	..	..	..	..	2	1	1	..	..	..	..	..
F.	..	1	..	..	..	..	..	..	..	..	2	..	..	Metritis	3	..	3	..	..	..	..	..	..	1	1	1	..	..	..	..	..
F.	..	..	..	..	..	..	..	..	..	1	..	..	..	Mortification	2	2	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..
M.	..	..	..	1	..	..	..	..	..	..	..	..	..	Myelitis	9	5	4	..	2	..	2	..	..	..	..	..	..	..	..	1	..
M.	..	..	..	..	2	..	2	..	1	..	..	..	..	"	..	..	..	..	2	..	..	..	..	..	..	2	..	..	..	..	..
F.	..	..	..	..	1	..	..	..	..	3	..	..	..	Narcotism	1	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..
F.	..	1	..	..	..	..	..	..	..	..	..	..	..	Nephria (Bright's disease)	128	67	61	..	..	..	..	..	1	3	3	5	16	22	14	3	..
M.	6	..	5	11	8	6	6	8	7	1	5	4	..	" " "	..	..	..	..	..	..	1	..	2	6	11	9	10	6	12	4	..
F.	5	8	5	1	5	5	8	2	5	8	5	4	..	Nephritis	28	17	11	..	..	..	1	..	..	2	1	3	2	3	5	..	..
M.	..	..	3	1	2	2	1	2	2	2	1	1	..																		

F.	1	1					2	2	1	1	3			Nephritis					1						1	2		3	2	1	1
M.					1	1								Nervous prostration	15	2	13									2					
F.	2		2			1	2	1		2	1	2		" "							1		1		1	1	1	4	1	2	1
F.	1	1												Neuralgia	2		2							1				1			
M.											1			Noma (canker)	4	1	3		1												
F.				1	1			1						" "					2	1											
M.	6	7	9	6	15	13	13	12	11	5	9	6	2	Not stated	214	109	100	*5	50	8	1		2		5	6	11	5	15	6	5
F.	7	12	13	7	6	12	9	9	7	3	4	10	1	"					33	4	2	1	3	8	5	3	4	5	13	9	10
M.	14	18	21	14	25	17	11	14	10	23	13	16		Old age	426	196	230												39	156	1
F.	20	22	18	24	21	20	14	20	14	16	19	22		"														3	45	181	1
F.	1	1	1	1	1	2	1			1				Ovarian dropsy	9		9								3	2	1	1	2		
F.												1		Otitis media	1		1		1												
M.	7	7	7	6	9	5	10	5	8	9	3	4		Paralysis	193	80	113		1	1				2	3	6	6	18	26	17	
F.	12	15	8	5	8	9	14	8	10	5	11	8		"						3				2	2	8	11	23	31	32	1
F.				1			1							Paramenia	2		2						2								
M.	2			1				3	1	1		2		Pericarditis	15	10	5				1		2		2	1	1	1	1	1	
F.			1	1	1					1		1		"							1							2	2		
M.	1		2	1	2	2	2	3	2	2	2	4		Peritonitis	57	23	34		2			2	2	3	6	2		3	1	1	1
F.	7	1	3	1	3	5	1	4		6	3			"					2	1	1	1	5	5	8		3	4	3	1	
M.												1		" traumatic	1		1							1							
F.	1	1				1		1	2	3	1	1		Pleurisy	16	11	5				1				2	1	3		4		
M.							2	1		1	1			"										1		2		1	1		
F.	24	28	40	49	24	13	6	7	6	21	23	21		Pneumonia	544	262	282		33	22	4	4	9	11	19	13	22	35	48	41	1
M.	40	36	31	48	21	8	9	11	8	27	16	27		"					28	25	4	6	6	14	14	21	23	54	49	37	1
F.	4	2	2	3	4				2	1	1			Pneumonia-typhoides	38	19	19			2			1	4	2	2	2	3	1		2
M.	1		6	2	2	1		1		4	1	1		" "						1		2	1		1	4	1	6	2	1	
F.						1				1				Poisoned	4	2	2							1				1			
M.								1				1		"											1	1					
F.				1										" morphine	2	1	1							1							
F.						1								" "															1		

* Classed with males.

TABLE NO. XVII.— *Continued.*

Sex.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	CAUSES OF DEATH.	Whole Number. Total.	Male.	Female.	Unknown.	Ages. Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.
M.	2	8	6	2	2	4	6	5	4	6	1	1	..	Premature births	68	43	21	*4	47	..	..	..	..	..	..	..	..	..	..	..	..
F.	1	1	..	..	5	2	3	2	1	3	3	..	..	" "	..	..	..	..	21	..	..	..	..	..	..	..	..	..	..	..	..
M.	..	..	..	..	1	..	..	..	..	2	2	2	..	Prostate, disease of	7	7	..	..	..	..	..	..	..	..	..	..	1	1	3	2	..
F.	..	1	..	..	1	1	..	..	..	..	..	..	..	Puerperal convulsions	3	..	3	..	..	..	..	..	..	2	1	..	..	..	..	..	..
F.	..	..	..	..	1	..	..	..	..	..	..	..	..	" mania	1	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..
F.	1	..	..	..	1	..	2	..	..	..	..	..	..	" septicæmia	4	..	4	..	..	..	..	..	1	2	1	..	..	..	..	..	..
M.	..	..	..	..	..	..	..	..	1	..	..	..	..	Purpura (scurvy)	2	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..
F.	..	..	..	..	..	..	..	..	..	..	..	1	..	" "	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
M.	..	..	..	1	..	1	..	..	..	..	..	1	..	Pyæmia	9	3	6	..	..	1	..	..	..	..	1	..	..	1	..	..	..
F.	1	..	1	..	1	1	1	..	..	..	..	1	..	"	..	..	..	..	..	..	..	..	..	1	3	1	..	..	1	..	..
M.	..	1	1	..	..	1	1	1	1	4	1	2	..	Railroad accident	16	13	3	..	..	..	..	..	..	5	3	..	2	1	..	..	2
F.	..	1	..	..	..	1	..	..	..	..	..	1	..	" "	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..
M.	1	2	3	1	1	4	..	..	..	4	2	3	..	Rheumatism	40	21	19	..	..	..	1	..	..	3	2	1	3	1	5	4	1
F.	1	2	4	..	1	2	4	1	2	..	2	..	..	"	..	..	..	..	..	1	..	2	2	2	1	1	6	1	2	1	..
M.	1	..	..	..	..	2	..	1	..	2	..	..	..	Scarlatina	18	6	12	..	1	4	1	..	..	..	..	..	..	..	..	..	..
F.	1	1	2	1	..	..	2	3	..	1	..	1	..	"	..	..	..	..	3	3	2	2	1	..	..	..	..	..	..	..	1
M.	1	..	1	..	1	..	..	2	1	1	..	1	..	Scrofula	17	8	9	..	2	..	1	..	..	1	1	..	1	1	..	1	..
F.	2	1	..	2	1	1	1	..	..	..	..	1	..	"	..	..	..	..	1	1	2	..	1	..	1	..	..	2	..	1	..
M.	1	1	1	..	1	..	1	1	1	..	..	..	..	Septicæmia	16	7	9	..	..	..	..	..	..	1	2	..	2	1	1	..	..
F.	..	1	1	1	1	..	1	1	1	..	..	2	..	"	..	..	..	..	1	..	..	1	1	1	1	1	..	2	1	..	..

M.				1	1							1		Shock	4	3	1											2	1		
F.	1													"											1						
F.			1			1			2					Spina bifida	4		4		4												
M.									1	1				Spinal cord, disease of	3	2	1												2		
F.							1							" " "													1				
M.							1	2						Spine, disease of	6	3	3						1				1	1			
F.				1		1	1							" "											2			1			
M.								1						Spleen disease	1	1												1			
M.										1				Starvation	1	1			1												
M.	15	7	6	17	18	13	9	10	11	10	16	13	1	Still-born	220	109	74	*37	146												
F.	13	5	4	8	5	6	4	4	5	2	11	7		"					74												
M.						1	2		1		1	3		Stomach disease	21	8	13		2	1					1	1		2	1		
F.	2	1		1	1	2	3	1			1	1		" "					3					2	1		2	2	3		
M.			1											Strangulation	2	1	1												1		
F.		1												"													1				
M.	1	2	1	4		3	1	2		2	2	2		Suicide	29	20	9							3	4	3	4	2	4		
F.	2			2		2			1	2				"										1	1	1	2	2	1	1	
M.					1				1			1		Syphilis	7	3	4		2									1			
F.				1	1	1					1			"						1					1		1	1			
M.							3	1	2	1				Tabes mesenterica	13	7	6		2		1				3				1		
F.		1				1		1		1	1	1		" "					1					1		2	1			1	
M.			1	1		1	1		1	1	4	1		Teething	18	11	7		6	5											
F.	1					2		1	1	1	1			"					5	2											
M.					2									Tetanus	3	2	1					1					1				
F.												1		"											1						
M.	3		3	1			1	1		1				Tubercular meningitis	24	10	14		1	5	3	1									
F.	1		1	2	2	4		1			1	2		" "					1	6	1	2	1	2	1						
M.			2			1				1		1		Tumor	13	5	8							1	1	2			1		
F.	2	1	1		1			1			1	1		"												2	2	3			1
F.	1													Ulcers	1		1											1			

* Classed with males.

TABLE NO. XVII. — *Continued.*

Sex.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	CAUSES OF DEATH.	Whole Number. Total.	Male.	Female.	Unknown.	Ages. Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.
M.	..	1	..	..	..	..	1	1	..	..	..	..	..	Ulcers of intestines	9	3	6	..	..	..	..	..	..	..	..	2	1	..	..	..
F.	2	..	1	..	..	1	..	1	..	1	..	..	..	" "	..	..	..	..	..	..	..	..	..	2	..	1	..	1	1	1	..
M.	..	..	..	..	..	2	..	..	..	..	1	..	..	" of stomach	7	3	4	..	..	..	..	..	..	..	..	..	2	1	..	..	..
F.	..	..	..	2	1	1	..	..	..	..	..	..	..	" "	..	..	..	..	1	..	..	..	..	..	1	..	1	1	..	..	..
M.	2	6	1	1	..	1	1	2	..	..	1	1	..	Unknown	26	16	10	..	9	4	..	..	..	..	..	1	..	2	..	..	..
F.	..	3	..	1	1	1	..	1	2	..	1	..	..	"	..	..	..	..	6	..	..	..	1	..	..	..	1	..	2	..	..
M.	2	..	..	..	..	1	..	..	2	..	1	1	..	Uræmia	10	7	3	..	..	..	..	..	1	..	..	..	..	4	2	..	..
F.	..	..	..	..	..	..	..	1	2	..	..	..	..	"	..	..	..	..	..	..	..	..	..	..	1	1	..	..	1	..	..
F.	1	..	..	..	..	..	..	1	..	..	..	..	..	Uterus disease	2	..	2	..	..	..	..	..	..	..	..	1	1	..	..	..	..
M.	2	1	..	2	3	3	2	4	2	1	2	1	..	Whooping-cough	47	23	24	..	15	7	1	..	..	..	..	..	..	..	..	..	..
F.	4	1	..	2	2	3	1	3	3	2	2	1	..	" "	..	..	..	..	17	7	..	..	..	..	..	..	..	..	..	..	..
M.	..	1	..	..	1	..	..	..	..	..	1	..	..	Wounds	3	3	..	..	..	..	..	..	1	..	..	..	..	1	1	..	..
M.	..	1	..	1	1	..	..	1	..	1	1	..	..	" gun-shot	8	6	2	..	..	..	..	1	..	..	1	..	..	3	..	..	1
F.	1	..	..	..	..	..	..	..	..	..	1	..	..	" "	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..

TABLE NO. XVIII.

*Deaths by Sex, Age, and Month.**

MONTHS.	SEX.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Age not stated.	Total.
January	Males	24	20	13	5	9	14	15	10	21	27	36	28	....	222
	Females	26	15	5	3	16	23	27	14	24	45	35	33	5	271
	Not stated	....	....	....	....	....	....	....	....	....	....	....	....	....	.....
February	Males	26	26	4	2	6	14	13	11	18	31	39	31	2	223
	Females	30	15	8	4	9	24	17	13	25	29	39	39	3	255
	Not stated	....	....	....	....	....	1	....	....	....	....	....	....	....	1
March	Males	32	17	4	7	3	13	17	17	29	25	49	44	1	258
	Females	27	13	11	10	8	22	25	19	29	36	47	38	2	287
	Not stated	....	....	....	....	....	....	....	....	....	....	....	....	....	.....
April	Males	41	24	7	7	7	13	13	18	21	49	49	32	3	284
	Females	31	16	7	8	8	30	14	17	15	30	45	44	3	268
	Not stated	1	....	....	....	....	....	....	....	....	....	....	....	....	1
May	Males	26	18	4	4	7	19	19	14	16	28	43	43	2	243
	Females	22	13	5	1	9	17	22	16	29	35	37	40	1	247
	Not stated	1	....	....	....	....	....	....	....	....	....	....	....	....	1

* Not including still births and premature births.

TABLE NO. XVIII. — *Continued.*

MONTHS.	SEX.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Age not stated.	Total.
June	Males	54	16	6	2	5	12	8	16	21	34	36	28	2	240
	Females	46	25	6	10	6	20	22	18	17	22	33	36	1	262
	Not stated					1									1
July	Males	74	19	7	1	5	13	16	17	17	29	31	28	2	259
	Females	58	17	6	6	14	18	15	34	22	35	35	33	3	296
	Not stated	1													1
August	Males	100	31	7	4	5	17	16	15	25	23	47	28	6	324
	Females	79	29	8	5	8	12	19	21	19	33	39	42	2	316
	Not stated		1												1
September	Males	67	31	11	3	3	13	17	12	18	27	38	17	3	260
	Females	73	25	6	5	8	25	14	20	22	38	31	24	2	293
	Not stated	2	1												3
October	Males	31	28	11	6	11	20	18	20	16	45	44	41	1	292
	Females	36	22	11	6	12	25	18	18	22	34	45	35	2	286
	Not stated	1													1

November	Males	32	17	10	1	10	21	16	11	21	26	43	29	2	239
	Females	18	29	4	7	5	22	18	18	19	24	36	43	....	243
	Not stated	1	....	....	....	....	....	....	....	....	....	....	....	1	2
December	Males	28	22	6	5	13	18	18	14	18	37	37	35	3	254
	Females	24	25	11	5	6	13	15	14	27	37	49	37	4	267
	Not stated	1	....	....	....	....	....	....	....	....	....	....	....	....	1
No date	Males	1	....	....	....	....	....	....	....	....	....	....	1	2	4
	Females	....	1	....	....	....	....	....	....	....	....	....	....	1	2
	Not stated	....	....	....	....	....	....	....	....	....	....	....	....	....	.....
Total	Males	536	269	90	47	84	187	186	175	241	381	492	385	29	3,102
	Females	470	245	88	70	109	251	226	222	270	398	471	444	29	3,293
	Not stated	8	2	....	....	1	1	....	....	...	....	....	....	1	13

REGISTRATION REPORT.

SUMMARY OF OBSERVATIONS

FOR THE YEAR 1889.

SUMMARY

OF

REGISTRATION REPORT.

The following summary of observations is intended to present, in a brief and concise form, some of the more important facts deducted from the registration of births, marriages, divorces, and deaths in the State of New Hampshire for the year 1889.

In order to make calculations that shall be of practical value, two requirememts are necessary: First, approximate correctness in the registration; and, second, approximate accuracy in the population figures for the periods embraced in the computations. In this State the census is enumerated but once in ten years, and it is evident to every one that deductions from the registration of 1889, based upon the census of 1880, would not reveal the true birth, marriage, and death rates of the present population. Through the courtesy of the superintendent of census for the district of New Hampshire, we are able to make our calculations for the year 1889 upon the census of 1890, thus rendering the results much more accurate than if the census of 1880 were used.

In some tables we have figured the population for each year from 1880 to 1889, inclusive, averaging the increase as shown by the census of 1890. The population of the State in 1880 and 1890, by counties, is shown in the following table:

TABLE NO. 1.

Population of Counties in 1880 *and* 1890.

COUNTIES.	1880.	1890.
Rockingham	49,064	49,728
Strafford	35,558	38,439
Belknap	17,948	20,285
Carroll	18,224	18,111
Merrimack	46,300	49,401
Hillsborough	75,634	93,131
Cheshire	28,734	29,728
Sullivan	18,161	17,286
Grafton	38,788	37,334
Coös	18,580	23,164
Total	346,991	376,607

The increase in the population of the State has been of even or very nearly even yearly growth, hence by averaging the increase we are able to present a table showing the yearly population of the State from 1880 to 1889, as nearly correct as it is possible to obtain it:

TABLE NO. 2.

Estimated Population of New Hampshire for each Year from 1880 *to* 1890, *inclusive.*

YEARS.	Population.	YEARS.	Population.
1880.....	346,991	1886.....	364,767
1881.....	349,952	1887.....	367,728
1882.....	352,913	1888.....	370,689
1883.....	355,874	1889.....	373,650
1884.....	358,845	1890.....	376,607
1885.....	361,806		

It should be remembered that wherever "estimated" population is used, it is upon the basis above stated.

There were reported for the year 1889, 6,912 births, 3,621 marriages, and 6,696 deaths, showing an increase of 469 births and 242 marriages over the returns for 1888, and a decrease of 158 deaths from the report of 1888. The rate per cent, based upon the population of 1890, is as follows:

Birth-rate . .	18.35	to 1,000	of the	population of 1890.
Marriage-rate .	9.61	"	"	"
Persons married	19.22	"	"	"
Death-rate . .	17.77	"	"	"

This is a rate of one birth to every 54 persons, one marriage ceremony (two persons) to every 100 persons, and one death to every 55 persons of the living population.

Table No. 3 shows the estimated population of the State, the number of births, marriages, and deaths, and the birth, marriage, and death rates per 1,000 of the population for six years, 1884 to 1889, inclusive. It appears that the birth-rate for 1889 is, with the exception of that for the year 1887, slightly higher than for any other year; the marriage-rate for 1889 is the highest that has ever been returned, while the death-rate is somewhat lower than for the previous year.

TABLE NO. 3.

Births, Marriages, and Deaths, with the Estimated Population and Rates, for 1884 *to* 1889, *inclusive.*

YEARS.	Population (estimated).	Births.	Marriages.	Deaths.	Birth-rate per 1,000.	Persons married to 1,000.	Death-rate per 1,000.
1884.....	358,845	6,247	3,292	6,194	17.40	18.34	17.26
1885.....	361,806	6,319	3,180	6,201	17.46	17.56	17.13
1886.....	364,767	6,657	3,324	6,426	18.24	18.22	17.61
1887.....	367,728	6,910	3,495	6,479	18.78	19.00	17.61
1888.....	370,689	6,443	3,379	6,854	17.38	18.22	18.48
1889.....	373,650	6,912	3,621	6,696	18.49	19.36	17.91
Average.....	366,247	6,581	3,382	6,475	17.96	18.44	17.66

Table No. 4 exhibits the birth-rate, death-rate, and marriage-rate of several foreign countries, together with that of Massachusetts, Rhode Island, and New Hampshire. Many of the rates cover a period of several years, as shown in the foot-note. The birth-rate of New

Hampshire is considerably lower than that reported from the countries named in the table; this is owing to causes which will be discussed under Births.

The death-rate of New Hampshire for the year compares favorably with that of the countries having the lowest rates of mortality even. The marriage-rate is exceeded only by Hungary and the State of Massachusetts. The figures in this table are compiled mostly from the registrar-general's report of England for 1887, and are from the most reliable sources.

TABLE NO. 4.

Rates of Births, Marriages, and Deaths, in Various Countries.

COUNTRIES.	Birth-rate.	Death-rate.	Excess of birth-rate over death-rate.	Marriage-rate.
New Hampshire *	18.3	17.7	.6	19.2
England and Wales †	31.4	18.8	12.6	14.2
Scotland †	31.2	18.7	12.5	12.5
Ireland ‡	23.2	18.3	4.9	8.7
Denmark †	32.0	18.3	13.7	14.0
Sweden §	29.8	16.6	13.2	12.8
Austria †	38.2	28.9	9.3	15.6
Prussia †	37.8	23.9	13.9	16.0
Netherlands †	33.7	19.7	14.0	14.0
France †	23.5	22.0	1.5	14.6
Hungary ‖	45.5	32.2	13.3	19.3
Switzerland *a*	27.5	20.4	7.1	13.7
Belgium †	29.4	19.3	10.1	14.2
Italy *b*	38.3	27.7	10.6	15.5
German Empire *c*	36.9	24.2	12.7	15.6
Russia *d*	49.4	35.7	13.7	18.8
Spain *d*	37.1	30.0	7.1	15.0
Norway *e*	30.9	16.1	14.8	13.1
Massachusetts *f*	26.8	20.6	6.3	19.3
Rhode Island *g*	24.2	19.9	4.3	18.0

* 1889†. 1887. ‡ For 17 years. § 1886. ‖ For 15 years. *a* For 13 years. *b* For 18 years. *c* For 9 years. *d* For 12 years. *e* For 10 years. *f* 1888. *g* For 7 years.

BIRTHS.

There were 6,912 births registered for the year 1889, a slightly larger number than hitherto reported in a single year. It should be distinctly understood that the birth records of New Hampshire are incomplete. The birth-rate is undoubtedly lower than in States where manufacturing interests are more largely represented; but there is no question that our birth-rate as registered is much lower than actually exists, which is occasioned by a neglect on the part of some whose duty it is to report births, and the indifference of a few local registrars. It is estimated that a rate of not far from 23 per 1,000 of the population represents very nearly the birth-rate of the State. A system that depends upon returns made by physicians and midwives to local registrars will never secure a correct registration of births. It is suggested that a system of compulsory birth registration be incorporated in the annual inventory blanks; by this method a very correct registration would be secured.

The birth-rate of the State per 1,000 of the estimated population for six years was returned as follows:

For 1884, 17.40; 1885, 17.46; 1886, 18.24; 1887, 18.78; 1888, 17.38; 1889, 18.49; average, 17.96.

The most defective registration undoubtedly exists in the cities. The following table shows the birth-rates for the several cities of the State, for the year 1889:

TABLE NO. 5.

Births in Cities for 1889, *with Rate per* 1,000.

CITIES.	Population of 1890.	Births.	Birth-rate per 1,000.
Portsmouth	9,830	161	16.37
Dover	12,786	248	19.39
Concord	17,018	335	19.68
Manchester	44,105	826	18.72
Nashua	19,278	566	29.35
Keene	7,461	130	17.42

It will be seen that the city of Nashua undoubtedly has a more accurate registration than any other city in the list, while the city of Manchester has the most defective, as it in all probability has the largest birth-rate in the State.

In the group of European countries, the birth-rate per 1,000 of the population is as follows: Russia, 49.40; Central Europe, 43.76; Southern Europe, 34.00; Northwestern Europe, 43.20. *

* Massachusetts Registration Report, 1888.

The countries having the highest and lowest birth-rates are as follows:

COUNTRIES.	Highest.	COUNTRIES.	Lowest.
Russia, 1867-78.....	49.4	Sweden, 1865-82	30.2
Croatia, 1874-80.....	45.3	Switzerland, 1870-82.....	30.2
Servia, 1879-83.....	43.6	Greece, 1865-82.....	28.4
Hungary, 1865-83.....	43.0	Ireland, 1865-83.....	26.4
Wurtemburg, 1865-83....	42.6	France, 1870-82.....	25.4
Average	44.8	Average.....	29.0

Of the 6,912 births reported for the year, 3,543 were males, 3,293 females, and 76 sex not stated. A statement of the births by counties, 1880–1889, may be found in Table I. A record of births by towns, giving sex, rate per 1,000 of the population, and nativity of parents, may be found in Table III. The relative proportion of male to female births will be found in Table IV.

The percentage of American and foreign-born parents will be found in the following table:

TABLE NO. 6.

Percentage of American and Foreign Births, by Counties, 1889.

COUNTIES.	Parents.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Rockingham	66.22	17.28	12.23	32
Strafford	46.09	38.72	12.90	16
Belknap	52.13	28.65	14.93	14
Carroll	75.76	7.30	9.61	19
Merrimack	52.22	29.42	15.52	26
Hillsborough	34.21	47.68	13.15	95
Cheshire	62.63	21.44	10.80	28
Sullivan	70.73	14.63	11.14	10
Grafton	71.65	10.93	11.94	38
Coös	36.76	40.60	17.77	24
Total	51.43	30.96	13.23	302

This table gives the percentage of births of American-born parents, 51.43; foreign-born parents, 30.96; one parent foreign-born, 13.23; and in 302 births the parentage was not stated. When the complete census of 1890 can be obtained, this table will prove of interest to those studying the problems relating to the

movement and development of the population of the State. In 1888 53.08 per cent of the births were of American parentage; 29.61 per cent, foreign; 12.35 per cent, one parent foreign-born; and 313 births, parentage not stated. This shows a decrease in American parentage and an increase in foreign parentage. The census of 1880 gives the foreign population of the State as 10.45 per cent of the total, and it is probable that this rate will be increased by the census of 1890, nevertheless it still holds true that the birth-rate of the foreign population is much greater than among the native-born.

The number of twin births reported for the year was 67 — exactly the same as reported for 1888. A record of these births, by months and counties, may be found in Table V. Six colored births were reported for the year, as against eight for the previous year. A record of births, by sex, months, and counties, may be found in Table VI.

MARRIAGES.

The total number of marriages registered in New Hampshire during the year 1889 was 3,621, which is 242 more than in 1888, and 126 more than in any previous year. This indicates a marriage-rate of 9.47, or 18.94 persons to each 1,000 of the estimated population of 1889. The marriage-rates for the past six years, 1884 to 1889, inclusive, computed on the estimated population of the respective years, is as follows: For 1884, 9.17; 1885, 8.78; 1886, 9.11; 1887, 9.50; 1888, 9.11; 1889, 9.68; average, 9.22.

TABLE NO. 7.

Marriage-rates for 1882 *to* 1889, *inclusive.*

YEARS.	Marriages.	Persons married to 1,000 living (estimated).	Number living to one marriage.
1882	3,433	19.44	103
1883	3,495	19.68	102
1884	3,292	18.34	109
1885	3,180	17.56	114
1886	3,324	18.22	109
1887	3,495	19.00	105
1888	3,379	18.22	109
1889	3,621	19.36	103
Average	3,402	18.72	107

Table No. 7 exhibits the number of marriages returned annually from 1882 to 1889, inclusive, with the number of persons married to each 1,000 of the estimated living population; also the estimated number of living persons to each marriage. In 1889 out of each 50.50 persons of the estimated living population, one person married. New Hampshire has a higher marriage-rate than any of the following foreign countries (whose marriage-rate maintained for a series of years is given below), with the exception of Russia and Hungary, thus:

New Hampshire,	1882-1889,	inclusive . .	18.72
Massachusetts,	1855-1887,	" . .	18.87
Rhode Island,	1860-1888,	" . .	19.80

Hungary	20.60
Russia	18.80
England and Wales, 1861-80, inclusive	16.40
Scotland, 1861–1880, inclusive	14.20
Ireland " "	9.80
France " "	15.80
Prussia " "	17.20

The number of marriages in New Hampshire for the past eight years, 1882 to 1889, inclusive, by counties, is shown in Table 8.

TABLE NO. 8.

Marriages by Counties from 1882 *to* 1889, *inclusive.*

COUNTIES.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.
Rockingham	419	399	419	447	440	457	420	484
Strafford	428	425	415	388	418	420	416	377
Belknap	166	198	147	150	183	213	183	186
Carroll	159	175	171	182	177	149	163	176
Merrimack	364	432	344	361	345	421	405	423
Hillsborough	1,025	949	886	815	876	915	879	1,013
Cheshire	232	262	238	233	240	255	221	250
Sullivan	149	167	138	109	140	123	146	154
Grafton	319	339	332	327	318	328	322	343
Coös	172	149	202	168	187	214	224	215
Total	3,433	3,495	3,292	3,180	3,324	3,495	3,379	3,621

Hillsborough county returned a larger number of marriages than any other county, the number for 1889 being 1,013, the largest number returned by this county in any single year, except in 1882, when there were 1,025 mar-

riages. Rockingham county is next in order, with 484 marriages, the largest number ever returned by this county. Merrimack county is third in the list, with 423 marriages, which number has never been exceeded except in 1883, when there were 432 marriages in this county. Strafford county reported 377 marriages for the year 1889, which is the smallest number ever returned from this county; the largest number, 428, was reported in 1882. Grafton county reported 343 marriages, which is the largest number ever returned from that county. Cheshire county returned 250 marriages, which number was exceeded in 1887 and 1883. Coös county returned 215 marriages, as against 224 in 1888. Carroll county returned 176 marriages in 1889, which number was very slightly exceeded in 1885 and 1886. Sullivan county reported 154 marriages, which has never been exceeded, except in 1883.

TABLE NO. 9.

Marriage-rates for 1882 *to* 1889, *inclusive, according to Estimated Population of each Year, by Counties.*

COUNTIES.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.
Rockingham	8.51	8.09	8.49	9.04	8.89	9.22	8.45	9.72
Strafford	11.84	11.66	11.30	10.48	11.21	11.17	10.98	9.88
Belknap	9.01	10.61	7.78	7.84	9.45	10.87	9.23	9.27
Carroll	8.73	9.62	9.40	10.01	9.74	8.21	8.98	9.71
Merrimack	7.75	9.14	7.23	7.54	7.16	8.68	8.30	8.61
Hillsborough	12.95	11.73	10.72	9.65	10.17	10.41	9.80	11.08
Cheshire	8.01	9.02	8.01	7.97	8.18	8.66	7.48	8.43
Sullivan	8.28	9.27	7.74	6.14	7.93	7.00	8.35	8.86
Grafton	8.28	8.83	8.68	8.59	8.38	8.68	8.55	9.15
Coös	8.82	7.46	9.89	8.04	8.76	9.82	10.07	9.47
Average	9.72	9.84	9.17	8.78	9.11	9.50	9.11	9.68

The marriage-rates for the years 1882 to 1889, inclusive, are given by counties in Table No. 9, according to calculations based upon the estimated population for each year. The highest marriage-rate, as well as the largest number of marriages, is returned from Hillsborough county, 11.08 marriages per 1,000 of population. The other counties follow in the order given: Strafford, 9.88; Rockingham, 9.72; Carroll, 9.71; Coös, 9.47; Belknap, 9.27; Grafton, 9.15; Sullivan, 8.86; Merrimack, 8.61; Cheshire, 8.43.

The highest marriage-rate for the entire State, as calculated upon the estimated population of that year, was in 1883, when it reached 9.84 marriages per 1,000; while the lowest rate was in 1885, 8.78. The uniformity in the marriage-rate of the State for the years 1882 to 1889, inclusive, is noticeable.

TABLE NO. 10.

Marriages and Marriage-rates by Months and Quarters, from 1883 *to* 1889, *inclusive.**

MONTHS.	Marriages Registered.								Percentage of Marriages.							
	1883.	1884.	1885.	1886.	1887.	1888.	1889.	Quarters.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	Quarters.
January	359	270	254	252	303	284	283		10.38	8.25	8.02	7.61	8.74	8.45	7.87	
February	236	264	201	191	237	242	212	4,976	6.83	8.06	6.35	5.77	6.84	7.20	5.89	21.04
March	215	184	162	224	178	185	240		6.22	5.62	5.12	6.77	5.13	5.50	6.67	
April	230	231	274	212	250	259	255		6.65	7.05	8.65	6.40	7.21	7.71	7.09	
May	282	253	244	307	276	247	306	5,726	8.16	7.73	7.71	9.28	7.96	7.35	8.51	24.23
June	239	268	269	325	316	341	342		6.91	8.19	8.50	9.82	9.11	10.14	9.51	
July	233	242	200	223	259	205	270		6.74	7.39	6.32	6.74	7.47	6.10	7.51	
August	271	221	222	239	247	239	282	5,507	7.84	6.75	7.01	7.22	7.12	7.11	7.84	23.30
September.	270	324	311	315	298	315	321		7.81	9.90	9.82	9.52	8.59	9.37	8.92	
October	350	332	320	343	376	377	351		10.12	10.14	10.11	10.36	10.84	11.22	9.76	
November	423	386	374	388	427	381	409	7,424	12.24	11.79	11.81	11.72	12.31	11.34	11.37	31.43
December	349	299	335	291	301	286	326		10.10	9.13	10.58	8.79	8.68	8.51	9.06	
Total	3,457	3,274	3,166	3,310	3,468	3,361	3,597	23,633	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

* Not including those with date not given.

Table No. 10 shows the number of marriages and marriage-rates, by months and quarters, from 1883 to 1889, inclusive. The largest number of marriages, by seasons, for the years included in the table, occurred in the fourth quarter, and the smallest number in the first quarter; 31.43 per cent of the marriages were solemnized in the fourth quarter of the year; 24.23 per cent in second quarter; 23.30 per cent in third quarter; and 21.04 per cent in first quarter. A larger number of marriages was returned for November than for any other month, while the smallest number occurred in March.

TABLE NO. 11.

Marriages for seven years, 1883 *to* 1889, *inclusive, by Ages.*

SEX.	Under 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	Over 80.	Not stated.
Males.....	1,202	8,631	6,300	2,728	1,435	818	609	454	330	481	172	12	613
Females....	6,461	8,823	3,767	1,584	933	560	385	254	151	156	24	1	686

Table No. 11 shows the marriages for seven years, 1883 to 1889, inclusive, by ages and sex. Under twenty years of age, 1,202 males were married, as against 6,461 females of the same age; between the ages of twenty and twenty-five the numbers are nearly equal, 8,631 males and 8,823 females; between the ages of twenty-five and thirty, as is the case in all subsequent age periods for the years mentioned, the males largely exceed the females, 6,300 males and 3,767 females; between thirty and thirty-five, 2,728 males and 1,584 females; between thirty-five and forty, 1,435 males and 933 females; between forty and forty-five, 818 males and 560 females; between forty-five and fifty, 609 males and 385 females; between fifty and fifty-five, 454 males and

254 females; between fifty-five and sixty, 330 males and 151 females; between sixty and seventy, 481 males and 156 females; between seventy and eighty, 172 males and 24 females; over eighty, 12 males and 1 female; age not stated, 613 males and 686 females.

TABLE NO. 12.

Marriages according to Nativity. — Percentages 1882 *to* 1889, *inclusive.*

YEARS.	Both American.	Both foreign.	Groom American.	Bride American.	Not stated.
1882	65.74	12.09	5.13	4.14	12.90
1883	66.15	12.62	5.38	4.18	11.67
1884	69.44	12.91	5.32	3.92	8.41
1885	69.75	11.57	4.97	4.84	8.87
1886	67.87	13.39	6.50	5.08	7.16
1887	65.72	15.79	6.07	5.49	6.93
1888	64.22	17.16	7.10	6.31	5.21
1889	64.32	17.04	7.40	6.55	4.69
Average	66.65	14.07	5.99	5.06	8.23

Table No 12 exhibits the percentage of marriages from 1882 to 1889, inclusive. This table shows that, for the eight years given, in 66.65 per cent of the marriages both parties were American-born; 14.07 per cent, both foreign-born; 5.99 per cent, husband American; 5.06 per cent, wife American; 8.23 per cent, nativity not stated. A study of this table, by years, shows that there has been a gradual increase in the percentage of marriages among the foreign-born population, also in those

marriages having one contracting party foreign-born, while there has, of course, been a corresponding decrease in the percentage of the American-born. It is also true that a very large proportion of the marriages with nativity not stated should be classed with the foreign-born, which would still further increase the percentage of marriages among this class.

TABLE NO. 13.

Proportion of American to Foreign Born Persons Married, for 1882 *to* 1889, *inclusive.**

YEARS.	American-born.	Foreign-born.
1882	80.80	19.20
1883	80.30	19.70
1884	80.86	19.14
1885	81.92	18.08
1886	79.34	20.66
1887	76.82	23.18
1888	74.82	25.18
1889	74.80	25.20
Average	78.71	21.29

* Excluding those with nativity not given.

Table No. 13 exhibits the relative proportion of American and foreign born persons married in this State from 1882 to 1889, inclusive. This table shows that the marriage-rate is much larger among the foreign-born population than among the American or native born. The census of 1880 gives the foreign population as 10.25 per cent of the total population of the State; but 21.29 per cent of the total marriages in the State, for the eight years given, were among the foreign-born population.

TABLE NO. 14.

Percentages of American and Foreign Born Persons Married, by Counties, for 1882 *to* 1889, *inclusive.*

YEARS.		State.	Rockingham.	Strafford.	Belknap.	Carroll.	Merrimack.	Hillsborough.	Cheshire.	Sullivan.	Grafton.	Coös.
1882	American	80.80	90.89	80.98	75.90	97.43	84.25	66.08	88.64	90.08	93.38	81.17
	Foreign	19.20	9.11	19.02	24.10	2.57	15.75	33.92	11.36	9.92	6.62	18.83
1883	American	80.30	89.63	82.05	82.78	94.22	84.17	62.84	89.57	96.92	89.63	75.76
	Foreign	19.70	10.37	17.95	17.22	5.78	15.83	37.16	10.43	3.08	10.37	24.24
1884	American	80.86	86.68	76.32	88.11	97.71	85.83	65.30	90.32	93.65	92.18	76.44
	Foreign	19.14	13.32	23.68	11.89	2.29	14.17	34.70	9.68	6.35	7.82	23.56
1885	American	81.92	86.95	81.25	83.58	97.26	87.09	67.52	90.05	91.33	89.63	76.60
	Foreign	18.08	13.05	18.75	16.42	2.74	12.91	32.48	9.95	8.67	10.37	23.40
1886	American	79.34	87.01	79.82	75.14	96.18	83.74	62.90	91.27	89.00	90.53	71.50
	Foreign	20.66	12.99	20.18	24.86	3.82	16.26	37.10	8.73	11.00	9.47	28.50
1887	American	76.82	87.15	75.70	78.71	93.88	80.29	60.59	82.98	93.97	88.50	66.42
	Foreign	23.18	12.85	24.30	21.29	6.12	19.71	39.41	17.02	6.03	11.50	33.58
1888	American	74.82	84.03	77.10	78.53	93.91	76.93	54.94	84.47	88.73	88.96	74.07
	Foreign	25.18	15.97	22.90	21.46	6.09	23.07	45.06	15.53	11.27	11.04	25.93
1889	American	74.80	84.85	72.41	82.56	93.39	79.90	56.96	85.99	90.00	88.84	65.17
	Foreign	25.20	15.15	27.59	17.44	6.61	20.10	43.04	14.01	10.00	11.16	34.83

Table No. 14 gives the percentages of American and foreign born persons married in this State during the eight years, 1882 to 1889, inclusive, by counties. This table presents a very interesting study relative to the nativity of persons married in the said counties. Comparing the marriages of 1889 with those of 1882, it will be seen that there has been a considerable increase in the percentage of foreign-born marriages in every county, with the single exception of Belknap, and a corresponding decrease in the percentage of native-born marriages. In Hillsborough county, foreign-born marriages increased from 33.92 per cent in 1882 to 43.04 per cent of the total number of marriages in 1889; in Coös county the increase was from 18.83 to 34.83 per cent; in Grafton, from 6.62 to 11.16 per cent; in Cheshire, from 11.36 to 14.01 per cent; in Merrimack, from 15.75 to 20.10 per cent; in Carroll, from 2.57 to 6.61 per cent; in Strafford, from 19.02 to 27.59 per cent; in Rockingham, from 9.11 to 15.15 per cent. In Sullivan county the percentage was increased slightly, 9.92 to 10.00 per cent in 1889. In Belknap county alone has the percentage of foreign-born marriages decreased, 24.10 per cent in 1882 and 17.44 per cent in 1889. In 1882 the relative percentages for the State were: American-born, 80.80 per cent; foreign-born, 19.20 per cent of the total. In 1889, American-born, 74.80 per cent; foreign-born, 25.20 per cent of the total.

Additional facts in relation to the marriage returns for the year 1889 may be found in Tables I., II., III., VII., VIII., IX., and X.

DIVORCES.

The law of New Hampshire says that a divorce from the bonds of matrimony shall be decreed in favor of the innocent party for either of the following causes:

1. Impotency of either party.

2. Adultery of either party.

3. Extreme cruelty of either party to the other.

4. Conviction of either party of crime punishable in this State with imprisonment for more than a year, and actual imprisonment under such conviction.

5. When either party has so treated the other as seriously to injure health.

6. When either party has so treated the other as seriously to endanger reason.

7. When either party has been absent three years together, and has not been heard of.

8. When either party is an habitual drunkard, and has been such for three years together.

9. When either party has joined any religious sect or society which professes to believe the relation of husband and wife unlawful, and refused to cohabit with the other for six months together.

10. When either party without sufficient cause, and without the consent of the other, has abandoned and refused for three years together to cohabit with the other.

11. When the husband has willingly absented himself from the wife for three years together, without making suitable provision for her support and maintenance.

12. When the wife of any citizen has willingly absented herself from her husband without his consent for three years together.

13. When the wife of any citizen has gone to reside beyond the limits of this State, and remained absent and separate from her husband ten years together without his consent and without returning to claim her marriage rights.

14. When the wife of any alien or citizen of another State, living separate, has resided in this State for three years together, her husband having left the United States with the intention of becoming a

citizen of some foreign country, and not having during that period come into this State and claimed his marital rights, and not having made suitable provision for his wife's support and maintenance.

During the year 1889, 368 divorces were decreed by the courts of New Hampshire, being 18 less than were decreed in the year 1888, and, with the exception of the year just mentioned, a larger number than in any previous year of which we have any divorce records.

Out of the 368 divorces decreed during the year, 123 were upon the charge of abandonment; 98 for extreme cruelty; 87 for adultery; 22 for habitual drunkenness; 13 for willing absence three years; 8 for extreme cruelty and habitual drunkenness; 4 for treatment injurious to health; 3 for impotency; 2 each for extreme cruelty and adultery, and absent three years; and 1 each for abandonment and adultery, conviction for crime and imprisonment, extreme cruelty, drunkenness and adultery, joining religious sect and refusal to cohabit, treatment injurious to health and extreme cruelty, and treatment injurious to health and to reason. Of the 368 libellants, 125 were males and 243 females.

The four leading causes for divorces are represented below in percentages to the total number of divorces decreed in the respective counties.

ABANDONMENT.

COUNTIES.	Percentage.	COUNTIES.	Percentage.
Cheshire	45.16	Hillsborough	40.23
Carroll	45.00	Merrimack	35.71
Strafford	44.44	Coös	32.00
Belknap	44.44	Sullivan	22.22
Rockingham	41.86	Grafton	17.94

EXTREME CRUELTY.

COUNTIES.	Percentage.	COUNTIES.	Percentage.
Coös	48.00	Hillsborough	22.98
Strafford	38.88	Belknap	22.22
Sullivan	38.88	Carroll	15.00
Grafton	35.89	Rockingham	13.95
Merrimack	30.95	Cheshire	9.67

ADULTERY.

COUNTIES.	Percentage.	COUNTIES.	Percentage.
Grafton	41.02	Merrimack	21.43
Carroll	35.00	Coös	20.00
Rockingham	34.88	Hillsborough	18.39
Belknap	29.62	Strafford	11.11
Sullivan	22.22	Cheshire	9.67

HABITUAL DRUNKENNESS.

COUNTIES.	Percentage.	COUNTIES.	Percentage.
Cheshire	12.90	Grafton	5.12
Hillsborough	8.04	Carroll	5.00
Rockingham	6.97	Merrimack	4.76
Strafford	5.55	Belknap	.....
Sullivan	5.55	Coös	.....

A detailed statement of all the causes for which divorces were decreed, tabulated by counties, may be found in Table XI.

During the past eight years, from 1882 to 1889, inclusive, there have been 2,654 divorces decreed in this State, of which 875 were on charge of abandonment; 785 for extreme cruelty; 603 for adultery; 210 for habitual drunkenness; 72 for absent three years; and 18 for willing absence three years. A tabulated statement, by counties, embracing this period may be found in Table XII., on pages 54 and 55.

TABLE NO. 15.

Divorces decreed from 1870 *to* 1889, *inclusive, by Counties.*

COUNTIES.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.
Rockingham	19	20	29	34	41	23	37	18	30	30	44	30	23	21	28	25	40	41	53	43
Strafford	12	6	24	27	25	17	20	29	29	34	58	42	36	53	32	28	46	24	41	36
Belknap	....	7	7	13	12	10	18	16	16	16	22	17	14	15	19	20	24	25	26	27
Carroll	4	1	1	9	9	4	10	13	19	13	11	19	9	7	14	20	12	12	22	20
Merrimack	15	27	32	13	51	37	40	23	22	36	41	25	49	49	48	35	46	48	49	42
Hillsborough	64	37	58	51	77	75	65	73	61	69	83	87	90	74	93	86	110	78	82	87
Cheshire	12	19	19	16	15	22	21	17	18	22	31	21	34	25	30	25	32	26	29	31
Sullivan	6	6	10	16	17	13	26	9	10	8	9	22	17	12	11	20	25	20	26	18
Grafton	13	21	15	29	22	20	20	29	17	27	25	37	27	14	28	22	30	35	40	39
Coös	4	5	2	4	12	11	9	10	11	10	15	7	15	3	12	10	17	16	18	25
Total	149	149	197	212	281	232	266	237	233	265	339	307	314	273	315	291	382	325	386	368

Table No. 15 shows the number of divorces decreed from 1870 to 1889, inclusive, by counties; it will be seen by this table that for the past nineteen years there has been, with a few exceptions, a yearly increase in the number of divorces granted. This increase is in a ratio very much exceeding that of the increase of the population of the State; between 1870 and 1880, the number was more than doubled; between 1880 and 1889, the increase has not been so marked. The number returned in 1888, 386, was the largest ever reported.

TABLE NO. 16.

Ratio of Divorces to Marriages from 1882 *to* 1889, *inclusive.*

YEARS.	Number of marriages.	Marriage-rate per 1,000.	Number of divorces.	Ratio of divorces to marriages.
1882	3,433	19.44	314	1 to 10.93
1883	3,495	19.68	273	1 to 12.80
1884	3,292	18.34	315	1 to 10.45
1885	3,180	17.56	291	1 to 10.92
1886	3,324	18.22	382	1 to 8.70
1887	3,495	19.00	325	1 to 10.75
1888	3,379	18.22	386	1 to 8.75
1889	3,621	19.36	368	1 to 9.83
Total	27,219	18.72	2,654	1 to 10.25

Table No. 16 shows the ratio of divorces to marriages from 1882 to 1889, inclusive. The ratio for the total of these years is one divorce to 10.25 marriages.

TABLE NO. 17.

Ratio of Divorces to Marriages, by Counties, for 1889.

COUNTIES.	Number of marriages.	Number of divorces.	Ratio of divorces to marriages.
Rockingham	484	43	1 to 11.25
Strafford	377	36	1 to 10.47
Belknap	186	27	1 to 6.88
Carroll	176	20	1 to 8.80
Merrimack	423	42	1 to 10.07
Hillsborough	1,013	87	1 to 11.64
Cheshire	250	31	1 to 8.06
Sullivan	154	18	1 to 8.55
Grafton	343	39	1 to 8.79
Coös	215	25	1 to 8.60
Total	3,621	368	1 to 9.83

Table No. 17 shows the ratio of divorces to marriages, by counties, for 1889. Hillsborough makes the best showing, with a ratio of one divorce to every 11.64 marriages, while Belknap stands at the foot with a ratio of one divorce to every 6.88 marriages. In Massachusetts, the ratio of divorces to marriages for the twenty years ending 1887, was one divorce to every 33 marriages; in Rhode Island during the ten years from 1879 to 1888, inclusive, the ratio was one to every 10.60 marriages.

TABLE NO. 18.

Ratio of total number of Divorces to total number of Marriages, by Counties, from 1882 to 1889, inclusive.

COUNTIES.	Number of marriages.	Number of divorces.	Ratio of divorces to marriages.
Rockingham	3,485	274	1 to 12.71
Strafford	3,287	296	1 to 11.10
Belknap	1,426	170	1 to 8.03
Carroll	1,352	116	1 to 11.65
Merrimack	3,095	366	1 to 8.45
Hillsborough	7,358	700	1 to 10.51
Cheshire	1,931	232	1 to 8.32
Sullivan	1,126	149	1 to 7.55
Grafton	2,628	235	1 to 11.18
Coös	1,531	116	1 to 13.19
Total	27,219	2,654	1 to 10.25

Table No. 18 shows the number of divorces to total number of marriages, by counties, from 1882 to 1889, inclusive; it will be seen by this table that the ratio of divorces to marriages in this State for the past eight years is one to 10.25 marriages; the lowest ratio for that period was in Coös county, being one divorce to every 13.19 marriages, while the highest ratio for the same period was in Belknap county, which was one to 8.03.

The record of divorces as presented in this report is correct, inasmuch as the facts are taken from the court records; the law directs that the clerks of the several

courts make a return of the number of divorces decreed at each term of court, with cause, and number and sex of libellants, but beyond this, no facts are reported to the registrar. It is suggested that an additional source of information concerning this subject might be secured if the law required the clerks to make similar returns of the unsuccessful cases, that is, the cause, sex of libellants, etc., with the reason why the libels were dismissed, and also give in all the returns, the length of time that the libellants have been married, with nationality, etc.

DEATHS.

The whole number of deaths returned for the year 1889 was 6,696, which was 158 more than were returned in 1888, and 221 more than the average number for the past six years. The largest mortality report for the past six years was in 1888, the total number being 6,854, which is 379 greater than the average of these years. The number of deaths reported from 1884 to 1889, inclusive, with the percentages of deaths to each 1,000 of the estimated population, is shown in Table No. 19; by estimated population, we mean the population of each year figured upon the census of 1880 and that of 1890, as shown in Table No. 3.

TABLE NO. 19.

Deaths and Death-rates from 1884 *to* 1889, *inclusive.*

YEARS.	Deaths registered.	Deaths to 1,000 of estimated population.
1884	6,194	17.26
1885	6,201	17.13
1886	6,426	17.61
1887	6,479	17.61
1888	6,854	18.48
1889	6,696	17.91
Average	6,475	17.66

The figures given in Table No. 19 show a very uniform mortality rate for the State with the exception of the year 1888, the average for the period being 17.66 to 1,000 of the population. We believe that the figures are as reliable as can be obtained under any existing system of registration, and they show that the mortality rate of New Hampshire compares favorably with that of the most healthful States in the Union that have a system of registration, or of which we have any statistics. For the purpose of comparison, the mortality rates of several countries are herewith given.

The average death-rate of Europe for nineteen years (1865–1883) was 28.1; for Europe, excluding Russia, it was 25.8, and for Russia alone, 35.7. By sections, the following were the rates for the same period:

Eastern Europe (Russia), 35.7; Central Europe, 28.3; Southern Europe, 25.6; Northwestern Europe, 20.5.

The highest and lowest rates were as follows:

COUNTRIES.	Highest.	COUNTRIES.	Lowest.
Croatia, 1874-80.....	38.7	Greece, 1865-82.....	20.8
Hungary, 1865-82.....	38.2	Denmark, 1865-82.....	19.7
Russia, 1867-78.....	35.7	Sweden, 1865-82.....	18.9
Wurtemberg, 1865-82.....	31.5	Ireland, 1865-83.....	17.8
Austria, 1865-83.....	31.0	Norway, 1865-83.....	17.2

In some of these countries, as in Croatia and Hungary, not only a high birth-rate, but also the invasion of war and of cholera and other diseases, appears to have contributed to increase the mortality rate.*

In Massachusetts, the mortality rate for thirty years ending 1888, was 19.48 per 1,000 of the population.

*Massachusetts Registration Report, 1887.

TABLE NO. 20.

Deaths and Death-rates, by Counties, from 1884 to 1889, inclusive, figured on Estimated Population.

COUNTIES.	1884.		1885.		1886.		1887.		1888.		1889.	
	Deaths.	Death-rates.	Deaths.	Death-rates.	Deaths.	Death-rates.	Deaths.	Death-rates.	Deaths.	Death-rates.	Deaths.	Death-rates.
Rockingham.....	873	17.69	911	18.43	963	19.46	876	17.67	896	18.05	875	17.61
Strafford.....	627	17.07	619	16.73	609	16.33	673	17.91	688	18.17	691	18.11
Belknap.....	285	15.09	289	15.12	362	18.71	369	18.84	392	19.78	389	19.40
Carroll.....	333	18.31	269	14.80	303	16.68	294	16.20	328	18.08	298	16.44
Merrimack.....	736	15.48	796	16.63	833	17.29	835	17.22	920	18.86	891	18.15
Hillsborough. ...	1,655	20.02	1,701	20.15	1,681	19.51	1,697	19.38	1,846	20.59	1,740	19.04
Cheshire.....	497	17.06	494	16.90	475	16.19	482	16.39	488	16.52	525	17.72
Sullivan.....	273	15.32	284	16.02	328	18.59	283	16.12	327	18.72	314	18.06
Grafton.....	652	17.06	611	16.05	616	16.24	602	15.93	655	17.35	625	16.67
Coös	263	12.88	227	10.87	256	12.00	368	16.89	314	14.11	348	15.32
Total	6,194	17.26	6,201	17.13	6,426	17.61	6,479	17.61	6,854	18.48	6,696	17.91

Table No. 20 shows the number of deaths and the death-rates, by counties, to estimated population for 1884 to 1889, inclusive. The table shows that the highest average death-rate, by counties, for the period embraced, occurred in Hillsborough county, while the lowest rate is reported from Coös county. For the year 1889, the highest death-rate, 19.40, was reported from Belknap county, and the lowest, 15.32, from Coös county; Hillsborough returned a rate of 19.04; Merrimack, 18.15; Strafford, 18.11; Sullivan, 18.06; Cheshire, 17.72; Rockingham, 17.61; Grafton, 16.67; and Carroll, 16.44; with an average for the State of 17.91.

TABLE NO. 21.

Percentages of Deaths, by Quarters, from 1884 *to* 1889, *inclusive.*

YEARS.	Percentages of deaths for quarters, ending with			
	March.	June.	Septemb'r.	December.
1884	23.23	23.40	26.63	26.74
1885	27.27	26.66	24.32	21.75
1886	23.75	23.27	28.90	24.08
1887	24.56	24.02	27.77	23.65
1888	25.94	23.72	26.82	23.52
1889	23.70	24.16	27.38	24.76
Average	24.74	24.21	26.97	24.08

Table No. 21 shows the percentages of deaths, by quarters, from 1884 to 1889, inclusive. It will be seen by this table that the greatest average mortality occurs in the quarter embracing July, August, and September, being 26.97 per cent of the total average mortality. The per-

centages for the remaining quarters are nearly uniform, being as follows: For the first quarter, 24.74; for the second quarter, 24.21; and for the fourth quarter, 24.08. In the year 1889, the mortality rate for the quarter embracing July, August, and September is somewhat larger than the average for that period of the six years given in the table, it being 27.38 per cent of the total mortality of the year. The lowest mortality of the year was in the first quarter and was 23.70 per cent, the second quarter was 24.16 per cent, and the fourth quarter was 24.76 per cent of the total mortality.

TABLE NO. 22.

Mortality of Males and Females compared, 1884 *to* 1889, *inclusive.*

YEARS.	Male decedents.	Female decedents.	Male decedents to 100 female decedents.	Death-rate of males to 1,000 male population.*	Death-rate of females to 1,000 of female populat'n.*
1884.....	30.34	31.22	97.18	17.79	17.69
1885.....	29.48	31.94	92.29	17.28	18.09
1886.....	31.55	32.12	98.20	18.50	18.20
1887.....	31.74	32.67	97.15	18.61	18.51
1888.....	34.19	33.82	101.09	20.04	19.16
1889.....	32.53	33.89.	95.98	19.07	19.20
Average....	31.63	32.61	96.98	18.55	18.47

* To population of 1880.

Table No. 22 represents the mortality of males and females compared for the years 1884 to 1889, inclusive.

It shows that the death-rate of males among the total male population is slightly in excess of that of the females to the female population, except in 1885 and 1889, when the reverse is true. The average percentage of male decedents to female decedents for the six years given is 96.98; for the year 1889, 95.98.

TABLE NO. 23.

Deaths at Different Periods, compared with the Number Living at the Same Period, 1889.*

	Deaths, 1889.	Persons living at same ages, census of 1880.	Death-rate per 1,000.
Under 1 year	1,014	6,141	165.14
Under 5 years	1,530	30,573	50.04
20 to 30 years	439	63,252	6.94
All others	4,439	253,166	17.53
All ages	6,408	346,991	18.46

* Excluding still births and premature births.

Table No. 23 exhibits the number of deaths at different age periods compared with the number of persons living at the same age periods, for the year 1889. This table shows a death-rate under one year of age, of 165.14 to each 1,000 living of the same age; under five years, a rate of 50.04; between 20 and 30 years, a rate of 6.94; all others, 17.53.

TABLE NO. 24.

Deaths at Age Periods by Percentages, for 1883 *to* 1889, *inclusive.*

YEARS.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	Over 60.	Unknown.
1883...	14.13	7.58	2.56	5.55	8.58	6.73	6.22	7.64	37.93	3.08
1884...	16.22	7.36	2.61	5.30	7.93	6.26	6.33	7.75	38.38	1.86
1885...	15.98	7.14	2.11	4.42	7.50	6.71	6.71	7.76	40.09	1.58
1886...	16.89	7.70	2.86	4.82	7.73	6.55	6.12	7.47	38.86	1.00
1887...	17.64	7.26	2.05	4.89	6.96	6.25	6.56	7.72	39.70	.97
1888...	19.23	7.63	2.04	4.93	7.07	6.00	5.53	7.57	38.72	1.18
1889...	19.44	7.71	2.66	4.64	6.56	6.15	5.93	7.63	38.40	.88
Av'ge.	17.07	7.48	2.41	4.94	7.47	6.39	6.20	7.65	38.79	1.51

Table No. 24 shows the percentages of deaths at different ages to the total mortality, from 1883 to 1889, inclusive. It will be seen by this table that for the period of years given, 17.07 per cent of the decedents were under one year of age; 7.48 were between 1 and 5; 2.41 were between 5 and 10; 4.94 were between 10 and 20; 7.47 were between 20 and 30; 6.39 were between 30 and 40; 6.20 were between 40 and 50; 7.65 were between 50 and 60; 38.79 were over 60 years of age.

TABLE NO. 25.

Deaths by Ages and Sex, from 1884 *to* 1889, *inclusive.**

YEARS.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.
1884....Males	460	243	72	136	224	168	180	245	322	502	292	30	1	60
Females	353	212	90	192	266	220	211	235	336	444	379	70	...	51
Not stated	3	1	....	.....	1	.....	1	.. ..	1	.....	.....	....	...	4
Total	816	456	162	328	491	388	392	480	659	946	671	100	1	115
1885....Males	416	225	62	109	190	181	190	252	394	478	284	32	1	43
Females	371	217	68	164	275	235	226	225	355	463	398	74	2	50
Not stated	18	1	1	1	.....	.....	.....	4	2	3	.....	.....	.....	5
Total	805	443	131	274	465	416	416	481	751	944	682	106	3	98
1886....Males	487	273	94	132	205	188	198	228	368	499	317	42	2	33
Females	385	221	90	178	292	233	195	252	339	447	397	83	3	28
Not stated	19	1	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
Total	891	495	184	310	497	421	393	480	707	946	714	125	5	64
1887....Males	490	231	71	142	196	184	186	254	377	512	336	45	1	34
Females	416	239	61	175	255	221	239	246	358	494	350	93	6	28
Not stated	8	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	...	1
Total	914	470	133	317	451	405	425	500	735	1,006	686	138	7	63

*Excluding still births and premature births.

TABLE NO. 25. — *Continued.*

YEARS.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.
1888....Males	588	280	75	144	213	177	180	257	392	507	377	47	1	57
Females	459	243	65	194	271	241	199	262	375	511	369	79	5	23
Not stated	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Total	1,060	523	140	338	484	418	379	519	767	1,018	737	126	6	81
1889....Males	536	269	90	131	187	186	175	241	381	492	342	43	...	29
Females	470	245	88	179	251	226	222	270	398	471	366	75	3	29
Not stated	8	2	....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1
Total	1,014	516	178	311	439	412	397	511	779	963	708	118	3	59
Grand total	5,500	2,903	928	1,878	2,827	2,460	2,402	2,971	4,398	5,823	4,198	713	25	480

TABLE NO. 26.

*Percentages of Deaths by Ages and Sex to Total Mortality, from 1884 to 1889, inclusive.**

YEARS.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.
1884...Males.....	16.00	8.45	2.51	4.73	7.79	5.84	6.26	8.52	11.20	17.46	10.16	1.04	.04
Females	11.74	7.05	2.99	6.38	8.84	7.31	7.02	7.81	11.17	14.76	12.60	2.33	...
Total.....	13.82	7.73	2.75	5.57	8.33	6.60	6.65	8.16	11.18	16.08	11.41	1.70	.02
1885...Males.....	14.78	8.00	2.20	3.87	6.75	6.43	6.75	8.96	14.00	16.99	10.09	1.14	.04
Females.....	12.07	7.06	2.21	5.34	8.95	7.65	7.35	7.32	11.55	15.07	12.95	2.41	.07
Total.....	13.37	7.51	2.21	4.64	7.95	7.07	7.07	8.10	12.72	15.98	11.58	1.80	.05
1886...Males.....	16.06	9.00	3.10	4.35	6.75	6.20	6.53	7.52	12.13	16.45	10.45	1.39	.07
Females	12.36	7.10	2.89	5.71	9.37	7.48	6.26	8.09	10.88	14.35	12.74	2.67	.10
Total.....	14.18	8.04	2.99	5.04	8.08	6.85	6.39	7.81	11.50	15.39	11.62	2.03	.08
1887...Males.....	16.20	7.64	2.35	4.69	6.48	6.08	6.15	8.40	12.46	16.92	11.11	1.49	.03
Females	13.19	7.58	1.94	5.55	8.09	7.01	7.58	7.80	11.35	15.67	11.10	2.95	.19
Total.....	14.67	7.61	2.14	5.13	7.30	6.56	6.88	8.09	11.90	16.28	11.10	2.23	.11
1888...Males.....	18.16	8.65	2.31	4.45	6.58	5.47	5.56	7.94	12.10	15.66	11.64	1.45	.03
Females	14.06	7.45	1.99	5.94	8.30	7.38	6.10	8.03	11.49	15.66	11.03	2.42	.15
Total.....	16.10	8.04	2.15	5.20	7.44	6.43	5.83	7.98	11.80	15.66	11.34	1.94	.09
1889...Males	17.44	8.75	2.93	4.26	6.09	6.05	5.70	7.84	12.40	16.01	11.13	1.40	....
Females	14.40	7.51	2.70	5.48	7.69	6.92	6.80	8.27	12.20	14.43	11.21	2.30	.09
Total.....	15.88	8.11	2.81	4.89	6.91	6.50	6.27	8.06	12.29	15.20	11.17	1.86	.05
Grand total	14.70	7.85	2.51	5.08	7.65	6.66	6.50	8.03	11.90	15.76	11.36	1.93	.07

* Excluding those with age and sex not stated, and premature and still births.

Table No. 25 gives the number of deaths by age periods and sex, from 1884 to 1889, inclusive.

Table No. 26 shows the percentages of deaths by age periods and sex to total mortality, from 1884 to 1889, inclusive. Tables 25 and 26 are instructive in stating the mortality by ages for the past six years according to sex of the decedents. The percentages given in Table No. 26 vary slightly from those in Table No. 24, by reason of excluding from the former table those decedents whose age or sex was not stated, which occurs largely among those under one year of age, and also excluding the still and premature births. This table shows the greatest death-rate to total mortality for the past six years to have occurred between the ages of 70 and 80, it being 15.76 per cent; this is followed by 14.70 per cent, under one year of age; 11.90 per cent, between 60 and 70; 11.36 per cent, between 80 and 90; 8.03 per cent, between 50 and 60; 7.85 per cent, between 1 and 5; 7.65 per cent, between 20 and 30; 6.66 per cent, between 30 and 40; 6.50 per cent, between 40 and 50; 5.08 per cent, between 10 and 20; 2.51 per cent, between 5 and 10; 1.93 per cent, between 90 and 100; and .07 per cent, over 100 years of age, to total mortality.

There is nothing shown more forcibly in Tables 23, 24, 25, and 26, than the large infant mortality which occurs annually in the State; nearly one fourth, or 24.55 per cent, of all the deaths occurring in the past seven years have been in persons under five years of age, and the mortality among this class, as shown by Table No. 24, has been steadily increasing. In 1883, the percentage of deaths of persons under five years of age, was 21.71; in 1884, 23.58; in 1885, 23.12; in 1886, 24.59; in 1887, 24.90; in 1888, 26.86; in 1889, 27.15.

TABLE NO. 27.

Deaths of Children under Five Years of Age, by Seasons, 1889.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Months.....	85	97	89	113	80	141	169	240	199	118	97	100
Quarters.....		271			334			608			315	
Percentages...		17.73			21.86			39.79			20.62	
Half-years			605						923			
Percentages...			39.59						60.41			
Total deaths...						1,528						
						100.00						

Table No. 27 shows the deaths of children under five years of age by months and seasons, and the percentages of deaths by quarters and half-years, for the year 1889. The mortality by quarters is as follows: January, February, and March, 271; April, May, and June, 334; July, August, and September, 608; October, November, and December, 315. These figures give a percentage for the first quarter of 17.73; for the second quarter, 21.86; for the third quarter, 39.79; for the fourth quarter, 20.62. There were 605 deaths during the first half-year, and 923 the second half-year; 39.59 per cent the first half-year, and 60.41 the second half-year; the total number of children under five years of age that died during the year was 1,528. August was the most fatal month, with a mortality of 240, followed by September with 199; July, 169; June, 141; October, 118; April, 113; December, 100; February and November, each 97; March, 89; January, 85; and May, 80.

TABLE NO. 28.

Deaths by Seasons, 1889.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Months.....	493	479	545	553	491	503	556	641	556	579	484	522
Quarters.....		1,517			1,547			1,753			1,585	
Percentages...		23.70			24.16			27.38			24.76	
Half-years.....			3,064						3,338			
Percentages...			47.86						52.14			
Total deaths...						6,402						
						100.00						

Table No. 28 gives the total deaths for the year 1889, by months and seasons, with percentages for the quarters and half-years. Of the 6,402 decedents reported for the year, 1,517 died in the first quarter, 1,547 in the second quarter, 1,753 in the third quarter, and 1,585 in the fourth quarter. Considered by percentages, 23.70 per cent died in the first quarter, 24.16 in the second quarter, 27.38 in the third quarter, and 24.76 in the fourth quarter of the year. Dividing the year into halves, 3,064, or 47.86 per cent, died in the first half, and 3,338, or 52.14 per cent, in the second half. The increased percentage of July, August, and September over the other quarters is due to the mortality from cholera morbus and other infantile diseases incident to those months.

TABLE NO. 29.

Nativity of Persons Deceased for 1889, *by Counties.*

COUNTIES.	Total deaths.*	Native-born.		Foreign-born.	
		Deaths.	Percentages.	Deaths.	Percentages.
Rockingham	875	703	91.66	64	8.34
Strafford	691	543	83.80	105	16.20
Belknap	389	319	92.46	26	7.54
Carroll	298	274	98.92	3	1.08
Merrimack	891	755	91.07	74	8.93
Hillsborough	1,740	1,333	80.79	317	19.21
Cheshire	525	422	91.14	41	8.86
Sullivan	314	266	91.10	26	8.90
Grafton	625	523	94.58	30	5.42
Coös	348	245	83.62	48	16.38
Total	6,696	5,383	88.00	734	12.00

* Including those whose nativity was not recorded. In the calculations of percentages, the rates are not given to the *total* reported deaths, but only to the total of those cases where the nativity was stated.

Table No. 29 gives the nativity of persons who died during the year 1889, by counties, with percentages for each county. This table shows the highest percentage of foreign-born decedents to have been in Hillsborough county, which was 19.21 per cent, followed by Coös county with 16.38 per cent; Strafford, with 16.20 per cent; Merrimack, with 8.93 per cent; Sullivan, with 8.90 per cent; Cheshire, with 8.86 per cent; Rocking-

ham, with 8.34 per cent; Belknap, with 7.54 per cent; Grafton, with 5.42 per cent; and Carroll, with 1.08; for the entire State, the percentage was 12. The difference between the percentages of the nativity of the several counties is largely accounted for by the industries and occupations of those counties, and probably follows approximately the ratio of the foreign-born to the native-born population of the counties.

TABLE NO. 30.

Nativity of Persons Deceased from 1884 *to* 1889, *inclusive.*

YEARS.	Total deaths.*	Native-born.		Foreign-born.	
		Deaths.	Percentages.	Deaths.	Percentages.
1884	6,194	4,868	89.01	601	10.99
1885	6,201	4,847	89.35	578	10.65
1886	6,426	4,989	88.52	647	11.48
1887	6,479	5,131	88.03	698	11.97
1888	6,854	5,449	87.53	776	12.47
1889	6,696	5,383	88.00	734	12.00

* Including those whose nativity was not recorded. In the calculations of percentages, the ratios are not given to the *total* reported deaths, but only to the total of those cases where the nativity was stated.

Table No. 30 shows the nativity of the persons deceased from 1884 to 1889, inclusive, with percentages for each year. This table shows a decrease in the percentages for the years given of the native-born, and a corresponding increase in the percentages of the foreign-born decedents; and these percentages would probably be somewhat larger if the unreported nativities were returned, as doubtless the greater part of them belong to the foreign-born population.

TABLE NO. 31.

Deaths in 1889, *Aged One Hundred Years, or more.*

Date of death.	NAME.	Age.			Place of death.	Birthplace.	Single, married, or widowed.
		Years.	Months.	Days.			
June 4.....	Mary Kenney	106	....	.....	Dover	Ireland	Widowed.
June 6.....	Deborah Ewins.....	100	5	6	Grafton.....	Greenfield, N. H..	Widowed.
December 30..	Abiah Coburn.....	100	2	19	Salem	Salem, N. H	Widowed.

In Table No. 31 are given the names of the persons reported to have arrived at 100 years, or more, who died during the year 1889.

CAUSES OF DEATH.

Out of the total 6,696 deaths for the year 1889, there were 284 with the cause of death not stated, or about 4.24 per cent of the total mortality. There were several reasons why these 284 causes of death were not reported. In some instances, a meaningless cause was given or one that would not admit of classification. Again it was due to a failure of the local registrars to read the cause of death on the physician's certificate, and again it was owing to carelessness in making proper returns by the local registrars. However, this number of unreported causes is so small that it does not materially affect the calculations in the various tables. It may be remarked that within the past few years since returns have been required from the physicians, the causes of death have been much more accurately given than heretofore, hence it is possible to make a more accurate classification of them than formerly.

TABLE NO. 32.

Causes of Death, by Classes, 1884 *to* 1889, *inclusive.*

	1884.	1885.	1886.	1887.	1888.	1889.
I. — Zymotic diseases.....	907	890	1,095	1,073	1,097	1,172
II. — Constitutional diseases .	1,276	1,271	1,284	1,222	1,200	1,114
III. — Local diseases.....	2,594	2,637	2,610	2,731	2,994	2,852
IV. — Developmental diseases.	857	848	948	952	1,016	1,041
V. — Violent deaths.....	201	225	206	218	234	233

Table No. 32 gives the causes of death, by classes, from 1884 to 1889, inclusive.

TABLE NO. 33.

*Percentage of Causes of Death, by Classes, 1884 to 1889, inclusive.**

YEARS.	Classes.				
	Zymotic.	Constitutional.	Local.	Developmental.	Violent deaths.
1884	15.9	22.4	45.7	12.3	3.5
1885	13.9	22.2	46.0	12.2	3.6
1886	18.2	21.4	43.4	13.4	3.4
1887	17.9	20.4	45.7	12.1	3.6
1888	17.4	19.1	47.6	12.0	3.7
1889	19.1	18.2	46.5	12.3	3.8
Average	17.1	20.6	45.8	12.4	3.6

* Excluding deaths from unspecified causes and still births.

Table No. 33 gives the percentage of causes of death by classes for the same years as Table No. 32. It will be seen by Table No. 33 that the percentage of deaths under the zymotic class was larger for the year 1889 than that returned for any other year. In 1884 it was 15.9 per cent of the total mortality; in 1885 it was 13.9; in 1886 it was 18.2; in 1887 it was 17.9; in 1888 it was 17.4; and in 1889 it was 19.1. The average percentage in this class for the past six years was 17.1, the rate for the year 1889 being 2 per cent higher than the average for the six years.

Under constitutional diseases, there has been a corresponding decrease. The highest rate was 22.4 per cent,

in 1884; in 1885 it was 22.2 per cent; in 1886 it was 21.4; in 1887 it was 20.4; in 1888 it was 19.1; and in 1889 it was 18.2, the lowest rate for the six years given.

In the local class the variation has not been so great. In 1884, 45.7 per cent of the total mortality was reported as local diseases; in 1885, 46.0 per cent; in 1886, 43.4 per cent; in 1887, 45.7 per cent; in 1888, 47.6 per cent; in 1889, 46.5 per cent. The average for the six years is 45.8 per cent.

Deaths from developmental diseases have varied but slightly in proportion to the total mortality during the period under consideration. The highest percentage was 13.4 in 1886, and the lowest, 12.0, in 1888, while the average for the six years is 12.4.

The classification of violent deaths has been nearly uniform during the six years, being for each year a fraction over 3 per cent of the total mortality, and averaging 3.6 per cent.

TABLE NO. 34.

Causes of Death, by Classes and Counties, 1889.

COUNTIES.	Zymotic.		Constitutional.		Local.		Developmental.		Violent.		Unspecified.		Total.
	Number.	Percentage.	Number.	Percentage.	Number.	Percentage.	Number.	Percentage.	Number.	Percentage.	Number.	Percentage.	
Rockingham	123	14.05	161	18.40	384	43.88	147	16.80	27	3.08	33	3.77	875
Strafford	178	25.76	121	17.51	239	34.58	103	14.90	19	2.75	31	4.48	691
Belknap	53	13.62	71	18.25	180	46.27	55	14.14	14	3.60	16	4.11	389
Carroll	36	12.08	50	16.77	156	53.35	32	10.73	11	3.69	13	4.36	298
Merrimack	107	12.01	154	17.28	432	48.48	137	15.37	32	3.59	29	3.25	891
Hillsborough	379	21.78	270	15.51	645	37.06	293	16.83	55	3.16	98	5.63	1,740
Cheshire	101	19.23	85	16.19	218	41.52	82	15.62	19	3.62	20	3.81	525
Sullivan	36	11.46	52	16.56	161	51.27	43	13.69	14	4.45	8	2.56	314
Grafton	73	11.68	111	17.76	312	49.92	84	13.44	25	4.00	20	3.20	625
Coös	86	24.71	39	11.20	125	35.92	65	18.67	17	4.88	16	4.59	348
Total	1,172	17.50	1,114	16.63	2,852	42.59	1,041	15.54	233	3.47	284	4.24	6,696

Table No. 34 represents the causes of death by classes and counties. It is to be remembered that Table No. 33 excludes deaths from unspecified causes and still births, while in Table No. 34 these are included, hence the slight difference in the percentages of the classes, those in Table No. 33 being computed upon the total mortality with the deaths from unspecified causes and still births excluded.

In the zymotic class the variation in the several counties is very marked, the lowest rate being in Sullivan county, 11.46 per cent; the highest is in Strafford county, and is 25.76; followed by 24.71 per cent in Coös, 21.78 in Hillsborough, 19.23 in Cheshire, 14.05 in Rockingham, 13.62 in Belknap, 12.08 in Carroll, 12.01 in Merrimack, and 11.68 in Grafton. The percentage for the State is 17.50 per cent of the total mortality.

Under constitutional diseases the percentages differ somewhat in the several counties. The lowest rate is 11.20, in Coös county, and the highest, 18.40, in Rockingham county; the other percentages are 18.25 in Belknap, 17.86 in Grafton, 17.51 in Strafford, 17.28 in Merrimack, 16.77 in Carroll, 16.56 in Sullivan, 16.19 in Cheshire, and 15.51 in Hillsborough county. The rate for the State is 16.63 per cent.

Under local diseases, the highest rate, 53.35, is from Carroll county, and the lowest, 34.58, is from Strafford; Sullivan county returns a rate of 51.27 per cent; Grafton county, 49.92 per cent; Merrimack, 48.48 per cent; Belknap, 46.27 per cent; Rockingham, 43.88 per cent; Cheshire, 41.52 per cent; Hillsborough, 37.06 per cent; Coös, 35.92 per cent; for the State, 42.59 per cent.

In the developmental class the percentages are more uniform, the highest being 18.67, in Coös county, and the lowest, 10.73, in Carroll county; for the State, 15.54 per cent.

Under the class of violent deaths were registered 233

deaths, or 3.47 per cent of the total mortality. Of this number, 200 were reported under the order of accident and negligence, 29 under suicide, and 4 under homicide.

TABLE NO. 35.

Mortality from Prominent Zymotic Diseases from 1884 *to* 1889, *inclusive.*

YEARS.	Diseases.												
	Cholera infantum.	Croup.	Diarrhea.	Diphtheria.	Dysentery.	Erysipelas.	Fever, cerebro-spinal.	Fever, typhoid. *	Measles.	Pertussis.	Scarlatina.	Septicæmia.	Total.
1884	266	49	53	110	80	19	25	137	3	14	52	27	835
1885	219	74	59	78	40	25	20	136	45	25	53	38	812
1886	362	64	38	156	79	18	26	194	18	26	21	27	1,029
1887	336	84	38	177	53	20	34	134	39	21	26	30	992
1888	370	94	50	103	63	36	34	150	55	23	34	29	1,041
1889	353	88	68	210	67	27	25	161	16	47	18	29	1,109
Average	318	75	51	139	64	24	27	152	29	26	34	30	970

* Including fever, bilious, and typho-malarial fever.

Table No. 35 represents the mortality from the most prominent zymotic diseases for the years 1884 to 1889, inclusive. The greatest mortality under this class is chargeable to cholera infantum, which for the period given has averaged 318 deaths annually. The largest number in any one year was 370, in 1888, followed by 362 deaths in 1886, 353 in 1889, 336 in 1887, 266 in 1884, and 219 in 1885. The next disease in fatality in-

cluded in this class is typhoid fever, with an average number of 152 deaths for the six years given. Diphtheria stands next in order on the list, with an average of 139 deaths for each year, followed by croup with an annual average of 75. The principal causes of death given in this table and also under the other classes will be considered further on under their special heads.

TABLE NO. 36.

Mortality from Principal Constitutional Diseases, 1884 *to* 1889, *inclusive.*

YEARS.	Diseases.										
	Dropsy.	Anæmia.	Cancer.	Mortification.	Rheumatism.	Scrofula.	Tabes mesenterica.	Phthisis (pulmonary).	Hydrocephalus.	Tubercular meningitis.	Total.
1884	80	43	213	18	26	26	4	865	27	*	1,302
1885	90	32	212	24	28	22	2	857	25	*	1,292
1886	83	28	206	27	47	16	11	809	33	19	1,279
1887	79	17	218	29	47	16	7	766	23	16	1,218
1888	75	34	203	22	43	21	14	742	30	13	1,197
1889	62	40	213	21	43	22	13	651	21	24	1,110
Average	78	32	211	23	39	20	8	782	26	18	1,233

* Not classed separately.

Table No. 36 shows the mortality from prominent constitutional diseases from 1884 to 1889, inclusive. Pulmonary consumption represents the largest mortality

from any disease recorded, the average for the past six years being 782 deaths annually. It will be seen by this table that the mortality from the disease has diminished each year, the number reported for 1889, 651, being the lowest recorded in any one year, while the largest number, 865, was returned in the year 1884. Cancer stands next in this table, with an annual average of 211. The uniformity of the annual returns from this disease is noticeable, the greatest difference between any two years being 15.

TABLE NO. 37.

Mortality from Principal Local Diseases, 1884 *to* 1889, *inclusive*.

YEARS.	Diseases.													
	Apoplexy.	Paralysis.	Convulsions.	Cephalitis.*	Brain disease.	Heart disease.	Bronchitis.	Pneumonia.	Enteritis.	Gastritis.	Peritonitis.	Liver disease.	Bright's disease, nephritis, and other kidney diseases.	Total.
1884	192	248	99	120	134	507	78	436	69	44	61	63	140	2,191
1885	206	278	93	133	122	489	112	504	57	49	44	63	157	2,307
1886	220	249	71	141	127	510	81	466	53	66	48	71	143	2,246
1887	210	253	64	117	121	552	114	556	57	54	48	69	163	2,384
1888	243	273	88	143	112	575	142	628	39	51	63	72	154	2,634
1889	259	196	76	151	126	564	127	582	56	42	57	56	200	2,492
Average	222	249	82	134	124	533	109	529	55	51	53	66	159	2,376

* Meningitis and cerebritis included.

Table No. 37 gives the mortality from the principal

local diseases from 1884 to 1889, inclusive, with an annual average of 2,376 deaths from these causes. Heart disease was the most fatal of the diseases in this table, with an average of 533 deaths each year, against 564 for the year 1889. Pneumonia was the next in numbers, with a yearly average of 529, while 582 were returned for 1889. Following these are, paralysis, with an average of 249; apoplexy, 222; kidney diseases, 159; cephalitis, 134; brain disease, 124; bronchitis, 109; convulsions, 82; liver disease, 66; enteritis, 55; peritonitis, 53; and gastritis, 51. There were 259 deaths from apoplexy in the year 1889, which is 37 more than the average for the six years, while paralysis is charged with 196 deaths, which is 53 less than the average for that disease for the period given.

TABLE NO. 38.

Mortality from Principal Developmental Diseases, 1884 *to* 1889, *inclusive.*

YEARS.	Diseases.									
	Still-born.	Debility, infantile.	Debility, premature birth.	Malformations.	Teething.	Innutrition.	Childbirth.	Old age.	Atrophy and debility.	Total.
1884.....	156	*	35	13	19	*	27	457	144	851
1885.....	145	*	39	13	13	*	31	420	167	828
1886.....	140	68	54	12	16	50	30	468	98	936
1887.....	166	56	63	10	20	76	27	449	78	945
1888.....	189	91	69	19	20	81	20	407	112	1,008
1889.....	220	79	68	24	18	63	27	426	104	1,029
Average...	169	73	55	15	18	67	27	438	117	933

*Classed with atrophy and debility.

Table No. 38 shows the mortality from the most prominent developmental diseases from 1884 to 1889, inclusive. Under old age, a yearly average of 438 was recorded. This strictly should not be classed as a disease, being more a condition at the time of death than a disease causing death. However, this term is a convenient one under which to return deaths in cases where the cause is uncertain or obscure, and there are doubtless many included under this name which should properly be otherwise classified. One hundred and seventeen deaths are recorded from atrophy and debility, as average for the period given, as against 104 for the year 1889. The average number of still births returned yearly is 169, while there were 220 reported for the year 1889.

TABLE NO. 39.

Mortality from Twenty Prominent Causes, 1884 to 1889, inclusive.

CAUSES OF DEATH.	Deaths in 1889.	Order of Fatality.					
		1889.	1888.	1887.	1886.	1885.	1884.
Consumption	651	1	1	1	1	1	1
Pneumonia	582	2	2	3	5	2	5
Heart disease	564	3	3	2	2	4	2
Apoplexy and paralysis	455	4	4	4	3	3	4
Old age	425	5	5	5	4	5	3
Cholera infantum	353	6	6	6	6	6	6
Cancer	213	7	7	7	7	7	7
Diphtheria	210	8	15	9	10	18	13
Accident and negligence	200	9	8	8	9	8	11
Typhoid fever *	161	10	9	10	8	9	10
Cephalitis †	151	11	10	12	11	10	12
Diarrhea and dysentery	135	12	12	14	13	15	9
Bright's disease	128	13	20	15	15	14	14
Bronchitis	127	14	11	13	17	12	17
Brain disease	126	15	13	11	12	11	8
Atrophy and debility	104	16	14	18	14	13	18
Croup	88	17	16	16	21	19	22
Debility, infantile	79	18	17	23	22	‡	....
Convulsions	76	19	18	21	19	16	15
Innutrition	63	20	19	19	23	‡	....

* Fever, bilious fever, and typho-malarial fever included.
† Meningitis and cerebritis included.
‡ Classed with atrophy and debility.

Table No. 39 shows the mortality from twenty prominent causes of death from 1884 to 1889, inclusive. This table is interesting in showing the relative variation of mortality from the diseases given, during the past six years. Consumption has always stood at the head of the list; pneumonia was second in 1889, 1888, and 1885, third in 1887, and fifth in 1886 and 1884; heart disease was second in 1887, 1886, and 1884, third in 1889 and 1888, and fourth in 1885; apoplexy and paralysis ranked third in 1886 and 1885 and fourth in 1889, 1888, 1887, and 1884; old age was third in 1884, fourth in 1886, and fifth in 1889, 1888, 1887, and 1885; for the six years given, cholera infantum has remained the sixth in rank; cancer has held the seventh position in the list during this period, while the other diseases given in this table show much greater variation, diphtheria ranging from the eighth rank in 1889, to the eighteenth in 1885, and increasing from the fifteenth in 1888 to the eighth in 1889. The comparative mortality from all the diseases given in this table is graphically represented in the accompanying diagram, which shows at a glance the relative mortality from the twenty most prominent causes of death recorded in the year 1889.

DIAGRAM NO. 1, SHOWING THE COMPARATIVE MORTALITY, BY ABSOLUTE NUMBER OF DECEDENTS, FROM TWENTY PROMINENT CAUSES OF DEATH DURING YEAR ENDING DECEMBER 31, 1889.



In the following tables, some of the more prominent causes of death are considered in detail, embracing in some cases data covering the past six years, or since the registration report has become sufficiently reliable to make calculations of value. Dr. S. W. Abbott, in the admirable registration report of Massachusetts, truly says: "The chief value of statistics of mortality consists in the fact that they constitute an important index of sanitary conditions. Such statistics are influenced not only by natural causes of a climatic or meteorological character, but also by those artificial causes which are embraced in the general term, public sanitation, namely, water supply, sewerage, ventilation, food supply, the prophylaxis of infectious diseases, density of population, and the housing of the working classes. The effect of a just administration of such matters is manifested in the mortality statistics of any community. It is for this reason that a correct use of registration statistics is essential to their interpretation for general as well as for sanitary purposes."

The short period covered by accurate registration in New Hampshire does not admit of deductions upon an extensive scale, but in a few years, if the registration relating to deaths is maintained as exactly as at present, we shall be in possession of data that will be very valuable from a sanitary standpoint.

CONSUMPTION.

TABLE NO. 40.

Mortality from Consumption from 1884 *to* 1889, *inclusive.*

YEARS.	Deaths.	Percentages of deaths to deaths from all causes.	Death rates per 10,000 living (estimated population).
1884	868	14.01	24.18
1885	857	13.82	23.68
1886	809	12.58	22.17
1887	766	11.82	20.82
1888	742	10.82	20.01
1889	651	9.72	17.42
Total	4,693	.....	.....
Average	782	12.13	21.38

The mortality from pulmonary consumption is and always has been much larger than that from any other cause of death; the number of deaths from this disease reported during the year 1889 was 651, which is 91 less than the number returned for 1888, and 131 less than the average for the past six years. During the period of years under consideration, 4,693 deaths from consumption have been returned, making an annual average of 782. In 1884 this disease caused 14.01 per cent of all the deaths reported; in 1885, 13.82 per cent; in 1886,

12.58 per cent; in 1887, 11.82 per cent; in 1888, 10.82 per cent; and in 1889, 9.72 per cent. These figures represent a constant decrease in the mortality rate since 1884; the average rate to the total mortality for the six years given is 12.13, while the rate for 1889 is only 9.72. The death-rate from this disease to each 10,000 of the living, based upon the calculated population for the respective years, is as follows: in 1884, 24.18 per 10,000; in 1885, 23.68; in 1886, 22.17; in 1887, 20.82; in 1888, 20.01; in 1889, 17.42; average for the six years, 12.38. It will be seen, therefore, that there is a corresponding agreement in the ratios, whether considered by the total number of deaths from the disease, the percentages of deaths to the total mortality, or death-rates to the living population of each year. Table No. 40 shows these facts at a glance.

It is impossible to give in these tables very reliable ratios between death-rates of a given age period and the number living of the same age period, owing to the fact that we have no figures upon which to make calculations later than the census of 1880, as the census of 1890 is not yet completed. However, the computations based upon the census of 1880 by age periods will doubtless give a result approximately correct for the period 1884 to 1889, inclusive; therefore two diagrams are inserted showing the death-rate of consumption per 10,000 of the population living at each age period.

DIAGRAM NO. 2, SHOWING DEATH-RATE FROM CONSUMPTION IN NEW HAMPSHIRE PER 10,000 OF THE POPULATION LIVING AT EACH AGE PERIOD, (CENSUS OF 1880) FOR THE YEARS 1884–89, INCLUSIVE.



Diagram No. 2 shows the death-rate from consumption by age periods for the six years, 1884 to 1889, inclusive.

DIAGRAM NO. 3, SHOWING DEATH-RATE FROM CONSUMPTION IN NEW HAMPSHIRE PER 10,000 OF THE POPULATION LIVING AT EACH AGE PERIOD (CENSUS OF 1880) FOR 1889.



Diagram No. 3 shows the death-rate from consumption by age periods for the year 1889. The population in

New Hampshire by age periods in 1880, was as follows: Total, 346,991; under one, 6,144; one to five, 24,432; five to ten, 30,230; ten to fifteen, 30,669; fifteen to twenty, 32,055; twenty to thirty, 63,252; thirty to forty, 46,532; forty to fifty, 39,344; fifty to sixty, 31,998; sixty to seventy, 23,417; seventy to eighty, 14,227; over eighty, 4,695.

The percentages and diagrams show that the mortality from consumption is relatively larger in old age than in earlier life. Diagram No. 2 for the six years included, shows that for that period the highest rate of mortality from consumption by age periods to the living population of that age was among persons over 80 years of age, being 40.04 per 10,000 of the living population of that age period. In 1889 the highest death-rate was among persons between 70 and 80 years of age, it being 37.25 per 10,000 of the living population of that age period. It will be seen that in diagram No. 3 the rates of persons in middle life are somewhat lower for 1889 than those for the six previous years. The diagrams correspond very closely with those constructed on the mortality rates from consumption in other States, and may be regarded as representing very accurately the relative death-rates from the disease, by age periods.

The estimated population of the State for each year may be looked upon as approximately correct and can be relied upon; a percentage from certain diseases based upon the total mortality may also be considered reliable. There are, therefore, two methods of making deductions, both of which we believe to be sufficiently accurate for all purposes.

TABLE NO. 41.

Mortality from Consumption, by Counties, with Percentages of Deaths to Total Mortality, from 1884 *to* 1889, *inclusive.*

COUNTIES.	1884.		1885.		1886.		1887.		1888.		1889.		Average.	
	Deaths.	Percentages.	Deaths.	Percentages.	Deaths.	Percentages.	Deaths.	Percentages.	Deaths.	Percentages.	Deaths.	Percentages.	Deaths.	Percentages.
Rockingham	130	14.89	134	14.70	142	14.74	130	14.84	96	10.71	88	10.05	120	13.32
Strafford	105	16.74	96	15.50	96	15.76	80	11.88	93	13.51	75	10.85	91	14.04
Belknap	54	18.94	50	17.30	37	10.22	48	13.00	46	11.73	42	10.79	46	13.66
Carroll	46	13.81	33	12.26	41	13.53	33	11.22	26	7.92	29	9.73	35	11.41
Merrimack	91	12.36	102	12.81	79	9.48	96	11.49	101	10.97	88	9.87	93	11.16
Hillsborough	229	13.83	233	13.69	218	12.96	179	10.55	209	11.32	168	9.64	206	11.99
Cheshire	62	12.47	75	15.18	60	12.63	50	10.37	47	9.63	53	10.09	58	11.73
Sullivan	36	13.18	36	12.67	45	13.72	32	11.30	36	11.00	28	8.91	35	11.79
Grafton	83	12.73	70	11.45	72	11.72	80	13.28	63	9.61	58	9.27	71	11.34
Coös	32	12.16	28	12.33	19	7.42	38	10.32	25	7.96	22	6.32	27	9.41
Total	868	14.01	857	13.82	809	12.58	766	11.82	742	10.82	651	9.72	782	12.13

Table No. 41 shows the mortality from consumption, by counties, with percentages of deaths to total mortality for those counties, from 1884 to 1889, inclusive. This table represents a more extensive view of death-rates than is given in the preceding one. There is considerable variation in the death-rates for the several counties for the different years, but the average for the entire period presents a remarkable uniformity among six of the counties, being 11 and a fraction per cent in each; the highest rate for the six years was returned from Strafford county, and was 14.04 per cent, followed by Belknap with 13.66, and Rockingham with 13.32, while Coös reported the lowest rate, of 9.41 per cent. The highest percentage of deaths from consumption to total mortality returned from any one county during the six years was from Belknap county in 1884, and was 18.94 per cent, while the lowest was reported from Coös in 1889, being 6.32 per cent.

The mortality from consumption in the cities of New Hampshire is given in the following tables:

TABLE NO. 42.

Deaths from Pulmonary Consumption, by Seasons, Ages, and Nativity, 1889, for the City of Manchester.

Months	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	American.	Foreign.	Not stated.
	5	6	11	5	4	11	5	3	8	9	5	6				
Quarters	22			20			16			20			78			
Ages	Under 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Not stated.					
	8	8	10	19	12	6	7	3	5	..	..		78			
Nativity														41	33	4
Males													30			
Females													48			

Percentage to total mortality of city, 9.30.

Table No. 42 gives the deaths from this disease, by seasons, ages, nativity, and sex, for the city of Manchester, with percentage to total mortality of the city. There were 78 deaths from this disease during the year 1889, 41 American and 33 foreign born, 4 nativity not stated; 8 of the decedents were under 10 years of age, 8 between 10 and 15, 10 between 15 and 20, 19 between 20 and 30, 12 between 30 and 40, 6 between 40 and 50, 7 between 50 and 60, 3 between 60 and 70, 5 between 70 and 80. By seasons, 22 died in the first quarter of the year, 20 in the second quarter, 16 in the third quarter, and 20 in the fourth quarter; 30 of the decedents were males and 48 were females; the percentage to the total mortality of the city was 9.30, which is considerably less than during

the past seven years, the average for the years 1883 to 1889, inclusive, being 12.86 per cent. The percentages for the six years prior to 1889 were as follows: In 1883, 14.89; in 1884, 14.28; in 1885, 13.03; in 1886, 15.01; in 1887, 11.15; in 1888, 12.37.

TABLE NO. 43.

Deaths from Pulmonary Consumption, by Seasons, Ages, and Nativity, 1889, for the City of Concord.

Months	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	American.	Foreign.
	2	4	2	2	4	5	2	5	2	..	3	2			
Quarters	8			11			9			5			33		
Ages	Under 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Not stated.				
	4	..	3	8	6	5	..	4	2	1	..		33		
Nativity														27	6
Males													14	..	..
Females													19	..	..

Percentage to total mortality of city, 9.81.

Table No. 43 gives a similar representation of the mortality from consumption in the city of Concord. The total number of deaths was 33, 27 American and 6 foreign born; ages of the decedents were, under 10 years, 4; 15 to 20, 3; 20 to 30, 8; 30 to 40, 6; 40 to 50, 5; 60 to 70, 4; 70 to 80, 2; over 80, 1. There were 14 males and 19 females, and by seasons, the mortality was, 8 in the first quarter, 11 in the second, 9 in the third, and 5 in the fourth. The percentage of deaths from

consumption to the total mortality of the city was 9.81, or slightly lower than the average for 1883 to 1889, inclusive, which was 9.93. The percentages for the different years mentioned were somewhat variable. In 1883 it was 11.41; in 1884, 8.66; in 1885, 10.68; in 1886, 8.60; in 1887, 10.13; in 1888, 10.23.

TABLE NO. 44.

Deaths from Pulmonary Consumption, by Seasons, Ages, and Nativity, 1889, *for the City of Nashua.*

Months	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	American.	Foreign.	Not stated.
	3	8	3	2	2	1	3	2	..	1	3	2				
Quarters	14			5			5			6			30			
Ages	Under 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Not stated.					
	2	..	2	10	4	5	2	1	3	..	1		30			
Nativity	.....			.....			.....			.....			....	21	6	3
Males	.....			.....			.....			.....			13	..	..	..
Females	.....			.....			.....			.....			17	..	..	..

Percentage to total mortality of city, 8.64.

The total mortality from consumption for the year 1889 in the city of Nashua was 30, 13 males and 17 females. Of these, 21 were American, 6 were foreign born, and in 3 instances the nativity was not stated. Two of the decedents were under 10 years of age; 2 were between 15 and 20; 10 between 20 and 30; 4 between 30 and 40; 5 between 40 and 50; 2 between 50 and 60; 1 between 60 and 70; 3 between 70 and 80; and 1, age

not stated. In the first quarter 14 deaths occurred; in the second quarter, 5; in the third quarter, 5; and in the fourth quarter, 6. The percentage of deaths from consumption to the total mortality of the city was 8.64 for 1889, a slight rise on that of last year, although considerably below the average of the seven years mentioned above, or 11.80 per cent. The percentages for the other years were, for 1883, 16.96; for 1884, 13.72; for 1885, 14.86; for 1886, 10.49; for 1887, 9.73; for 1888, 8.20.

TABLE NO. 45.

Deaths from Pulmonary Consumption, by Seasons, Ages, and Nativity, 1889, for the City of Portsmouth.

Months	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	American.	Foreign.	Not stated.
	3	2	2	2	..	1	1	1	..	1	1	1				
Quarters	7			3			2			3			15			
Ages	Under 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Not stated.					
	1	1	1	4	2	1	4	..	..	..	1		15			
Nativity														11	1	3
Males													7	..	..	..
Females													8	..	..	..

Percentage to total mortality of city, 7.73.

In Table No. 45 is considered the record of deaths from consumption in the city of Portsmouth. The total mortality from this disease in 1889 was 15, of which 7 were males and 8 were females, and 11 were American, 1 foreign-born, and 3 with nativity unreported. The ages of the decedents were as follows: Under 1, 1; between 10

and 15, 1; between 15 and 20, 1; between 20 and 30, 4; between 30 and 40, 2; between 40 and 50, 1; between 50 and 60, 4; age not stated. 1. Died in the first quarter of the year, 7; in the second, 3; in the third, 2; in the fourth, 3. There is a very noticeable decrease in the percentage to total mortality for 1889 from those for other years. For the past two years, Portsmouth has had the highest percentage of deaths from consumption to total mortality, of all the cities, but in 1889 has declined to the lowest, having only 7.73 per cent, while the average from 1883 to 1889, inclusive, was 14 per cent. For the other years of that period, the percentages were, in 1883, 16.02; in 1884, 14.74; in 1885, 12.18; in 1886, 17.84; in 1887, 16.26; in 1888, 13.26.

TABLE NO. 46.

Deaths from Pulmonary Consumption, by Seasons, Ages, and Nativity, 1889, for the City of Dover.

Months	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	American.	Foreign.	Not stated.
	1	1	2	3	1	2	3	3	5	1	1	3				
Quarters	4			6			11			5			26			
Ages	Under 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Not stated.					
	1	1	3	13	4	3	..	..	1	..	..		26			
Nativity	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	13	12	1
Males	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	.....	.....	..
Females	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19	.....	.....	..
Sex not stated	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	..

Percentage to total mortality of city, 10.31.

Table No. 46 shows the mortality from consumption in the city of Dover, for the year 1889. There were 26 deaths from this disease, 6 males, 19 females, and in one case the sex was not stated; the nativity was, American 13, foreign 12, and not stated 1. One of the decedents was under 10 years of age; 1 was between 10 and 15; 3 between 15 and 20; 13 between 20 and 30; 4 between 30 and 40; 3 between 40 and 50; 1 between 70 and 80. Four died in the first quarter of the year, 6 in the second, 11 in the third, and 5 in the fourth. The percentage to the total mortality of the city was 10.31, and is the lowest returned from the city during the past seven years, the average of which was 15.97. The percentages for the other years were: For 1883, 20.97; for 1884, 16.60; for 1885, 16.17; for 1886, 21.17; for 1887, 14.57; for 1888, 12.01.

TABLE NO. 47.

Deaths from Pulmonary Consumption, by Seasons, Ages, and Nativity, 1889, for the City of Keene.

Months	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	American.	Foreign.
	..	1	4	1	3	1	1	1	1	..	..	..			
Quarters	5			5			3						13		
Ages	Under 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Not stated.				
	..	1	..	2	1	2	3	..	4	..	..		13		
Nativity	.....			...	...		.....			.....			....	11	2
Males	.....			.....			.....			.....			7	..	..
Females	.....			.....			.....			.....			6	..	..

Percentage to total mortality of city, 9.62.

In Table No. 47, various facts about the mortality from consumption in the city of Keene in 1889 are given. Total number of deaths, 13, 7 males and 6 females. Of these 11 were American and 2 foreign born; 1 of the decedents was between 10 and 15 years of age; 2 between 20 and 30; 1 between 30 and 40; 2 between 40 and 50; 3 between 50 and 60; 4 between 70 and 80. Five died in the first quarter of the year, 5 in the second quarter, 3 in the third quarter. The mortality from the disease formed 9.62 per cent of the total mortality of the city, much lower than the average of the seven years, 1883 to 1889, inclusive, which was 14.67. For the other years in this period the percentages were as follows: In 1883, 16.91; in 1884, 16.00; in 1885, 22.80; in 1886, 16.00; in 1887, 11.90; in 1888, 9.47.

TABLE NO. 48.

Percentage of Deaths from Consumption to the Total Mortality of the Cities of the State for the years 1883 *to* 1889, *inclusive.*

	1883.	1884.	1885.	1886.	1887.	1888.	1889.	Aver'ge.
Manchester	14.89	14.28	13.03	15.01	11.15	12.37	9.30	12.86
Concord...	11.41	8.66	10.68	8.60	10.13	10.23	9.81	9.93
Nashua ...	16.96	13.72	14.86	10.49	9.73	8.20	8.64	11.80
Dover.....	20.97	16.60	16.17	21.17	14.57	12.01	10.31	15.97
Portsmouth	16.02	14.74	12.18	17.84	16.26	13.26	7.73	14.00
Keene.....	16.91	16.00	22.80	16.00	11.90	9.47	9.62	14.67

The above table shows the percentages of deaths from consumption to the total mortality of the cities of the State for the years 1883 to 1889, inclusive. It will be seen by this table that the death-rates from this disease for the several cities vary considerably in the different years. In

the six cities of the State the highest percentage of deaths from consumption to the total mortality of any one city during any of the seven years was in 1885, for the city of Keene, and was 22.80 per cent, while the lowest was in 1889, for the city of Portsmouth, being 7.73 per cent. An examination of the averages of percentages for the seven years for the several cities shows the highest to be for Dover, 15.97 per cent, and the lowest for Concord, with a percentage of 9.93. Keene exhibits an average percentage of 14.67; Portsmouth, of 14.00; Manchester, of 12.86; and Nashua, of 11.80.

TABLE NO. 49.

Deaths from Consumption, by Ages and Sex, by Counties, for 1889.

COUNTIES.	SEX.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Not stated.	Total.	Grand total.
Rockingham	Males	1	1	1	1	2	8	8	5	6	5	4	....	2	44	.....
	Females	....	....	1	2	2	12	10	2	4	8	3	....	...	44	88
Strafford	Males	1	....	....	....	6	5	*8	4	2	2	1	1	...	*30	.....
	Females	2	1	....	3	4	16	5	3	2	2	6	1	...	45	75
Belknap	Males	..	1	....	....	2	2	5	2	3	1	2	....	...	18	.....
	Females	....	1	....	3	4	3	3	4	1	2	2	1	...	24	42
Carroll	Males	....	1	....	....	....	3	3	..	2	3	1	....	...	13	.....
	Females	1	....	....	....	1	3	3	3	1	2	2	....	...	16	29
Merrimack	Males	3	....	....	....	3	8	6	6	7	3	....	....	1	37	.....
	Females	....	3	1	....	4	11	11	7	5	5	2	2	...	51	88
Hillsborough	Males	3	4	....	2	4	19	8	8	7	6	9	....	...	70	.....
	Females	1	2	1	8	14	23	19	10	8	7	4	....	1	98	168
Cheshire	Males	....	....	....	....	2	1	7	2	4	4	2	....	...	22	.....
	Females	....	....	....	2	1	8	5	5	1	5	2	2	...	31	53

Sullivan	Males	....	....	....	....	....	2	3	1	....	5	2	1	...	14	.....
	Females	....	....	....	1	2	3	3	2	....	1	2	....	...	14	28
Grafton	Males	....	....	1	....	3	7	2	4	2	1	3	....	...	23	.....
	Females	....	....	1	....	3	9	10	7	....	1	2	2	...	35	58
Coos	Males	1	....	1	....	....	2	1	1	1	1	2	....	1	11	.....
	Females	1	1	....	....	2	2	....	1	....	1	2	....	1	11	22
Total for State		14	15	7	22	59	147	120	77	56	65	53	10	6	651	651

* One with sex not stated.

Table No. 49 shows the deaths from consumption by ages and sex, by counties, for 1889. The heaviest mortality occurred in persons between 20 and 30 years of age, being 147, while the deaths at other ages, according to number of decedents, are as follows: Between 30 and 40, 120; between 40 and 50, 77; between 60 and 70, 65; between 15 and 20, 59; between 50 and 60, 56; between 70 and 80, 53; between 10 and 15, 22; between 1 and 5, 15; under 1, 14; over 80, 10; between 5 and 10, 7; age not stated, 6.

TABLE NO. 50.

Deaths from Consumption, by Months and Sex, by Counties, for 1889.

COUNTIES.	SEX.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Rockingham	Males	4	5	5	3	2	3	4	4	1	4	7	2	...	44	.....
	Females	3	2	7	1	4	3	4	4	....	6	5	5	...	44	88
Strafford	Males	2	6	*1	3	....	1	3	4	1	5	3	1	...	*30	.....
	Females	4	2	6	2	2	2	7	3	5	3	3	6	...	45	75
Belknap	Males	1	3	1	....	1	1	1	4	1	1	2	2	....	18	.....
	Females	3	1	4	1	1	2	3	2	2	2	2	1	...	24	42
Carroll	Males	....	....	....	1	....	3	2	2	1	1	2	1	...	13	.....
	Females	2	1	3	3	....	1	2	1	1	....	1	1	...	16	29
Merrimack	Males	2	4	3	3	5	5	2	2	3	1	1	5	1	37	.....
	Females	3	3	6	3	3	7	4	8	8	2	2	2	...	51	88
Hillsborough	Males	4	9	7	9	5	6	5	6	1	10	7	1	...	70	.....
	Females	10	10	12	7	6	8	8	5	11	5	7	9	...	98	168
Cheshire	Males	2	....	4	3	2	....	2	2	3	2	...	2	...	22	.....
	Females	3	4	2	5	3	3	4	....	1	2	1	3	...	31	53

* One with sex not stated.

TABLE NO. 50. — *Continued.*

COUNTIES.	SEX.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Sullivan	Males	2	3	1	1	1	....	....	2	1	....	....	3	....	14	.....
	Females	4	....	....	3	2	....	....	3	....	....	....	2	....	14	28
Grafton	Males	2	5	2	2	....	....	2	3	3	3	....	1	....	23	.....
	Females	2	3	5	3	3	3	7	1	2	2	2	2	....	35	58
Coös	Males	1	1	....	1	2	....	1	....	1	2	....	2	....	11	.....
	Females	....	1	....	....	3	....	2	....	1	1	3	....	....	11	22
Total for State		54	63	69	54	45	48	63	56	47	52	48	51	1	651	651

Table No 50 shows the deaths from consumption by months and sex, by counties, for 1889. The highest mortality for any one month of the year was in March, when it was 69, followed by February and July with a mortality of 63 each, August 56, April and January each 54, October 52, December 51, June and November each 48, September 47, May 45, and 1 with month not stated.

TABLE NO. 51.

Deaths from Consumption, by Nationality, Civil Condition, and Sex, by Counties, for 1889.

COUNTIES.	SEX.	American.	Foreign.	Not stated.	Married.	Single.	Widowed.	Not stated.	Total.	Grand total.
Rockingham	Males	34	5	5	20	17	3	4	44	....
	Females	34	6	4	19	18	6	1	44	88
Strafford	Males	24	4	*2	13	*12	5	...	30	....
	Females	30	13	2	18	19	8	...	45	75
Belknap	Males	15	2	1	7	10	...	1	18	....
	Females	13	7	4	13	8	3	...	24	42
Carroll	Males	12	1	...	8	4	1	...	13	....
	Females	14	....	2	9	5	2	...	16	29
Merrimack	Males	28	5	4	17	16	3	1	37	....
	Females	40	9	2	25	14	9	3	51	88
Hillsborough	Males	50	16	4	20	26	8	16	70	....
	Females	57	31	10	33	38	12	15	98	168
Cheshire	Males	19	1	2	11	7	3	1	22	....
	Females	23	4	4	14	12	4	1	31	53
Sullivan	Males	10	4	...	7	4	3	...	14	....
	Females	13	....	1	3	8	3	...	14	28
Grafton	Males	18	3	2	9	11	2	1	23	....
	Females	31	1	3	21	11	3	...	35	58
Coös	Males	9	1	1	7	4	...	...	11	....
	Females	5	3	3	2	6	2	1	11	22
Total for State		479	116	56	276	250	80	45	651	651

* One with sex not stated.

Of the 651 decedents shown in Table No. 51, 479 were American-born, 116 foreign-born, and 56 with nativity not stated. According to civil condition, 276 were married at the time of decease, 250 were single, 80 were widowed, and in 45 instances the civil state was not reported.

PNEUMONIA.

Five hundred and eighty-two deaths were returned from this disease during the year 1889, as against 628 for the previous year. The average annual mortality for the six years, 1884, to 1889, inclusive, was 528; the highest mortality was in 1888, there being 628 deaths; and the lowest in 1884, when there were 436 deaths; in 1885 there were 504 deaths; in 1886, 466; in 1887, 556. The deaths from this disease in 1889 in Belknap, Carroll, Merrimack, Hillsborough, Cheshire, Sullivan, Grafton, and Coös counties, were somewhat larger than the average for the respective counties for the six years ending 1889; in Rockingham county, the mortality just equaled the average for the six years given, while in Strafford, it was somewhat below the average for the period.

TABLE NO. 52.

Mortality from Pneumonia, by Counties, from 1884 *to* 1889, *inclusive.*

COUNTIES.	Years.						Average.
	1884.	1885.	1886.	1887.	1888.	1889.	
Rockingham	45	63	77	70	83	68	68
Strafford	39	48	37	46	52	38	43
Belknap	18	24	25	44	50	37	33
Carroll	30	27	15	33	46	49	33
Merrimack	50	72	60	85	73	86	71
Hillsborough	110	128	112	128	129	131	123
Cheshire	36	52	39	55	55	52	48
Sullivan	21	22	23	22	30	31	25
Grafton	66	48	54	52	77	64	60
Coös	21	20	24	21	33	26	24
Total	436	504	466	556	628	582	528

TABLE NO. 53.

Mortality from Pneumonia, from 1884 *to* 1889, *inclusive, by Ages.*

YEARS.	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.	Total.
1884	51	48	3	3	6	27	23	30	36	50	97	54	8	436
1885	69	49	8	4	11	15	27	32	37	72	105	74	1	504
1886	57	38	13	6	13	17	24	29	49	68	92	53	7	466
1887	68	33	7	5	13	28	32	40	48	89	121	68	4	556
1888	67	45	6	10	19	40	49	51	62	67	123	81	8	628
1889	61	50	8	12	17	29	36	40	48	98	100	79	4	582
Average...	62	44	7	6	13	26	32	37	46	74	106	68	5	528

Table No. 53 represents the mortality from pneumonia from 1884 to 1889, inclusive, by ages. The largest number of deaths from this disease occurred among persons between 70 and 80 years of age. The average fatality of the disease by age periods, for the past six years, is as follows: Between 70 and 80, 106; between 60 and 70, 74; over 80, 68; under 1, 62; between 50 and 60, 46; between 1 and 5, 44; between 40 and 50, 37; between 30 and 40, 32; between 20 and 30, 26; between 15 and 20, 13; between 5 and 10, 7; between 10 and 15, 6; age unknown, 5.

DIAGRAM No. 4, SHOWING DEATH-RATE FROM PNEUMONIA PER 10,000 OF THE POPULATION LIVING AT EACH AGE PERIOD, CENSUS OF 1880, FOR THE YEAR 1889.



Diagram No. 4 shows the death-rate from pneumonia per 10,000 of the population living at each age period, census of 1880, for the year 1889. While Table No. 54 represented the actual number of decedents in each age period, this diagram depicts the death-rate by age periods to the living of the respective age periods. Thus it will be noticed that in 1889, 34.50 persons out of every 10,000 living under 5 years of age died from pneumonia; between 5 and 10, 2.48; between 10 and 15, 2.12; between 15 and 20, 4.10; between 20 and 30, 3.90; between 30 and 40, 6.73; between 40 and 50, 9.27; between 50 and 60, 11.11; between 60 and 70, 31.31; between 70 and 80, 73.68; over 80, 143.77. This diagram very emphatically demonstrates the fact that the danger from pneumonia is by far the greatest under 5 years and over 60 years, with a rapidly increasing mortality from the latter age to the end of life.

TABLE NO. 54.

Mortality from Pneumonia, by Months and Quarters, from 1884 *to* 1889, *inclusive.*

YEARS.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
1884	55	55	51	52	32	13	14	11	5	28	51	67	2
1885	53	59	101	95	35	25	13	10	10	33	38	32	..
1886	32	44	73	51	51	33	22	18	18	24	46	54	..
1887	71	73	85	85	49	17	13	13	14	34	47	54	1
1888	72	95	75	73	76	24	16	23	21	43	36	72	2
1889	69	66	79	102	51	22	15	19	16	53	41	49	..
Total	352	392	464	458	294	134	93	94	84	215	259	328	5
Quarters	1,208			886			271			802			
Percentages	38.08			27.93			8.54			25.28			

Table No. 54 gives the mortality from pneumonia by months and quarters from 1884 to 1889, inclusive. For this period of years, the largest number of deaths occurred in March, it being 464, followed by April with 458, February with 392, January with 352, December with 328, May with 294, November with 259, October with 215, June with 134, August with 94, July with 93, and September with 84. Twelve hundred and eight persons died in the first quarters of these years, 886 in the second, 271 in the third, and 802 in the last.

HEART DISEASE.

Under this head, 564 deaths were returned for the year 1889; to this classification may be added pericarditis, which would make the total 579; of this number, 296 were males and 283 females. By ages, 22 were under 1 year; 3 between 1 and 5; 4 between 5 and 10; 4 between 10 and 15; 12 between 15 and 20; 20 between 20 and 30; 31 between 30 and 40; 36 between 40 and 50; 60 between 50 and 60; 123 between 60 and 70; 172 between 70 and 80; and 75 over 80 years of age; 2, age unreported.

BRAIN DISEASES.

TABLE NO. 55.

Mortality from Brain Diseases, 1884 to 1889, inclusive.

YEARS.	Diseases.						Total.
	Cephalitis. *	Apoplexy.	Paralysis.	Insanity.	Convulsions.	Brain diseases.	
1884	120	192	248	22	99	134	815
1885	133	206	278	27	93	122	859
1886	141	220	249	24	71	127	832
1887	117	210	253	25	64	121	790
1888	143	243	273	37	88	112	896
1889	151	259	196	35	76	126	843
Average	134	222	249	28	82	124	829

* Meningitis and cerebritis included.

Table No. 55 shows the mortality from brain diseases for the years 1884 to 1889, inclusive. Under this head are included cephalitis, apoplexy, paralysis, insanity, convulsions, and other diseased conditions classed under brain diseases. It will be seen by this table that apoplexy shows an increasing mortality, while paralysis shows a corresponding decrease; this is probably in a measure if not wholly due to a more careful distinction between the two conditions by the physicians in their returns than heretofore, although it is by no means certain that this will account for the entire change.

In the relation of one disease to another for the period given, the average number of deaths from apoplexy was 222, as against 259 reported for 1889; from paralysis, 249, against 196 for 1889; under cephalitis was reported an average annual mortality of 134, against 151 for 1889; the average number returned from insanity was 28, against 35 for 1889. The figures given in the table show a somewhat increased death-rate for the past two years over the four previous years. The average annual number of deaths from all of the diseases included in this table is 829, while for 1889 it was 843.

OLD AGE.

Under old age 426 deaths were returned, 196 males and 230 females. The ages under which the deaths from this cause were returned were as follows: Between 60 and 70, 3; between 70 and 80, 84; over 80, 337; and 2 with age unknown.

CHOLERA INFANTUM.

TABLE NO. 56.

Mortality from Diarrheal Diseases, 1884 *to* 1889, *inclusive*.

YEARS.	Diseases.					Total of diarrheal diseases.
	Cholera infantum.	Cholera morbus.	Diarrhea.	Dysentery.	Enteritis.	
1884	266	21	52	80	69	488
1885	219	20	40	40	57	376
1886	362	14	38	79	53	546
1887	336	16	38	53	57	500
1888	370	8	50	63	39	530
1889	353	12	68	67	56	556
Average	316	15	48	64	55	499

Table No. 56 represents the mortality from diarrheal diseases from 1884 to 1889, inclusive. Under these diseases cholera infantum ranks first, with an average yearly mortality of 316, followed by dysentery, with an average of 64, enteritis with an average of 55, diarrhea with 48, cholera morbus with 15. These figures represent an annual average mortality for the past six years, chargeable to diarrheal diseases, of 499, as against 556 for the year 1889, which is the highest mortality for the period stated, the lowest being in 1885, with 376 deaths.

TABLE NO. 57.

Mortality from Cholera Infantum from 1884 *to* 1889, *inclusive.*

YEARS.	Deaths.	Percentage of deaths to deaths from all causes.	Death-rates per 10,000 living (estimated population).
1884	266	4.29	7.41
1885	219	3.53	6.05
1886	362	5.63	9.92
1887	336	5.18	9.13
1888	370	5.39	9.98
1889	353	5.27	9.44
Average	316	4.88	8.65

Table No. 57 shows the mortality from cholera infantum from 1884 to 1889, inclusive, also giving the percentages of deaths to deaths from all causes for each year, and the death-rate to each 10,000 of the living population. Cholera infantum is more destructive to the infant population than any other disease, and its fatality in some localities, especially in the city of Manchester, is excessive. The annual average mortality from this disease for the past six years was 316, or 4.88 per cent of the total mortality for that period; in 1889 the number of deaths was 353, 37 more than the average for the period mentioned.

TABLE NO. 58.

Mortality from Cholera Infantum from 1884 *to* 1889, *inclusive, by Ages.*

YEARS.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.	Total.
1884	214	48	...	...	...	...	1	...	1	...	...	...	2	266
1885	186	33	...	...	...	...	...	...	...	...	...	...	...	219
1886	283	77	2	...	...	...	...	...	...	...	...	...	...	362
1887	284	51	...	...	...	...	...	...	...	...	...	...	1	336
1888	298	70	...	...	...	...	...	...	...	...	...	...	2	370
1889	297	54	1	...	...	...	...	...	...	...	...	...	1	353
Average..	260	55	.5	...	...	...	.1	...	.1	...	...	...	1	317

The above table shows the mortality from cholera infantum for the past six years by ages. It will be noticed that the mortality from this disease is confined largely to infants under one year of age, 260 deaths out of a total of 317 being the yearly average for the period given; between 1 and 5 the yearly average mortality was 55.

TABLE NO. 59.

Cholera Infantum, by Cities.

	1883.	1884.	1885.	1886.	1887.	1888.	1889.
Manchester	131	112	88	122	148	117	86
Dover	7	10	15	15	13	19	5
Nashua	15	14	13	30	20	39	43
Portsmouth	4	3	9	6	4	9	9
Concord	9	12	5	7	8	11	13
Keene	9	6	2	7	5	2	8
Total for cities	175	157	132	187	198	197	164
Total for State	278	268	219	362	336	370	353

Table No. 59 shows the number of deaths from cholera infantum occurring annually in the cities of the State from 1883 to 1889, inclusive. As represented by this table the mortality from this disease in the city of Manchester for the six years prior to 1889 was very large, but in 1889 the death-rate was considerably lower, being 86 as against 117 for 1888, 148 for 1887, 122 for 1886, 88 for 1885, 112 for 1884, 131 for 1883; thus the returns for 1889 were the smallest ever made for the city, slightly lower than those for 1885. Five deaths from cholera infantum were returned for the year 1889 from Dover, which was a great reduction from the returns for the five previous years. Nashua returned 43 deaths from this disease for the year 1889, which is the largest number reported from that city for any one year during the period given. Portsmouth reported 9 deaths, which was

the same number as in 1888; Concord returned 13, as against 11 in 1888, and Keene 8, against 2 the previous year. The mortality from this disease for Dover, Nashua, Portsmouth, Concord, and Keene is given for the purpose of comparison with the mortality in Manchester; the mortality from this disease in the latter city has been emphasized in former reports, and the decrease in the number of deaths for the past year, it is hoped, is an index to sanitary improvements which have been inaugurated by the city board of health.

TABLE NO. 60.

Cholera Infantum, by Ages, Sex, and Months, particularly showing the number of Decedents in the Cities and Towns returning the greatest Mortality from this Disease.

TOWNS.	SEX.	Ages.				Months.													
		Under 1.	1 to 5.	5 to 10.	Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Portsmouth	Males	5	2						1			2	4						7	
	Females	2										2							2	9
Dover	Males	3										1	1		1				3	
	Females	2										1		1					2	5
Concord	Males	8										4	4						8	
	Females	4	1										3	1	1				5	13
Manchester	Males	40	3								8	13	8	10	3		1		43	
	Females	32	11						1	1	10	14	10	4	2	1			43	86
Nashua	Males	23	4							1	5	11	6	4					27	
	Females	15	1								1	4	8	2		1			16	43
Keene	Males	3	3									2	2	1	1				6	
	Females	2										1	1						2	8

TABLE NO 60.— *Continued.*

TOWNS.	SEX.	Ages.				Months.													
		Under 1.	1 to 5.	5 to 10.	Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Alstead	Males	2											2						2	
	Females	1										1							1	3
Bartlett	Males	1											1						1	
	Females	3											1	1	1				3	
	Not stated	1												1					1	5
Berlin	Males	1													1				1	
	Females	3	2								1	2		1			1		5	6
Bristol	Males	1											1						1	
	Females	2											2						2	3
Claremont	Males	4										1	3						4	4
Conway	Males	1													1				1	
	Females	2	1										1	2					3	4

Derry	Males	2											2						2	
	Females	1												1					1	3
Exeter	Males	1	1									1		1					2	
	Females		1										1						1	3
Franklin	Males	4											3	1					4	
	Females	2										1	1						2	6
Gilford	Males	3								1			1	1					3	
	Females	1													1				1	4
Greenville	Males	4										1	1	1			1		4	
	Females	2											1	1					2	6
Laconia	Males	6	1								1	2	2	1	1				7	
	Females	4												4					4	11
Littleton	Males	3												1	2				3	
	Females	1											1						1	4
Meredith	Males	2											1	1					2	
	Females	1											1						1	3
Newmarket	Males	2	1					2				1							3	
	Females	3											2	1					3	6
Newport	Males	1											1						1	
	Females	2												2					2	3
Salem	Males	2											2						2	
	Females	1											1						1	3

TABLE NO. 60. — *Continued.*

TOWNS.	SEX.	Ages.				Months.													
		Under 1.	1 to 5.	5 to 10.	Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Seabrook	Males	1	1	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	2	....
	Females	1	....	..	..	..	..	..	..	1	..	..	....	..	....	..	..	..	1	3
Somersworth	Males	10	....	..	..	....	..	1	2	....	..	3	2	1	..	1	..	..	10	....
	Females	14	1	..	..	1	..	..	1	2	1	4	5	....	..	1	..	..	15	25
Swanzey	Males	1	....	..	..	..	..	..	..	..	..	..	1	....	..	..	..	..	1	....
	Females	2	....	..	..	..	..	..	..	..	..	..	1	1	....	..	..	..	2	3
Whitefield	Males	1	....	..	..	..	..	..	..	..	..	..	....	1	..	..	..	..	1	....
	Females	2	....	..	..	..	..	..	..	..	..	..	1	1	....	..	..	..	2	3
Remaining towns	Males	29	8	1	1	..	..	..	..	3	2	6	11	12	3	2	..	..	39	....
	Females	27	12	..	..	1	..	..	..	1	..	3	17	12	4	..	..	1	39	78
Total		297	54	1	1	2	..	3	5	10	29	81	118	73	24	4	3	1	353	353

This table shows the deaths from cholera infantum by ages, sex, and months, especially in the cities and towns of the State returning the greatest mortality from this disease. Two deaths occurred in January, 3 in March, 5 in April, 10 in May, 29 in June, 81 in July, 118 in August, 73 in September, 24 in October, 4 in November, and 3 in December. It will be seen by this that the mortality from cholera infantum was most excessive in August, July ranking next, and September third in the order of fatality.

CANCER.

The number of deaths from cancer has been very uniform during the past six years; the annual average for the period is 211, the number reported for 1889 being 213.

TABLE NO. 61.

Mortality from Cancer, with ratios to estimated Population and to total Mortality from 1884 *to* 1889, *inclusive.*

YEARS.	Deaths.	Death-rates per 10,000 of estimated population.	Ratio to total mortality per 1,000.
1884	213	5.93	34.39
1885	212	5.85	34.19
1886	206	5.64	32.06
1887	218	5.92	33.65
1888	203	5.47	29.62
1889	213	5.70	31.81
Average	211	5.75	32.62

In the above table may be seen the total number of deaths from cancer for each year from 1884 to 1889, inclusive, with the rate per 10,000 of the estimated population of each year, and also the ratio to total mortality per 1,000. Of the 213 deaths from cancer reported for the year 1889, 113 did not state the organ or organs affected, but reported simply "cancer." The classified cases of cancer were, cancer of stomach 28, cancer of uterus 21, cancer of liver 10, cancer of bowels 10, cancer of breast 9, cancer of rectum 8, cancer of face, lip, throat, and tongue 2 each, and cander of bladder, eye, gall duct, kidney, lungs, and pharynx 1 each.

DIPHTHERIA AND CROUP.

During the year 1889 there were returned 210 deaths from diphtheria and 88 from croup. As it is believed by many physicians that these diseases are identical, they are grouped together in this report, although the figures relating to each are entered separately.

TABLE NO. 62.

Mortality from Diphtheria from 1884 *to* 1889, *inclusive, by Ages.*

YEARS.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.	Total.
1884	8	39	34	17	4	2	..	1	3	..	..	1	1	110
1885	10	32	22	5	3	4	..	1	1	..	..	..	..	78
1886	9	53	58	22	7	3	1	1	2	..	..	..	..	156
1887	7	74	51	20	6	9	4	2	1	1	1	..	1	177
1888	6	43	36	7	4	2	1	1	2	1	..	..	..	103
1889	7	86	68	18	13	10	3	3	..	1	..	..	1	210
Average	8	54	45	15	6	5	1	1	1	.5	.1	.1	.5	139

The above table shows the mortality from diphtheria from 1884 to 1889, inclusive, by years and ages. There were 110 deaths reported in 1884, 78 in 1885, 156 in 1886, 177 in 1887, 103 in 1888, and 210 in 1889. The mortality for 1889 was 107 larger than that of the preceding year, and considerably higher than that of any of the years embraced in that period. The average annual number of deaths for the period was 139.

TABLE NO. 63.

Diphtheria, by Ages, Sex, and Months, particularly showing number of Decedents in the Cities and Towns returning the greatest Mortality from this Disease.

Sex.	Months.												TOWNS.	Whole Number.				Ages.										
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.		Total.	Male.	Female.	Unknown.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.
M.				2	1				1	1				Portsmouth	8	5	3			2	2		1								
F.		2			1									"						2	1										
M.				2		1		5	4	3		2		Dover	39	17	22			11	5		1								
F.			1	2	1	1	2	4	1	5	1	4		"						11	9	1	1								
M.	2							2	5	3	1			Manchester	24	12	11	*1	2	7	2	2									
F.	1		1	2				2	1	2	2			"						4	6	1									
M.				1	2	1	1							Nashua	18	5	13			2	2	1									
F.		1	1	2		5	2	1		1				"						7	2	2	1		1						
M.				1					1	6	2	2		Keene	24	12	12		1	5	4			1	1						
F.					1				2	5	2	2		"					1	6	4				1						
M.										2				Andover	3	2	1			1	1										
F.									1					"							1										
M.			1											Barrington	3	1	2				1										
F.											2			"						2											
F.	1		3											Bristol	4		4		1	1			1	1							
M.							1							Claremont	4	1	3			1											
F.							1			2				"						1	1			1							

M.	..	1	..	..	..	..	..	..	..	..	..	..	..	East Kingston	3	1	2	..	...	1	..	..	..	..	..	..	..	..	..	..	..
F.	1	1	..	..	..	..	..	..	..	..	..	..	..	" "	...	...	...	..	...	1	1	..	..	..	..	..	..	..	..	..	..
M.	..	..	..	..	..	..	..	..	..	..	..	2	..	Greenland	3	2	1	..	...	..	..	2	..	..	..	..	..	..	..	..	..
F.	..	..	..	..	..	1	..	..	..	..	..	..	..	"	...	...	...	..	...	..	..	..	1	..	..	..	..	..	..	..	..
M.	..	..	..	..	..	..	..	..	..	..	3	1	..	Milan	5	4	1	..	...	1	2	..	..	1	..	..	..	..	..	..	..
F.	..	..	..	..	..	..	..	..	..	1	..	..	..	"	...	...	...	..	...	..	..	..	1	..	..	..	..	..	..	..	..
M.	..	..	..	..	..	3	..	..	..	..	..	..	..	Peterborough	6	3	3	..	...	1	..	1	..	..	..	1	..	..	..	..	..
F.	..	..	..	..	1	1	1	..	..	..	..	..	..	"	...	...	...	..	...	..	2	1	..	..	..	..	..	..	..	..	..
M.	..	..	..	..	..	..	..	..	..	..	..	1	..	Rollinsford	3	1	2	..	...	..	1	..	..	..	..	..	..	..	..	..	..
F.	..	..	..	..	..	..	2	..	..	..	..	..	..	"	...	...	...	..	...	..	2	..	..	..	..	..	..	..	..	..	..
M.	..	..	..	..	..	..	..	..	..	..	2	1	..	Shelburne	3	3	...	..	...	..	1	..	2	..	..	..	..	..	..	..	..
M.	..	..	1	..	..	..	..	..	..	1	..	..	..	Somersworth	6	2	4	..	...	..	1	1	..	..	..	..	..	..	..	..	..
F.	2	1	..	..	..	..	..	..	..	1	..	..	..	"	...	...	...	..	1	1	1	..	..	1	..	..	..	..	..	..	..
F.	..	..	..	..	..	..	..	..	..	..	..	4	..	Westmoreland	4	...	4	..	...	..	1	2	..	1	..	..	..	..	..	..	..
M.	1	..	1	..	2	..	1	1	..	8	5	2	..	Remaining towns	50	21	29	..	...	9	5	2	1	2	..	1	..	1	..	..	..
F.	5	3	1	3	4	2	..	1	2	..	3	5	..	" "	...	...	...	..	1	9	10	2	3	2	..	1	..	..	..	..	1
	13	9	10	15	13	15	11	16	18	41	23	26	..	Total	210	92	117	1	7	86	68	18	13	10	3	3	..	1	..	..	1

* Classed with males.

Table No. 63 shows the deaths from diphtheria for 1889, by ages, sex, and months, and also by the cities and the towns returning the greatest number of deaths from this disease. Of the 210 decedents 92 were males and 117 females, in 1 case age not reported; 7 were under 1 year of age, 86 between 1 and 5, 68 between 5 and 10, 18 between 10 and 15, 13 between 15 and 20, 10 between 20 and 30, 3 between 30 and 40, 3 between 40 and 50, 1 between 60 and 70, and 1 age not stated. A statement of the mortality from this disease by months shows that the largest number of deaths occurred in the last quarter of the year. There were 13 deaths in January, 9 in February, 10 in March, 15 in April, 13 in May, 15 in June, 11 in July, 16 in August, 18 in September, 41 in October, 23 in November, and 26 in December.

TABLE NO. 64.

Mortality from Croup from 1884 *to* 1889, *inclusive, by Ages.*

YEARS.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.	Total.
1884	8	35	6	..	..	..	..	..	..	..	..	..	..	49
1885	20	41	9	..	..	1	2	..	1	..	..	..	..	74
1886	13	40	10	1	..	..	..	..	..	..	..	..	..	64
1887	26	48	7	2	..	..	..	..	..	..	1	..	..	84
1888	16	67	9	..	..	..	1	..	..	..	1	..	..	94
1889	11	65	11	1	..	..	..	..	..	..	..	..	..	88
Average	15	49	8	.6	..	.1	.5	..	.1	..	.3	..	..	75

Table No. 64 shows the mortality from croup from 1884 to 1889, inclusive, by years and ages. The average

annual number of deaths from this disease for the period given was 75, as against 88 for the year 1889, which was 6 less than the number returned in 1888, when the mortality was the highest reported for any of the past six years. The average annual number of deaths by age periods was as follows: Under 1, 15; between 1 and 5, 49; between 5 and 10, 8; between 10 and 15, .6; between 20 and 30, .1; between 30 and 40, .5; between 50 and 60, .1; between 70 and 80, .3. Of the 88 decedents from the disease 47 were males and 40 were females and 1 sex not stated. The deaths by months were as follows: January, 6; February, 9; March, 6; April, 4; May, 8; June, 4; July, 3; August, 5; September, 6; October, 12; November, 8; December, 17. It will be observed that croup, like diphtheria, was the most fatal during the last quarter of the year.

TABLE NO. 65.

Mortality from Croup and Diphtheria from 1884 *to* 1889, *inclusive.*

YEARS.	Deaths.			Percentages of deaths to deaths from all causes.			Death-rates per 10,000 living.		
	Croup.	Diphtheria.	Total.	Croup.	Diphtheria.	Total.	Croup.	Diphtheria.	Total.
1884	49	110	159	.79	1.77	2.56	1.36	3.06	4.42
1885	74	78	152	1.19	1.25	2.44	2.04	2.15	4.19
1886	64	156	220	.99	2.41	3.40	1.75	4.27	6.02
1887	84	177	261	1.29	2.73	4.02	2.28	4.81	7.09
1888	94	103	197	1.37	1.50	2.87	2.53	2.77	5.30
1889	88	210	298	1.31	3.13	4.44	2.35	5.61	7.96
Total	453	834	1,287	....	....	....	....	....	....
Average	75	139	214	1.15	2.13	3.28	2.05	3.78	5.83

Table No. 65 shows the deaths from diphtheria and croup from 1884 to 1889, inclusive, with the percentages of deaths to deaths from all causes, and also the death-rates per 10,000 of the living population of each year. The combined mortality from these diseases for the past six years is 1,287, or an average annual mortality of 214, as against 298 for the year 1889. There were more deaths returned for 1889 from diphtheria and croup than for any other of the six preceding years, being 4.44 per cent of the deaths from all causes of that year. The average percentage of deaths from these two diseases to the total mortality of each year was 3.28 per cent annually. Seven and ninety-six hundredths persons out of every 10,000 of the living population died from diphtheria and croup in 1889, while the average annual death-rate per 10,000 for the period given was 5.83.

TYPHOID FEVER.

In the year 1889 161 deaths were returned from typhoid fever. In 1884 this disease caused 137 deaths, in 1885, 136; in 1886, 194; in 1887, 134; in 1888, 150; the average annual mortality from this disease for the six years given in the following table is 152, that reported for the year 1889 being 9 in excess of this average.

TABLE NO. 66.

Mortality from Typhoid Fever from 1884 *to* 1889, *inclusive.*

YEARS.	Deaths.	Percentages of deaths to deaths from all causes.	Death-rates per 10,000 living (estimated population).
1884	137	2.21	3.81
1885	136	2.19	3.75
1886	194	3.01	5.31
1887	134	2.06	3.64
1888	150	2.18	4.04
1889	161	2.40	4.30
Total	912	.....	.....
Average	152	2.34	4.14

The percentages of deaths from typhoid fever to deaths from all causes for the period in Table No. 66 average 2.34 per cent annually. The death-rates per 10,000 of the living population for the same period average 4.14 to each 10,000.

TABLE NO. 67.

Mortality from Typhoid Fever, by Counties, with Percentages of Deaths to Total Mortality, from 1884 *to* 1889, *inclusive.*

COUNTIES.	1884.		1885.		1886.		1887.		1888.		1889.		Average.	
	Deaths.	Percentages.	Deaths.	Percentages.	Deaths.	Percentages.	Deaths.	Percentages.	Deaths.	Percentages.	Deaths.	Percentages.	Deaths.	Percentages.
Rockingham	17	1.94	18	1.97	23	2.38	10	1.14	9	1.00	15	1.71	15	1.69
Strafford	12	1.91	12	1.93	21	3.44	17	2.52	13	1.88	19	2.74	16	2.40
Belknap	13	4.56	9	3.11	31	8.56	13	3.52	8	2.04	8	2.05	14	3.97
Carroll	4	1.20	8	2.97	3	.99	5	1.70	6	1.82	6	2.01	5	1.78
Merrimack	15	2.03	15	1.88	23	2.76	14	1.67	33	3.58	20	2.24	20	2.36
Hillsborough	32	1.93	37	2.17	46	2.73	41	2.41	42	2.27	39	2.24	40	2.29
Cheshire	14	2.81	14	2.83	12	2.52	6	1.24	5	1.02	10	1.90	10	2.05
Sullivan	4	1.46	4	1.40	6	1.82	5	1.76	3	.91	4	1.26	4	1.60
Grafton	13	1.99	11	1.80	21	3.40	9	1.49	19	2.90	15	2.40	15	2.33
Coös	13	4.94	8	3.52	8	3.12	14	3.80	12	3.82	25	7.18	13	4.39
Total	137	2.21	136	2.19	194	3.01	134	2.06	150	2.18	161	2.40	152	2.34

Table No. 67 represents the mortality from typhoid fever by counties, with percentages of deaths to total mortality from 1884 to 1889, inclusive. This table presents an interesting study of the mortality rates from this disease in the several counties for the series of years given in the table. It will be observed that the average annual death-rate for the entire State for the six years was 2.34 per cent of the total mortality. Examining the percentages by counties we find that Coös county had nearly double this rate, or 4.39 per cent of the total mortality of that county. The average for Belknap county was 3.97; for Strafford, 2.40; for Merrimack, 2.36; for Grafton, 2.33; for Hillsborough, 2.29; for Cheshire, 2.05; for Carroll, 1.78; for Rockingham, 1.69; while Sullivan reported only 1.60 per cent of its mortality from typhoid fever. The highest percentage of deaths from this disease to total mortality in any county for any one year was reported from Coös county in 1889, it being 7.18 per cent of the deaths from all causes in that county, while the lowest percentage was returned from Sullivan county in 1888, and was .91 per cent. The high death-rate from this disease in Coös county is especially noticeable throughout the entire period covered by the table.

TABLE NO. 68.

Mortality from Typhoid Fever from 1884 *to* 1889, *inclusive, by Ages.*

YEARS.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.	Total.
1884	5	10	7	11	21	34	12	8	7	8	8	3	3	137
1885	2	7	7	11	20	34	14	8	7	10	11	3	2	136
1886	2	6	15	12	33	51	16	12	15	14	16	2	..	194
1887	2	6	1	16	22	41	17	8	7	6	5	2	1	134
1888	3	13	4	11	26	39	12	8	8	9	8	3	6	150
1889	4	5	9	14	26	50	13	14	10	5	6	4	1	161
Average	3	8	7	12	24	41	14	9	9	8	9	2	2	152

Table No. 68 shows the mortality from typhoid fever from 1884 to 1889, by ages. The deaths from this disease by months for 1889 were as follows: January, 10; February, 6; March, 8; April, 7; May, 6; June, 7; July, 12; August, 15; September, 20; October, 35; November, 22; December, 13.

Under the term "typhoid fever" are included fever, bilious fever, and typho-malarial fever.

KIDNEY DISEASES.

For the year 1889, 200 deaths were returned from Bright's disease and other kidney diseases, a considerably larger number than has been returned in any previous year. In 1884, 140 deaths from these diseases were reported; in 1885, 157; in 1886, 143; in 1887, 163; in 1888, 154. Forty-six more deaths were reported in 1889

than in the year before, and 41 more than the average annual number for the period given, which was 159. The ratio of deaths from these causes to each 1,000 of the decedents from all causes was 29.87 per 1,000 in 1889, while for the average of the six years it was 24.61.

TABLE NO. 69.

Mortality from Bright's Disease, Nephritis, and other Kidney Diseases, and from Dropsy, with Ratios to Total Mortality, from 1884 *to* 1889, *inclusive.*

YEARS.	Total mortality.	Deaths from Bright's disease, nephritis, and other kidney diseases.	Ratio to total mortality per 1,000.	Deaths from dropsy.	Ratio to total mortality per 1,000.	Totals.	Ratio to total mortality per 1,000.
1884	6,194	140	22.60	80	12.91	220	35.51
1885	6,201	157	25.32	90	14.51	247	39.83
1886	6,426	143	22.25	83	12.92	226	35.17
1887	6,479	163	25.16	79	12.19	242	37.35
1888	6,854	154	22.47	75	10.94	229	33.41
1889	6,696	200	29.87	62	9.26	262	39.13
Average	6,475	159	24.61	78	12.12	238	36.73

DROPSY.

There were returned for the year 1889, 62 deaths from dropsy, a less number than has been previously returned from this cause, which is doubtless owing to a better classification of the causes of death.

BRIGHT'S DISEASE.

One hundred and twenty-eight deaths occurred from this disease during the year 1889, 67 males and 61 females. One decedent was between 1 and 5 years of age, 3 between 15 and 20, 9 between 20 and 30, 14 between 30 and 40, 14 between 40 and 50, 26 between 50 and 60, 28 between 60 and 70, 26 between 70 and 80, 7 over 80 years of age. Thus it will be seen that this disease is incident to the more advanced years of life.

SCARLET FEVER.

Only 18 deaths were registered from scarlet fever during the year 1889, a smaller number than ever reported for a single year. During the past six years 204 deaths from this disease have been reported, averaging 34 annually.

TABLE NO. 70.

Mortality from Scarlatina from 1884 *to* 1889, *inclusive.*

YEARS.	Deaths.	Percentages of deaths to deaths from all causes.	Death-rates per 10,000 living (estimated population).
1884	52	.83	1.44
1885	53	.85	1.46
1886	21	.32	.57
1887	26	.40	.70
1888	34	.49	.91
1889	18	.26	.48
Total	204	.....	.....
Average	34	.52	.92

Table No. 70 gives the mortality from scarlet fever from 1884 to 1889, inclusive, also percentages of deaths to deaths from all causes and the death-rates to each 10,000 of the living population. The mortality from this disease is undoubtedly much less than in former years, on account of the greater precautions taken against its spread and the better understanding of the nature of the disease.

TABLE NO. 71.

Mortality from Scarlatina from 1884 *to* 1889, *inclusive, by Ages.*

YEARS.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.	Total.
1884	7	20	12	8	1	4	..	..	..	..	..	..	..	52
1885	5	30	11	4	1	1	1	..	..	..	..	..	..	53
1886	1	8	9	1	..	1	..	..	..	..	..	..	1	21
1887	5	10	3	6	..	2	..	..	..	..	..	..	..	26
1888	5	16	5	3	2	..	1	1	..	1	..	..	..	34
1889	4	7	3	2	1	..	..	..	..	..	..	..	1	18
Average	4	15	7	4	.8	1	.3	.1	..	.1	..	..	.3	34

Table No. 71 shows the mortality from scarlet fever from 1884 to 1889, inclusive, by ages and years. By it the fact is emphasized that the disease is a disease of childhood, over one half of all the decedents being under 5 years of age.

TABLE NO. 72.

Deaths from Scarlatina, by Counties, 1889.

COUNTIES.	Deaths.	COUNTIES.	Deaths.
Rockingham	1	Hillsborough	7
Strafford	1	Cheshire	2
Belknap	1	Sullivan	1
Carroll		Grafton	1
Merrimack	2	Coös	2

The distribution of the mortality from scarlet fever by counties for the year 1889 is shown in Table No. 72. Seven, the largest number returned from any one county, were reported from Hillsborough, 2 each from Merrimack, Cheshire, and Coös, 1 each from Rockingham, Strafford, Belknap, Sullivan, and Grafton.

MEASLES.

Sixteen deaths from measles were returned during the year 1889, as against 55 in 1888.

TABLE NO. 73.

Mortality from Measles from 1884 *to* 1889, *inclusive.*

YEARS.	Deaths.	Percentages of deaths to 100 deaths from all causes.	Death-rates per 10,000 living (estimated population).
1884	3	.04	.08
1885	45	.72	1.24
1886	18	.28	.49
1887	39	.60	1.06
1888	55	.80	1.48
1889	16	.23	.42
Total	176	.....	.....
Average	29	.44	.79

The above table represents the mortality from measles from 1884 to 1889, inclusive, with percentages to total mortality for each year, and death-rates to each 10,000 of the living population. One hundred and seventy-six deaths from measles were returned during the past six years, 1884 to 1889, inclusive, giving an average annual mortality of 29 deaths.

TABLE NO. 74.

Mortality from Measles from 1884 *to* 1889, *inclusive, by Ages.*

YEARS.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.	Total.
1884	1	1	..	..	1	..	..	..	..	..	..	..	..	3
1885	12	26	5	1	1	..	..	..	..	..	..	..	..	45
1886	5	13	..	..	..	..	..	..	..	..	..	..	..	18
1887	19	10	2	1	3	..	2	1	..	1	..	..	..	39
1888	14	20	6	3	2	2	5	1	1	..	..	1	..	55
1889	2	6	1	..	2	2	1	..	1	..	..	..	1	16
Average	9	12	2	.8	1	.6	1	.3	.3	.1	..	.1	.1	29

Table No. 74 gives the mortality from measles from 1884 to 1889, inclusive, by ages. This is also an infantile disease, a very large majority of the decedents being under 5 years of age, as will be seen by an examination of the table.

SMALL-POX.

Last and least in the whole list of mortality causes comes small-pox, a disease which, more than any other that ever invaded New Hampshire, terrorizes the public, and from which there is less danger than from any other known disease in any locality where the public avails itself of the protection of vaccination. During the past six years there have been but two deaths from small-pox in New Hampshire, and those cases were imported from Canada during the Montreal epidemic in 1885. There

have been less than ten cases of small-pox and varioloid in the State during the past six years. The protection offered against this disease through vaccination is so complete and positive, that if the people will but avail themselves of it, the disease will be practically exterminated. The two deaths alluded to were in unvaccinated persons.

INDEX.

PAGE.

Births, 1889 204
by counties, showing proportion of males to females 44
by sex and months, by counties 46
for the year ending December 31, 1889 22–43
from 1880-1889, inclusive 18
in various countries 203
percentage of American and foreign, by counties, 1889 207
to each 1,000 of population, 1889 21
in the cities 205
twin, by months and counties, 1889 45
with estimated population and rates for each year, 1884–1889 202
Birth-rate of the State 201
various countries 206
Bright's disease, deaths from, 1889 308
1884–1889 307

Cancer, deaths from, 1884–1889 295
Cholera infantum, deaths from, by ages, sex, months, particularly in the cities of the State, 1889 291
deaths from, 1884–1889 287
by ages 288
in the cities 289
Constitutional diseases, deaths from principal, 1884–1889 250
Consumption, deaths from, 1884–1889 258
by ages and sex, by counties, 1889 272
by counties, with percentage to total mortality, 1884–1889 362
by months and sex, by counties, 1889 275
by nationality, condition, and sex, by counties, 1889 277
in the cities of the State, 1883–1889 270
Concord 265
Dover 268
Keene 269
Manchester 264
Nashua 266
Portsmouth 267
diagram showing death-rate from 260
Croup, deaths from, 1889 296
1884–1889 301
by ages 300

Deaths, 1889 ..... 22–43, 227
1884–1889 228
1884–1889, inclusive, with estimated population and rates 202

at different age periods, 1889..... 233
by ages and sex, 1884–1889..... 235
by age, sex, and months.....193–195
by ages, sex, and months, by counties..... 178
by ages, sex, and months, by counties and towns.....146–176
by counties, 1884–1889, with rates, according to estimated population. 230
by seasons, 1889..... 240
causes of, alphabetically arranged, by age, sex, and months.....180–192
by classes, 1884–1889..... 244
by classes and counties, 1889..... 247
by towns and counties.....56–143
diagram showing comparative mortality from twenty causes of..... 256
from twenty prominent causes, 1884–1889..... 254
from principal constitutional diseases, 1884–1889..... 250
developmental diseases, 1884–1889..... 253
local diseases, 1884–1889..... 251
zymotic diseases, 1884–1889..... 249
nativity of decedents, 1889..... 241
nativity of decedents, 1884–1889..... 242
nomenclature of causes of.....6–16
of centenarians, 1889..... 243
of children under five years of age, by seasons, 1889..... 239
of males and females compared, 1884–1889..... 232
percentages of, at different age periods, 1883–1889..... 234
by age and sex, to total mortality, 1884–1889..... 237
by classes, 1884–1889..... 245
by quarters, 1884–1889..... 231
to each 1,000 of the population..... 21
recapitulation of causes of, by classes and orders, by counties..... 144
Death-rate of the State, 1889..... 201
1884–1889..... 228
of various countries.....203, 229
Developmental diseases, deaths from prominent, 1884–1889..... 253
Diarrheal diseases, deaths from, 1884–1889..... 286
Diphtheria, deaths from, 1884–1889..... 301
by ages, 1884–1889..... 296
by ages, sex, and months, particularly in the cities and larger towns, 1889..... 298
Divorces, causes of, 1882–1889, inclusive, by counties..... 54
decreed from 1870–1889, by counties..... 223
in 1889, by counties..... 53
four leading causes of..... 220
law regarding..... 219
ratio of to marriages, 1882–1889..... 224
by counties, 1889..... 225
ratio of to total number of marriages, by counties, 1882–1889..... 226
Dropsy, deaths from, 1889..... 307

Fever, scarlet, deaths from, 1889..... 308
by counties..... 310
1884–1889..... 308
by ages..... 309
typhoid, deaths from, 1889..... 302
1884–1889..... 303
by ages..... 306
by counties..... 304

Heart disease, deaths from, 1889 283

Kidney diseases, deaths from, 1889 306

Local diseases, deaths from principal, 1889 251

Marriages, 1889 ..... 22-43, 208
1880-1889 19
1883-1889, by ages 214
1884-1889, with estimated population and rates 203
by ages and counties, 1889 50
by counties, 1882-1889 212
by counties and nativity, 1889 48
by months and counties 49
by months and quarters, 1883-1889 213
by nativity and percentages, 1882-1889 215
proportion of American to foreign, 1882-1889 216
interesting facts relating to, 1889 52
percentages of American and foreign, by counties, 1882-1889 217
percentages to each 1,000 of the population 21
ratio of to divorces, by counties, 1889 225
ratio of to divorces, 1882-1889 224
ratio of to total number of divorces, by counties, 1882-1889 226
Marriage-rate of the State, 1889 201
1882-1889 209
according to estimated population of each year, by counties 212
1883-1889, by months and quarters 213
of various countries 203
Measles, deaths from, 1889 310
from 1884-1889 311
by ages 312

Pneumonia, deaths from, by ages, 1884-1889 280
by counties, 1884-1889 279
by months and quarters, 1884-1889 282
diagram showing mortality from, at different age-periods 281
Population of the State, census of 1880 and 1890 200

Small-pox, deaths from 312
Summary of observations on the causes of death 199-313

Zymotic diseases, deaths from prominent, 1884-1889 249

TABLES.

Table I. Showing births for 1880, 1881, 1882, 1883, 1884, 1885, 1886, 1887, 1888, and 1889 18
I. Showing marriages for 1880, 1881, 1882, 1883, 1884, 1885, 1886, 1887, 1888, and 1889 19
I. Showing deaths for 1880, 1881, 1882, 1883, 1884, 1885, 1886, 1887, 1888, and 1889 20
II. Population of 1890; births, marriages, and deaths, with percentage of each to one thousand of the population, for the year ending December 31, 1889 21

III. Births, marriages, and deaths for the year ending December 31, 1889 22–43
IV. Births by counties, showing proportion of males to females, 1889. 44
V. Twin births by months and counties, 1889 45
VI. Births by sex and months, by counties, 1889 46
VII. Marriages by counties and nativity, 1889 48
VIII. Marriages by months and counties, 1889 49
IX. Marriages by ages and counties, 1889 50
X. Interesting facts in relation to marriages, 1889 52
XI. Divorces decreed by the supreme court of New Hampshire, in the year 1889, as returned by the clerks of the several counties 53
XII. Causes upon which divorces were decreed for eight years, 1882–1889, inclusive, by counties 54
XIII. Causes of death, arranged by towns and counties 56–143
XIV. Recapitulation of the causes of death by classes and orders, by counties 144
XV. Deaths by ages, sex, and months, by counties and towns 146–176
XVI. Deaths by ages, sex, and months, by counties 178
XVII. Causes of death alphabetically arranged by ages, sex, and months 180–192
XVIII. Deaths by sex, age, and month 193–195
1. Population of counties in 1880 and 1890 200
2. Estimated population of New Hampshire for each year from 1880 to 1890, inclusive 201
3. Births, marriages, and deaths, with the estimated population and rates, for 1884 to 1889, inclusive 202
4. Rates of births, marriages, and deaths, in various countries 203
5. Births in cities for 1889, with rate per 1,000 205
6. Percentage of American and foreign births, by counties, 1889 207
7. Marriage-rates for 1882 to 1889, inclusive 209
8. Marriages by counties from 1882 to 1889, inclusive 210
9. Marriage-rates for 1882 to 1889, inclusive, according to estimated population of each year, by counties 212
10. Marriages and marriage-rates by months and quarters, from 1883 to 1889, inclusive 213
11. Marriages for seven years, 1883 to 1889, inclusive, by ages 214
12. Marriages according to nativity.— Percentages 1882 to 1889, inclusive 215
13. Proportion of American to foreign born persons married, for 1882 to 1889, inclusive 216
14. Percentages of American and foreign born persons married, by counties, for 1882 to 1889, inclusive 217
15. Divorces decreed from 1870 to 1889, inclusive, by counties 223
16. Ratio of divorces to marriages from 1882 to 1889, inclusive 224
17. Ratio of divorces to marriages, by counties, for 1889 225
18. Ratio of total number of divorces to total number of marriages, by counties, from 1882 to 1889, inclusive 226
19. Deaths and death-rates from 1884 to 1889, inclusive 228
20. Deaths and death-rates, by counties, from 1884 to 1889, inclusive, figured on estimated population 230
21. Percentages of deaths, by quarters, from 1884 to 1889, inclusive ... 231
22. Mortality of males and females compared, 1884 to 1889, inclusive. 232
23. Deaths at different periods, compared with the number living at the same period, 1889 233
24. Deaths at age periods by percentages, for 1883 to 1889, inclusive .. 234
25. Deaths by ages and sex, from 1884 to 1889, inclusive 235

26. Percentages of deaths by ages and sex to total mortality, from 1884 to 1889, inclusive 237
27. Deaths of children under five years of age, by seasons, 1889 239
28. Deaths by seasons, 1889 240
29. Nativity of persons deceased for 1889, by counties 241
30. Nativity of persons deceased from 1884 to 1889, inclusive 242
31. Deaths in 1889, aged one hundred years, or more 243
32. Causes of death, by classes, 1884 to 1889, inclusive 244
33. Percentage of causes of death, by classes, 1884 to 1889, inclusive .. 245
34. Causes of death, by classes and counties, 1889 247
35. Mortality from prominent zymotic diseases from 1884 to 1889, inclusive 249
36. Mortality from principal constitutional diseases, 1884 to 1889, inclusive 250
37. Mortality from principal local diseases, 1884 to 1889, inclusive 251
38. Mortality from principal developmental diseases, 1884 to 1889, inclusive 253
39. Mortality from twenty prominent causes, 1884 to 1889, inclusive ... 254
40. Mortality from consumption from 1884 to 1889, inclusive 258
41. Mortality from consumption, by counties, with percentages of deaths to total mortality, from 1884 to 1889, inclusive 262
42. Deaths from pulmonary consumption, by seasons, ages, and nativity, 1889, for the city of Manchester 264
43. Deaths from pulmonary consumption, by seasons, ages, and nativity, 1889, for the city of Concord 265
44. Deaths from pulmonary consumption, by seasons, ages, and nativity, 1889, for the city of Nashua 266
45 Deaths from pulmonary consumption, by seasons, ages, and nativity, 1889, for the city of Portsmouth 267
46. Deaths from pulmonary consumption, by seasons, ages, and nativity, 1889, for the city of Dover 268
47. Deaths from pulmonary consumption, by seasons, ages, and nativity, 1889, for the city of Keene 269
48. Percentage of deaths from consumption to the total mortality of the cities of the State for the years 1883 to 1889, inclusive 270
49. Deaths from consumption, by ages and sex, by counties, for 1889. 272
50. Deaths from consumption, by months and sex, by counties, for 1889 275
51. Deaths from consumption, by nationality, civil condition, and sex, by counties, for 1889 277
52. Mortality from pneumonia, by counties, from 1884 to 1889, inclusive 279
53. Mortality from pneumonia, from 1884 to 1889, inclusive, by ages ... 280
54. Mortality from pneumonia, by months and quarters, from 1884 to 1889, inclusive 282
55. Mortality from brain diseases, 1884 to 1889, inclusive 284
56. Mortality from diarrheal diseases, 1884 to 1889, inclusive 286
57. Mortality from cholera infantum from 1884 to 1889, inclusive 287
58. Mortality from cholera infantum from 1884 to 1889, inclusive, by ages 288
59. Cholera infantum, by cities 289
60. Cholera infantum, by ages, sex, and months, particularly showing the number of decedents in the cities and towns returning the greatest mortality from this disease 291
61. Mortality from cancer, with ratios to estimated population and to total mortality from 1884 to 1889, inclusive 295

62. Mortality from diphtheria from 1884 to 1889, inclusive, by ages.... 296
63. Diphtheria, by ages, sex, and months, particularly showing number of decedents in the cities and towns returning the greatest mortality from this disease..... 298
64. Mortality from croup from 1884 to 1889, inclusive, by ages..... 300
65. Mortality from croup and diphtheria from 1884 to 1889, inclusive.. 301
66. Mortality from typhoid fever from 1884 to 1889, inclusive..... 303
67. Mortality from typhoid fever, by counties, with percentages of deaths to total mortality, from 1884 to 1889, inclusive 304
68. Mortality from typhoid fever from 1884 to 1889, inclusive, by ages 306
69. Mortality from Bright's disease, nephritis, and other kidney diseases, and from dropsy, with ratios to total mortality, from 1884 to 1889, inclusive..... 307
70. Mortality from scarlatina from 1884 to 1889, inclusive..... 308
71. Mortality from scarlatina from 1884 to 1889, inclusive, by ages 309
72. Deaths from scarlatina, by counties, 1889..... 310
73. Mortality from measles from 1884 to 1889, inclusive..... 311
74. Mortality from measles from 1884 to 1889, inclusive, by ages..... 312


3 2044 062 631 46

3 2044 062 631 460